

according to UK REACH Regulation

Alcoholic picric acid 3 % (picral)

Revision date: 27.03.2024

Product code: 18931.xxxxx

Page 1 of 16

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Alcoholic picric acid 3 % (picral)

UFI:

AAEP-U1EG-900Y-F0VE

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Use as laboratory reagent. Intended for scientific research and development.

Uses advised against

Any non-intended use.

1.3. Details of the supplier of the safety data sheet

efax: +49 (0) 69 / 400 3019-64
49(0)6131/19240

number:

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

GB CLP Regulation

Flam. Liq. 2; H225 Eye Irrit. 2; H319

Full text of hazard statements: see SECTION 16.

2.2. Label elements

GB CLP Regulation

Signal word:

Pictograms:



Hazard statements

H225 H319 Highly flammable liquid and vapour. Causes serious eye irritation.

Precautionary statements

i i oodaalionaly otatomone	5
P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P337+P313	If eye irritation persists: Get medical advice/attention.
Labelling of packages w	nere the contents do not exceed 125 ml
Signal word:	Danger

according to UK REACH Regulation

Alcoholic picric acid 3 % (picral)

Revision date: 27.03.2024

Product code: 18931.xxxxx

Page 2 of 16

Pictograms:



2.3. Other hazards

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.This substance/mixture contains no components considered to be either persistent, bioaccumulating and toxic (PBT) or very persistent and very bioaccumulating (vPvB) at levels of 0.1% or higher. Ecological information: The substance/mixture does not contain any components that are considered to be hazardous according to REACH Article 57(f) or Commission Delegated Regulation (EU) 2017/2100 or Commission Delegated Regulation (EU) 2018/605 in amounts of 0.1 % or more have endocrine disrupting properties. Toxicological information: The substance/mixture does not contain any components that are to be classified according to REACH Article 57(f) or Commission Delegated Regulation (EU) 2017/2100 or Commission Delegated Regulation (EU) 2018/605 in quantities of 0.1 % or more have endocrine disrupting properties.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Relevant ingredients

CAS No	Chemical name					
	EC No	Index No	REACH No			
	Classification (GB CLP Regulatio					
64-17-5	Ethanol			95 - < 100 %		
	200-578-6	603-002-00-5	01-2119457610-43			
	Flam. Liq. 2, Eye Irrit. 2; H225 H3					
88-89-1	picric acid			1 - < 5 %		
	201-865-9	609-009-00-X				
	Expl. 1.1, Acute Tox. 3, Acute To	x. 3, Acute Tox. 3; H201 H33	31 H311 H301			
78-93-3	butanone		< 1 %			
	201-159-0	606-002-00-3	01-2119457290-43			
	Flam. Liq. 2, Eye Irrit. 2, STOT SE 3; H225 H319 H336 EUH066					

Full text of H and EUH statements: see section 16.

Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity
	Specific Conc.	Limits, M-factors and ATE	
64-17-5	200-578-6	Ethanol	95 - < 100 %
		50 = 124,7 mg/l (vapours); dermal: LD50 = >2000 mg/kg; oral: LD50 = >5000 it. 2; H319: >= 50 - 100	
88-89-1	201-865-9	picric acid	1 - < 5 %
		E = 3 mg/l (vapours); inhalation: LC50 = 0,51 mg/l (dusts or mists); dermal: LD50 ; oral: LD50 = 200 mg/kg	
78-93-3	201-159-0	butanone	< 1 %
	dermal: LD50	= >2000 mg/kg; oral: LD50 = 2054 mg/kg	

Further Information

This product contains no substances of very high concern (SVHC) (>0,1%) which are included in the Candidate List according to Article 59 of REACH.

SECTION 4: First aid measures

4.1. Description of first aid measures

according to UK REACH Regulation

Alcoholic picric acid 3 % (picral)

Revision date: 27.03.2024

Product code: 18931.xxxxx

Page 3 of 16

General information

Remove affected person from the danger area and lay down. In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

After inhalation

Provide fresh air. If unconscious but breathing normally, place in recovery position and seek medical advice. In case of allergic symptoms, especially in the breathing area, seek medical advice immediately.

After contact with skin

Wash with plenty of water. Take off contaminated clothing and wash it before reuse. Immediate medical treatment required because corrosive injuries that are not treated are hard to cure.

After contact with eyes

After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an ophthalmologist immediately. Remove contact lenses, if present and easy to do. Continue rinsing.

After ingestion

Observe risk of aspiration if vomiting occurs. Rinse mouth thoroughly with water. Let water be drunken in little sips (dilution effect).

4.2. Most important symptoms and effects, both acute and delayed

Acute effects: Mucous membrane irritation after eye contact or inhalation.

Delayed effects: Impairment of inhibitory functions of the central nervous system, skin redness, nausea after ingestion of large amounts.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

Percutaneously absorbed and inhaled substance causes next to irritation of affected mucous membranes only an indicated impairment of the inhibitory functions of the central nervous system, clinically recognizable as the beginning of a euphoric stage. At the same time face and skin redness is caused by dilation of peripheral blood vessels in the body.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Water spray jet, Carbon dioxide (CO2), Foam, Extinguishing powder.

Unsuitable extinguishing media

High power water jet.

5.2. Special hazards arising from the substance or mixture

Highly flammable. Vapours can form explosive mixtures with air. In case of fire may be liberated: Carbon monoxide Carbon dioxide (CO2). Nitrogen oxides (NOx).

5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus. In case of fire and/or explosion do not breathe fumes.

Additional information

Use water spray jet to protect personnel and to cool endangered containers. Suppress gases/vapours/mists with water spray jet. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General advice

Remove all sources of ignition. Provide adequate ventilation. Do not breathe gas/fumes/vapour/spray. Avoid contact with skin, eyes and clothes. Use personal protection equipment. Do not allow to dry. Risk of explosion in case of drying up.

6.2. Environmental precautions

Do not allow uncontrolled discharge of product into the environment. Explosion risk. Do not allow to enter into



according to UK REACH Regulation

Alcoholic picric acid 3 % (picral)

Revision date: 27.03.2024

Product code: 18931.xxxxx

Page 4 of 16

surface water or drains. Due to danger of explosion, prevent leakage of vapours into cellars, flues and ditches. Prevent spread over a wide area (e.g. by containment or oil barriers). In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities.

6.3. Methods and material for containment and cleaning up

For cleaning up

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

Other information

Clean contaminated objects and areas thoroughly observing environmental regulations.

6.4. Reference to other sections

Safe handling: see section 7 Personal protection equipment: see section 8 Disposal: see section 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Wear suitable protective clothing. (See section 8.)

Provide adequate ventilation as well as local exhaustion at critical locations.

Use extractor hood (laboratory).

Advice on protection against fire and explosion

Keep away from sources of ignition - No smoking. Take precautionary measures against static discharges. Vapours can form explosive mixtures with air. Flammable vapours can accumulate in head space of closed systems. Heating causes rise in pressure with risk of bursting.

Advice on general occupational hygiene

Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat, drink, smoke, sniff. Always close containers tightly after the removal of product. Used working clothes should not be worn outside the work area. Street clothing should be stored seperately from work clothing.

Further information on handling

Flammable vapours can accumulate in head space of closed systems. Conditions to avoid: Generation/formation of aerosols Always remove adhering product residues from lids and closures before closing the product.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep container tightly closed. Keep in a cool, well-ventilated place. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Storage: Just as long as necessary.

Hints on joint storage

Do not store together with: Oxidizing agent. Pyrophoric or self-heating substances. Gas. Explosives. Flammable solids. Pyrophoric liquids and solids. Self-heating substances and mixtures. Substances or mixtures which, in contact with water, emit flammable gases. Oxidizing liquids. Oxidizing solids. ammonium nitrate. Self-reactive substances and mixtures. Organic peroxides. Non-combustible toxic substances. Radioactive substances. Infectious substances.

Further information on storage conditions

Keep away from heat. Protect from sunlight. Store small packages in a suitable, robust cabinet. Recommended storage temperature: 15-25 $^\circ\text{C}$

7.3. Specific end use(s)

See section 1.

SECTION 8: Exposure controls/personal protection



according to UK REACH Regulation

Alcoholic picric acid 3 % (picral)

Revision date: 27.03.2024

Product code: 18931.xxxxx

Page 5 of 16

8.1. Control parameters

Exposure limits (EH40)

CAS No	Substance	ppm	mg/m³	fibres/ml	Category	Origin
78-93-3	Butan-2-one (methyl ethyl ketone)	200	600		TWA (8 h)	WEL
		300	899		STEL (15 min)	WEL
64-17-5	Ethanol	1000	1920		TWA (8 h)	WEL
88-89-1	Picric acid	-	0.1		TWA (8 h)	WEL
		-	0.3		STEL (15 min)	WEL

Biological Monitoring Guidance Values (EH40)

CAS No	Substance	Parameter	Value	Test material	Sampling time
78-93-3	Butan-2-one	butan-2-one	70 µmol/L	urine	Post shift

DNEL/DMEL values

CAS No	Substance							
DNEL type Exposure route Effect Value								
64-17-5	Ethanol							
Worker DNE	L, acute	inhalation	local	1900 mg/m³				
Worker DNE	L, long-term	dermal	systemic	343 mg/kg bw/day				
Worker DNE	L, long-term	inhalation	systemic	950 mg/m³				
Consumer D	NEL, acute	inhalation	local	950 mg/m³				
Consumer D	NEL, long-term	dermal	systemic	206 mg/kg bw/day				
Consumer D	NEL, long-term	inhalation	systemic	114 mg/m³				
Consumer D	NEL, long-term	oral	systemic	87 mg/kg bw/day				
78-93-3	butanone							
Worker DNE	L, long-term	inhalation	systemic	600 mg/m³				
Worker DNE	L, long-term	dermal	systemic	1161 mg/kg bw/day				



according to UK REACH Regulation

Alcoholic picric acid 3 % (picral)

Revision date: 27.03.2024

Product code: 18931.xxxxx

Page 6 of 16

PNEC values

CAS No	Substance		
Environment	al compartment	Value	
64-17-5	Ethanol		
Freshwater		0,96 mg/l	
Freshwater (intermittent releases)	2,75 mg/l	
Marine wate	r	0,79 mg/l	
Marine wate	r (intermittent releases)	2,75 mg/l	
Freshwater s	sediment	3,6 mg/kg	
Marine sedir	nent	2,9 mg/kg	
Secondary p	oisoning	0,72 mg/kg	
Micro-organi	sms in sewage treatment plants (STP)	580 mg/l	
Soil		0,63 mg/kg	
78-93-3	butanone		
Freshwater		55,8 mg/l	
Freshwater (intermittent releases)	55,8 mg/l	
Marine wate	r	55,8 mg/l	
Freshwater s	Freshwater sediment		
Marine sedir	nent	284,7 mg/kg	
Micro-organi	sms in sewage treatment plants (STP)	709 mg/l	
Soil		22,5 mg/kg	

8.2. Exposure controls



Appropriate engineering controls

Provide adequate ventilation.

If local exhaust ventilation is not possible or not sufficient, the entire working area should be ventilated by technical means. Use extractor hood (laboratory).

Individual protection measures, such as personal protective equipment

Eye/face protection

Suitable eye protection: goggles. Tightly sealed safety glasses. EN 166

Hand protection

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. In case of prolonged or frequently repeated skin contact:

Tested protective gloves are to be worn:

Suitable material:

Butyl rubber. (0,7 mm, Breakthrough time >=480 min, penetration time (maximum wearing period): 160 min): NBR (Nitrile rubber). (0,4 mm, Breakthrough time >=120 min, penetration time (maximum wearing period): 40 min)

The selected protective gloves have to satisfy the specifications of EU Directive 89/686/EEC and the standard EN 374 derived from it.

Before using check leak tightness / impermeability.



according to UK REACH Regulation

Alcoholic picric acid 3 % (picral)

Revision date: 27.03.2024

Product code: 18931.xxxxx

Page 7 of 16

Skin protection

Flame-retardant protective clothing. Wear anti-static footwear and clothing Protective clothing. (fire retardant.) Minimum standard for preventive measures while handling with working materials are specified in the TRGS 500 (D).

Respiratory protection

In case of inadequate ventilation wear respiratory protection. Respiratory protection necessary at: exceeding exposure limit values

aerosol or mist generation.

Insufficient ventilation.

insufficient absorbtion.

Suitable respiratory protective equipment:

Combination filtering device (EN 14387) Type: A-P2/P3

The filter class must be suitable for the maximum contaminant concentration (gas/vapour/aerosol/particulates) that may arise when handling the product. If the concentration is exceeded, self-contained breathing apparatus must be used.

Details on the requirements for use and maximum concentrations can be found in the "Rules for the use of respiratory protective devices" (BGR 190).

Thermal hazards

Flame-retardant protective clothing. Wear anti-static footwear and clothing

Environmental exposure controls

Do not allow to enter into surface water or drains.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Bhysical state:		
Physical state: Colour:	liquid yellow	
Odour:	characteristic/Alcohol	
0 000011	characteristic/Alcohor	not determined
Melting point/freezing point:		78 °C
Boiling point or initial boiling point and boiling range:		70 0
boiling range:		not determined
Flammability:		3,1 vol. %
Lower explosion limits:		
Upper explosion limits:		27,7 vol. %
Flash point:		12 °C
Auto-ignition temperature:		not determined
Decomposition temperature:		not determined
pH-Value:		not determined
Viscosity / kinematic:		not determined
Water solubility:		completely miscible
(at 20 °C)		
Solubility in other solvents		
not determined		
Partition coefficient n-octanol/water:		not determined
Vapour pressure:		58 hPa
(at 20 °C)		
Density (at 20 °C):		0,80 g/cm ³
Relative vapour density:		not determined
Particle characteristics:		not applicable
9.2. Other information		
Information with regard to physical haz	ard classes	
Evalorive properties		

Explosive properties

The product is not: Explosive. Explosive when dry.



according to UK REACH Regulation

	Alcoholic picric acid 3 % (picral)	
Revision date: 27.03.2024	Product code: 18931.xxxxx	Page 8 of 16
In case of insufficient ventilation a	nd/or through use, explosive/highly flammable mixtures may develop	0.
Self-ignition temperature		
Gas:	not determined	
Oxidizing properties		
none		
Other safety characteristics		
Evaporation rate:	not determined	
Solvent separation test:	not determined	
Solvent content:	not determined	
Solid content:	not determined	
Sublimation point:	not determined	
Softening point:	not determined	
Pour point:	not determined	
Viscosity / dynamic:	not determined	

not determined

SECTION 10: Stability and reactivity

10.1. Reactivity

Flow time:

No information available.

10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

10.3. Possibility of hazardous reactions

Reacts with : Reducing agent Oxidizing agents. Aluminium. Ammonia. Base. Heavy metal salts. fluorine. potassium.

10.4. Conditions to avoid

Keep away from sources of heat (e.g. hot surfaces), sparks and open flames. Vapours can form explosive mixtures with air. Keep away from heat. In case of warming: Explosion hazard Ignition hazard. Do not allow to dry. Risk of explosion in case of drying up.

10.5. Incompatible materials

Reducing agent Oxidizing agents. Aluminium. Ammonia. Base. Heavy metal salts. fluorine. potassium. Substances that form flammable gases when in contact with water. Organic peroxides. Inflammatory substances. Alkali metals.

10.6. Hazardous decomposition products

In case of fire may be liberated: Carbon monoxide Carbon dioxide (CO2). Nitrogen oxides (NOx).

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in GB CLP Regulation

Acute toxicity

Based on available data, the classification criteria are not met.

ATEmix calculated

ATE (oral) 6667 mg/kg; ATE (dermal) 10003 mg/kg; ATE (inhalation vapour) 100,0 mg/l; ATE (inhalation dust/mist) 17,00 mg/l

according to UK REACH Regulation

Alcoholic picric acid 3 % (picral)

Revision date: 27.03.2024

Product code: 18931.xxxxx

Page 9 of 16

CAS No	Chemical name										
	Exposure route	Dose		Species	Source	Method					
64-17-5	Ethanol	Ethanol									
	oral	LD50 mg/kg	>5000	Rat	ECHA Dossier						
	dermal	LD50 mg/kg	>2000	Rabbit	ECHA Dossier						
	inhalation (4 h) vapour	LC50 mg/l	124,7	Rat	ECHA Dossier						
88-89-1	picric acid										
	oral	LD50 mg/kg	200	Rat	RTECS						
	dermal	LD50 mg/kg	300,1								
	inhalation vapour	ATE	3 mg/l								
	inhalation (4 h) dust/mist	LC50	0,51 mg/l								
78-93-3	butanone										
	oral	LD50 mg/kg	2054	Ratte	SDB Lieferant						
	dermal	LD50 mg/kg	>2000	Rabbit	ECHA Dossier						

Irritation and corrosivity

Causes serious eye irritation.

Skin corrosion/irritation: Based on available data, the classification criteria are not met.

Sensitising effects

Based on available data, the classification criteria are not met.

Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

11.2. Information on other hazards

Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to humans as no components meets the criteria.

Other information

The mixture is classified as hazardous according to regulation (EC) No 1272/2008 [CLP]. Depending on the ingested quantity the following symptoms can be induced: a reduction of inhibitions, euphoria but also dysphoria, aggressiveness, impaired motoric skills, impaired responsiveness, blurred vision and fatigue.

SECTION 12: Ecological information

12.1. Toxicity

Based on available data, the classification criteria are not met.



according to UK REACH Regulation

Alcoholic picric acid 3 % (picral)

Revision date: 27.03.2024

Product code: 18931.xxxxx

Page 10 of 16

CAS No	Chemical name							
	Aquatic toxicity	Dose		[h] [d]	Species	Source	Method	
64-17-5	Ethanol							
	Acute fish toxicity	LC50 mg/l	14200		Pimephales promelas (fathead minnow)	ECHA Dossier		
	Acute algae toxicity	ErC50	275 mg/l	72 h	Chlorella vulgaris	ECHA Dossier		
	Acute crustacea toxicity	EC50 mg/l	5012	48 h	Ceriodaphnia dubia (water flea)	ECHA Dossier		
	Crustacea toxicity	NOEC	9,6 mg/l	9 d	Daphnia magna	ECHA Dossier		
78-93-3	butanone							
	Acute fish toxicity	LC50 mg/l	2993	96 h	Pimephales promelas	ECHA Dossier	OECD 203	
	Acute algae toxicity	ErC50 mg/l	1972	72 h	Pseudokirchnerella subcapitata	ECHA Dossier	OECD 201	
	Acute crustacea toxicity	EC50	308 mg/l	48 h	Daphnia magna	ECHA Dossier	OECD 202	

12.2. Persistence and degradability

The product has not been tested.

CAS No	Chemical name				
	Method	Value		d	Source
	Evaluation				
64-17-5	Ethanol				
	other guideline	84%		20	ECHA Dossier
	Biodegradable.				
78-93-3	butanone				
		98%		28	ECHA Dossier
	Readily biodegradable (according to OECD criteria).				

12.3. Bioaccumulative potential

The product has not been tested.

Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
64-17-5	Ethanol	-0,31
78-93-3	butanone	0,3

12.4. Mobility in soil

The product has not been tested.

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to UK REACH.

12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

12.7. Other adverse effects

No information available.

Further information

Avoid release to the environment.

SECTION 13: Disposal considerations

13.1. Waste treatment methods



according to UK REACH Regulation

Alcoholic picric acid 3 % (picral)

Revision date: 27.03.2024

Product code: 18931.xxxxx

Page 11 of 16

Disposal recommendations

Do not allow to enter into surface water or drains. Dispose of waste according to applicable legislation. Consult the local waste disposal expert about waste disposal. Non-contaminated packages may be recycled. According to (EWC) European Waste Catalogue, allocation of waste identity numbers/waste descriptions must be carried out in a specific way for every industry and process.

Control report for waste code/ waste marking according to (EWC) European Waste Catalogue:

List of Wastes Code - residues/unused products

160506 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and discarded chemicals; laboratory chemicals, consisting of or containing hazardous substances, including mixtures of laboratory chemicals; hazardous waste

List of Wastes Code - used product

160506 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and discarded chemicals; laboratory chemicals, consisting of or containing hazardous substances, including mixtures of laboratory chemicals; hazardous waste

List of Wastes Code - contaminated packaging

150110 WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED; packaging (including separately collected municipal packaging waste); packaging containing residues of or contaminated by hazardous substances; hazardous waste

Contaminated packaging

Wash with plenty of water. Completely emptied packages can be recycled.

SECTION 14: Transport information

Land transport (ADR/RID) <u>14.1. UN number or ID number:</u> <u>14.2. UN proper shipping name:</u> <u>14.3. Transport hazard class(es):</u> <u>14.4. Packing group:</u> Hazard label:	UN 1170 ETHANOL 3 II 3
Classification code:	F1
Special Provisions:	144 601
Limited quantity:	1 L
Excepted quantity:	E2
Transport category:	2
Hazard No:	33
Tunnel restriction code:	D/E
Inland waterways transport (ADN) <u>14.1. UN number or ID number:</u> <u>14.2. UN proper shipping name:</u> <u>14.3. Transport hazard class(es):</u> <u>14.4. Packing group:</u> Hazard label:	UN 1170 ETHANOL 3 II 3
Classification code:	F1
Special Provisions:	144 601
Limited quantity:	1 L



according to UK REACH Regulation

Alcobalic pierie acid 3 % (pieral)		
Revision date: 27.03.2024	Alcoholic picric acid 3 % (picral) Product code: 18931.xxxxx	Page 12 of 16
Excepted quantity:	E2	
Marine transport (IMDG)		
14.1. UN number or ID number:	UN 1170	
14.2. UN proper shipping name:	ETHANOL	
14.3. Transport hazard class(es):	3	
14.4. Packing group:		
Hazard label:	3	
Special Provisions:	144	
Limited quantity:	1 L	
Excepted quantity:	E2	
EmS:	F-E, S-D	
Air transport (ICAO-TI/IATA-DGR)		
14.1. UN number or ID number:	UN 1170 ETHANOL	
<u>14.2. UN proper shipping name:</u> 14.3. Transport hazard class(es):	3	
14.4. Packing group:	II	
Hazard label:	3	
Special Provisions:	A3 A58 A180	
Limited quantity Passenger: Passenger LQ:	1 L Y341	
Excepted quantity:	E2	
IATA-packing instructions - Passenger:	353	
IATA-max. quantity - Passenger:	5 L	
IATA-packing instructions - Cargo:	364	
IATA-max. quantity - Cargo:	60 L	
14.5. Environmental hazards	No	
ENVIRONMENTALLY HAZARDOUS: 14.6. Special precautions for user	No	
Refer to section 6-8		
14.7. Maritime transport in bulk according to	IMO instruments	
not relevant		
SECTION 15: Regulatory information		
15.1. Safety, health and environmental regu	ations/legislation specific for the substance or mixture	
EU regulatory information		
Restrictions on use (REACH, annex XVII):		
Entry 3, Entry 40, Entry 75		
Directive 2010/75/EU on industrial emissions:	not determined	
Directive 2004/42/EC on VOC in	not determined	
paints and varnishes:		
Information according to Directive 2012/18/EU (SEVESO III):	P5c FLAMMABLE LIQUIDS	

according to UK REACH Regulation

Alcoholic picric acid 3 % (picral)		
Revision date: 27.03.2024	Product code: 18931.xxxxx	Page 13 of 16
Additional information		
The mixture is classified as ha	zardous according to regulation (EC) No 1272/2008 [CLP].	
National regulatory information		
Employment restrictions:	Observe restrictions to employment for juveniles accordi work protection guideline' (94/33/EC).	ng to the 'juvenile
Water hazard class (D):	1 - slightly hazardous to water	
15.2. Chemical safety assessment		
For the following substances on Ethanol butanone	of this mixture a chemical safety assessment has been carried out:	

SECTION 16: Other information

Changes

This data sheet contains changes from the previous version in section(s): 1,2,3,4,5,6,7,8,9,10,11,12,14,15,16. Rev. 2,00, 11.02.23, Individual safety data sheet based on 18943_collect Rev. 2,1; 27.03.2024; Change of transport labelling



according to UK REACH Regulation

Alcoholic picric acid 3 % (picral)

Revision date: 27.03.2024

Abbreviations and acronyms

Product code: 18931.xxxxx

Page 14 of 16

Expl: Explosives Flam. Lig: Flammable liquids Acute Tox: Acute toxicity Eye Irrit: Eye irritation STOT SE: Specific target organ toxicity - single exposure ADR: Accord européen sur le transport des marchandises dangereuses par Route AwSV: Verordnung über Anlagen zum Umgang mit wassergefährdenden Stoffen AGW: Arbeitsplatzgrenzwert AVV: Abfallverzeichnisverordnung CAS Chemical Abstracts Service CLP: Classification, Labelling and Packaging of substances and mixtures DNEL: Derived No Effect Level d: dav(s) EAKV: Europäisches Abfallverzeichnis gemäß Entwurf Abfallverzeichnisverordnung EINECS: European INventory of Existing Commercial chemical Substances ELINCS: European LIst of Notified Chemical Substances ECHA: European Chemicals Agency EWC: European Waste Catalogue IARC: INTERNATIONAL AGENCY FOR RESEARCH ON CANCER IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA) ICAO: International Civil Aviation Organization ICAO-TI: Technical Instructions by the "International Civil Aviation Organization" (ICAO) GHS: Globally Harmonized System of Classification and Labelling of Chemicals GefStoffV: Gefahrstoffverordnung (Ordinance on Hazardous Substances, Germany) h: hour LOAEL: Lowest observed adverse effect level LOAEC: Lowest observed adverse effect concentration LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent NOAEL: No observed adverse effect level NOAEC: No observed adverse effect level NLP: No-Longer Polymers N/A: not applicable OECD: Organisation for Economic Co-operation and Development PNEC: predicted no effect concentration PBT: Persistent bioaccumulative toxic RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail) REACH: Registration, Evaluation, Authorisation of Chemicals SVHC: substance of very high concern TRGS Technische Regeln fuer Gefahrstoffe UN: United Nations VOC: Volatile Organic Compounds VwVwS: Verwaltungsvorschrift wassergefaehrdender Stoffe WGK: Wassergefaehrdungsklasse CLP: Classification, labelling and Packaging REACH: Registration, Evaluation and Authorization of Chemicals GHS: Globally Harmonised System of Classification, Labelling and Packaging of Chemicals UN: United Nations CAS: Chemical Abstracts Service DNEL: Derived No Effect Level DMEL: Derived Minimal Effect Level PNEC: Predicted No Effect Concentration



according to UK REACH Regulation

Alcoholic picric acid 3 % (picral)

Revision date: 27.03.2024

Product code: 18931.xxxxx

Page 15 of 16

ATE: Acute toxicity estimate LL50: Lethal loading, 50% EL50: Effect loading, 50% EC50: Effective Concentration 50% ErC50: Effective Concentration 50%, growth rate NOEC: No Observed Effect Concentration BCF: Bio-concentration factor PBT: persistent, bioaccumulative, toxic vPvB: very persistent, very bioaccumulative ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) RID: Regulations concerning the international carriage of dangerous goods by rail ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways (Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures) EmS: Emergency Schedules MFAG: Medical First Aid Guide MARPOL: International Convention for the Prevention of Marine Pollution from Ships IBC: Intermediate Bulk Container For abbreviations and acronyms, see table at http://abbrev.esdscom.eu For abbreviations and acronyms, see: ECHA Guidance on information requirements and chemical safety assessment, chapter R.20 (Table of terms and abbreviations). EC/EEC: European Community/European Economic Community EU: European Union M-factor: Multiplying factor IATA: International Air Transport Association DGR: Dangerous Goods Regulations ICAO: International Civil Aviation Organization TI: Technical Instructions VOC: volatile organic compound

Classification for mixtures and used evaluation method according to GB CLP Regulation

Classification	Classification procedure
Flam. Liq. 2; H225	On basis of test data
Eye Irrit. 2; H319	Calculation method

Relevant H and EUH statements (number and full text)

H201	Explosive; mass explosion hazard.
H225	Highly flammable liquid and vapour.
H301	Toxic if swallowed.
H311	Toxic in contact with skin.
H319	Causes serious eye irritation.
H331	Toxic if inhaled.
H336	May cause drowsiness or dizziness.
EUH066	Repeated exposure may cause skin dryness or cracking.

Further Information

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights. The receiver of our product is singularly responsible for adhering to existing laws and regulations. Classification according to Regulation (EC) No 1272/2008 [CLP] - Classification procedure:

Health hazards: Calculation method.

Environmental hazards: Calculation method.

Physical hazards: On basis of test data and / or calculated and / or estimated.

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product



according to UK REACH Regulation

Alcoholic picric acid 3 % (picral)

Revision date: 27.03.2024

Product code: 18931.xxxxx

Page 16 of 16

named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

(The data for the relevant ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)