

according to UK REACH Regulation

Ammonium Iron (II) Sulfate 2 %

Revision date: 07.12.2022

Product code: 13303.xxxxx

Page 1 of 8

SECTION 1: Identification of the substance/mixture and of the company/undertaking

A4U5-91U9-H00R-MR9A

1.1. Product identifier

Ammonium Iron (II) Sulfate 2 %

Further trade names

This MSDS covers this product in all container sizes.

UFI:

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Intended for scientific research and development. Use as laboratory reagent.

Uses advised against

Any non-intended use.

1.3. Details of the supplier of the safety data sheet

Company name:	MORPHISTO GmbH	
Street:	Schumannstr. 142/144	
Place:	D-63069 Offenbach	
Telephone:	+49 (0) 69 / 400 3019-60	Telefax: +49 (0) 69 / 400 3019-64
e-mail:	info@morphisto.de	
Contact person:	Morphisto GmbH	
e-mail:	info@morphisto.de	
Internet:	http://www.morphisto.de	
1.4. Emergency telephone	Poison Information Center Mainz, Ge	ermany, Tel: +49(0)6131/19240

number:

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

GB CLP Regulation

Skin Corr. 1; H314 Eye Dam. 1; H318

Full text of hazard statements: see SECTION 16.

2.2. Label elements

GB CLP Regulation

Hazard components for labelling

Ammonium iron bis(sulphate)

Signal word:

Pictograms:



Hazard statements

H314

Causes severe skin burns and eye damage.

Precautionary statements

P280	Wear protective gloves/protective clothing/eye protection/face protection/hearing
	protection.
P301+P330+P331	IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
P303+P361+P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with
	water or shower.



according to UK REACH Regulation

	Ammonium Iron (II) Sulfate 2 %	
Revision date: 07.12.2022	Product code: 13303.xxxxx	Page 2 of 8
P304+P340 P310 P305+P351+P338	IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER/doctor. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.	

2.3. Other hazards

No information available.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Chemical characterization

ammonium iron(III) sulfate; ammonium iron bis(sulfate).

Hazardous components

CAS No	Chemical name	_		Quantity
	EC No	Index No	REACH No	
	Classification (GB CLP Regulation)			
7783-83-7	Ammonium iron bis(sulphate)			1 - < 5 %
	233-382-4			
	Skin Irrit. 2, Eye Irrit. 2; H315 H319			

Full text of H and EUH statements: see section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

First aider: Pay attention to self-protection! Remove affected person from the danger area and lay down.

After inhalation

Provide fresh air. Medical treatment necessary.

After contact with skin

After contact with skin, wash immediately with plenty of water and soap. Take off immediately all contaminated clothing and wash it before reuse. If skin irritation occurs: Get medical advice/attention.

After contact with eyes

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist.

After ingestion

Observe risk of aspiration if vomiting occurs. Rinse mouth immediately and drink 1 glass of of water. Do NOT induce vomiting. Adverse human health effects and symptoms: Gastric perforation. Call a physician immediately. Do not allow a neutralisation agent to be drunk. If accidentally swallowed rinse the mouth with plenty of water (only if the person is conscious) and obtain immediate medical attention.

4.2. Most important symptoms and effects, both acute and delayed

Irritant.Ingestion causes nausea, weakness and central nervous system effects. Blood pressure drop. Circulatory collapse. Spasms. Narcotic effects.Liver and kidney damage.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media



according to UK REACH Regulation

Ammonium Iron (II) Sulfate 2 %

Revision date: 07.12.2022

Product code: 13303.xxxxx

Page 3 of 8

Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings.

5.2. Special hazards arising from the substance or mixture

Non-flammable. Vapours can form explosive mixtures with air. In case of fire may be liberated: Sulfur oxides. Nitrogen

5.3. Advice for firefighters

Wear a self-contained breathing apparatus and chemical protective clothing. Full protection suit.

Additional information

Use water spray jet to protect personnel and to cool endangered containers. Suppress gases/vapours/mists with water spray jet. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General advice

Provide adequate ventilation. Clear danger zone. Follow emergency plan. Consult an expert. Avoid breathing dust/fume/gas/mist/vapours/spray.

6.2. Environmental precautions

Do not allow to enter into surface water or drains. No special environmental measures are necessary. Clean contaminated articles and floor according to the environmental legislation.

6.3. Methods and material for containment and cleaning up

Other information

Cover drains. Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents). Clear contaminated areas thoroughly.

6.4. Reference to other sections

Safe handling: see section 7 Personal protection equipment: see section 8 Disposal: see section 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Do not breathe gas/fumes/vapour/spray. Wear suitable protective clothing. Avoid exposure. Avoid contact with skin, eyes and clothes. Take off contaminated clothing and wash it before reuse. Wash hands before breaks and after work.

Advice on protection against fire and explosion

Usual measures for fire prevention.

Advice on general occupational hygiene

Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat, drink, smoke, sniff. Use personal protection equipment. Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat, drink, smoke, sniff.

Further information on handling

General protection and hygiene measures: See section 8.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep container tightly closed. Keep locked up. Store in a place accessible by authorized persons only. Provide adequate ventilation as well as local exhaustion at critical locations.

according to UK REACH Regulation

Ammonium Iron (II) Sulfate 2 %

Revision date: 07.12.2022

Product code: 13303.xxxxx

Page 4 of 8

Hints on joint storage

No special measures are necessary.

Further information on storage conditions

Avoid: UV-radiation/sunlight. Store in a dry place. Store in a closed container.

7.3. Specific end use(s)

Intended for scientific research and development. Use as laboratory reagent.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Additional advice on limit values

To date, no national critical limit values exist.

8.2. Exposure controls





Appropriate engineering controls

Technical measures and the application of suitable work processes have priority over personal protection equipment. Provide adequate ventilation as well as local exhaustion at critical locations.

Individual protection measures, such as personal protective equipment

Eye/face protection

Suitable eye protection: goggles. EN 166.

Hand protection

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

Suitable glove material also for longer, direct contact: NBR (Nitrile rubber). Thickness of glove material:0,11mm. Breakthrough time (maximum wearing time): >480 min.

Skin protection

Use of protective clothing. Lab apron.

Respiratory protection

In case of inadequate ventilation wear respiratory protection. required when dust occurs.Recommended filter type: Filter P 3

Environmental exposure controls

Do not allow to enter into surface water or drains.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state:	liquid	
Colour:	red - orange	
Odour:	characteristic	
Melting point/freezing point:		not determined
Boiling point or initial boiling point and	ł	100 °C
boiling range:		
Flammability		
Gas:		not applicable
		•••



according to UK REACH Regulation

Ammonium Iron (II) Sulfate 2 %		
Revision date: 07.12.2022 Prod	uct code: 13303.xxxxx	Page 5 of 8
Lower explosion limits:	not determined	
Upper explosion limits:	not determined	
Flash point:	not applicable	
Auto-ignition temperature:	not determined	
Decomposition temperature:	not determined	
pH-Value (at 20 °C):	2,2	
Water solubility:	easily soluble	
Solubility in other solvents		
not determined		
Partition coefficient n-octanol/water:	not determined	
Vapour pressure:	23 hPa	
(at 20 °C)		
Vapour pressure:	123 hPa	
(at 50 °C)	1.00 =/am3	
Density: Relative vapour density:	1,02 g/cm³ not determined	
	not determined	
9.2. Other information		
Information with regard to physical hazard classes		
Explosive properties		
The product is not: Explosive.		
Oxidizing properties		
The product is not: oxidising.		
Other safety characteristics		
Evaporation rate:	not determined	
Solvent content:	AQUA (Water) 96,00 %	
Solid content:	4,00 %	
SECTION 10: Stability and reactivity		

10.1. Reactivity

Possibility of hazardous reactions. Information is given in subsection 10.3.

10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

10.3. Possibility of hazardous reactions

Exothermic reaction with: Base, Peroxides, Oxidizing agent. Acids,

10.4. Conditions to avoid

UV-radiation/sunlight.

10.5. Incompatible materials

Keep away from: Base, Oxidizing agent, Peroxides.

10.6. Hazardous decomposition products

Decomposition products in case of fire: see section 5.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in GB CLP Regulation

11.2. Information on other hazards

Further information

The mixture is classified as hazardous according to regulation (EC) No 1272/2008 [CLP].

SECTION 12: Ecological information

12.1. Toxicity



according to UK REACH Regulation

Ammonium Iron (II) Sulfate 2 %

Revision date: 07.12.2022

Product code: 13303.xxxxx

Page 6 of 8

The product is not: Ecotoxic.

12.2. Persistence and degradability

The product has not been tested.

12.3. Bioaccumulative potential

The product has not been tested.

12.4. Mobility in soil

The product has not been tested.

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to UK REACH. The product has not been tested.

12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

Further information

Avoid release to the environment.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

Do not allow to enter into surface water or drains. Dispose of waste according to applicable legislation.

No dangerous good in sense of this transport regulation.

Contaminated packaging

Wash with plenty of water. Completely emptied packages can be recycled.

SECTION 14: Transport information

14.1. UN number or ID number:

Land transport (ADR/RID)

14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.
14.4. Packing group:	No dangerous good in sense of this transport regulation.
Inland waterways transport (ADN)	
14.1. UN number or ID number:	No dangerous good in sense of this transport regulation.
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.
14.4. Packing group:	No dangerous good in sense of this transport regulation.
Marine transport (IMDG)	
<u>14.1. UN number or ID number:</u>	No dangerous good in sense of this transport regulation.
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.
<u>14.4. Packing group:</u>	No dangerous good in sense of this transport regulation.
Air transport (ICAO-TI/IATA-DGR)	
14.1. UN number or ID number:	No dangerous good in sense of this transport regulation.
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.
14.4. Packing group:	No dangerous good in sense of this transport regulation.
44 E. English and a black and a	

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS:

14.6. Special precautions for user

No dangerous good in sense of this transport regulation.

No

according to UK REACH Regulation

Ammonium Iron (II) Sulfate 2 %

Revision date: 07.12.2022

Product code: 13303.xxxxx

Page 7 of 8

14.7. Maritime transport in bulk according to IMO instruments

No dangerous good in sense of this transport regulation.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulatory information

Restrictions on use (REACH, annex XVII): Entry 3, Entry 65 Information according to 2012/18/EU (SEVESO III):

Not subject to 2012/18/EU (SEVESO III)

National regulatory information

Employment restrictions:

Water hazard class (D):

Observe restrictions to employment for juveniles according to the 'juvenile work protection guideline' (94/33/EC). 1 - slightly hazardous to water

15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

Changes

Rev. 2,0; 06.12.22, Individual safety data sheet based on 11140_collect

Abbreviations and acronyms

CLP: Classification, labelling and Packaging REACH: Registration, Evaluation and Authorization of Chemicals GHS: Globally Harmonised System of Classification, Labelling and Packaging of Chemicals UN: United Nations CAS: Chemical Abstracts Service DNEL: Derived No Effect Level DMEL: Derived Minimal Effect Level PNEC: Predicted No Effect Concentration ATE: Acute toxicity estimate LC50: Lethal concentration, 50% LD50: Lethal dose, 50% LL50: Lethal loading, 50% EL50: Effect loading, 50% EC50: Effective Concentration 50% ErC50: Effective Concentration 50%, growth rate NOEC: No Observed Effect Concentration BCF: Bio-concentration factor PBT: persistent, bioaccumulative, toxic vPvB: very persistent, very bioaccumulative ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) RID: Regulations concerning the international carriage of dangerous goods by rail ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways (Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures) IMDG: International Maritime Code for Dangerous Goods EmS: Emergency Schedules MFAG: Medical First Aid Guide IATA: International Air Transport Association ICAO: International Civil Aviation Organization

according to UK REACH Regulation

Ammonium Iron (II) Sulfate 2 %

Revision date: 07.12.2022

Product code: 13303.xxxxx

Page 8 of 8

MARPOL: International Convention for the Prevention of Marine Pollution from Ships

IBC: Intermediate Bulk Container

SVHC: Substance of Very High Concern

For abbreviations and acronyms, see table at http://abbrev.esdscom.eu

For abbreviations and acronyms, see: ECHA Guidance on information requirements and chemical safety

assessment, chapter R.20 (Table of terms and abbreviations).

Classification for mixtures and used evaluation method according to GB CLP Regulation

Classification	Classification procedure
Skin Corr. 1; H314	On basis of test data
Eye Dam. 1; H318	On basis of test data

Relevant H and EUH statements (number and full text)

H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.

Further Information

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights. The receiver of our product is singularly responsible for adhering to existing laws and regulations. The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)