

# **Safety Data Sheet**

according to UK REACH Regulation

# **CARNOY Fixing Solution (Chloroform)**

Revision date: 21.08.2023 Product code: 10159.xxxxx Page 1 of 17

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

CARNOY Fixing Solution (Chloroform)

UFI: X64W-00S6-J00U-WF6G

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### Use of the substance/mixture

Use as laboratory reagent.

The product is intended for research, analysis and scientific education.

#### Uses advised against

Any non-intended use.

### 1.3. Details of the supplier of the safety data sheet

Company name: MORPHISTO GmbH
Street: Schumannstr. 142/144
Place: D-63069 Offenbach

Telephone: +49 (0) 69 / 400 3019-60 Telefax: +49 (0) 69 / 400 3019-64

E-mail: info@morphisto.de
Contact person: Morphisto GmbH

E-mail: gefahrstoffmanagement@morphisto.de

Internet: http://www.morphisto.de

1.4. Emergency telephone Poison Information Center Mainz, Germany, Tel: +49(0)6131/19240

number:

### **SECTION 2: Hazards identification**

# 2.1. Classification of the substance or mixture

#### **GB CLP Regulation**

Flam. Liq. 2; H225 Acute Tox. 4; H332 Skin Irrit. 2; H315 Eye Irrit. 2; H319 Carc. 2; H351 Repr. 2; H361d STOT RE 1; H372

Full text of hazard statements: see SECTION 16.

### 2.2. Label elements

# **GB CLP Regulation**

### Hazard components for labelling

trichloromethane

Signal word: Danger

Pictograms:







# **Hazard statements**

H225 Highly flammable liquid and vapour.

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H332 Harmful if inhaled.



# **Safety Data Sheet**

according to UK REACH Regulation

# **CARNOY Fixing Solution (Chloroform)**

Revision date: 21.08.2023 Product code: 10159.xxxxx Page 2 of 17

H351 Suspected of causing cancer.

H361d Suspected of damaging the unborn child.

H372 Causes damage to organs through prolonged or repeated exposure.

#### **Precautionary statements**

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No

smoking.

P260 Do not breathe mist/vapours/spray.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P312 Call a POISON CENTER if you feel unwell.

P332+P313 If skin irritation occurs: Get medical advice/attention.
P337+P313 If eye irritation persists: Get medical advice/attention.

### Special labelling of certain mixtures

Restricted to professional users.

### Labelling of packages where the contents do not exceed 125 ml

Signal word: Danger

Pictograms:







#### **Hazard statements**

H351-H361d-H372

### **Precautionary statements**

P260-P280

### 2.3. Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulating and toxic (PBT) or very persistent and very bioaccumulating (vPvB) at levels of 0.1% or higher. Ecological information: The substance/mixture does not contain any components that are considered to be hazardous according to REACH Article 57(f) or Commission Delegated Regulation (EU) 2017/2100 or Commission Delegated Regulation (EU) 2018/605 in amounts of 0.1 % or more have endocrine disrupting properties. Toxicological information: The substance/mixture does not contain any components that are to be classified according to REACH Article 57(f) or Commission Delegated Regulation (EU) 2017/2100 or Commission Delegated Regulation (EU) 2018/605 in quantities of 0.1 % or more have endocrine disrupting properties.

### **SECTION 3: Composition/information on ingredients**

### 3.2. Mixtures



according to UK REACH Regulation

# **CARNOY Fixing Solution (Chloroform)**

Revision date: 21.08.2023 Product code: 10159.xxxxx Page 3 of 17

### **Hazardous components**

CAS No	Chemical name			Quantity		
	EC No	Index No	REACH No			
	Classification (GB CLP Regulation	۱)	•			
64-17-5	Ethanol			45 - < 50 %		
	200-578-6	603-002-00-5	01-2119457610-43			
	Flam. Liq. 2, Eye Irrit. 2; H225 H3	19				
67-66-3	trichloromethane			40 - < 45 %		
	200-663-8	602-006-00-4	01-2119486657-20			
	Carc. 2, Repr. 2, Acute Tox. 3, Ac H331 H302 H315 H319 H372	ute Tox. 4, Skin Irrit. 2, Eye I	rrit. 2, STOT RE 1; H351 H361d			
64-19-7	Acetic acid%			10 - < 15 %		
	200-580-7	607-002-00-6	01-2119475328-30			
	Flam. Liq. 3, Skin Corr. 1A; H226	H314				
78-93-3	butanone			< 1 %		
	201-159-0	606-002-00-3	01-2119457290-43			
	Flam. Liq. 2, Eye Irrit. 2, STOT SE 3; H225 H319 H336 EUH066					

Full text of H and EUH statements: see section 16.

### Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity				
	Specific Conc.	Limits, M-factors and ATE					
64-17-5	200-578-6	Ethanol					
		50 = 124,7 mg/l (vapours); dermal: LD50 = >2000 mg/kg; oral: LD50 = >5000 t. 2; H319: >= 50 - 100					
67-66-3	200-663-8	trichloromethane	40 - < 45 %				
		50 = 10,5 mg/l (vapours); inhalation: ATE = 0,5 mg/l (dusts or mists); dermal: mg/kg; oral: LD50 = 908 mg/kg					
64-19-7	200-580-7	Acetic acid%	10 - < 15 %				
		50 = >40 mg/l (vapours); oral: LD50 = 3530 mg/kg					
78-93-3	201-159-0	01-159-0 butanone					
	dermal: LD50 =	= >2000 mg/kg; oral: LD50 = 2054 mg/kg					

### **Further Information**

This product contains no substances of very high concern (SVHC) (>0,1%) which are included in the Candidate List according to Article 59 of REACH.

# **SECTION 4: First aid measures**

### 4.1. Description of first aid measures

#### **General information**

Remove affected person from the danger area and lay down. In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible). Remove contaminated, saturated clothing immediately.

First aider: Pay attention to self-protection!

### After inhalation

When in doubt or if symptoms are observed, get medical advice. Provide fresh air. In case of accident by inhalation: remove casualty to fresh air and keep at rest. Where appropriate artificial ventilation. If breathing is irregular or stopped, administer artificial respiration. No mouth-to-mouth or mouth-to-nose resuscitation. Use Ambu bag or ventilator. Call a physician immediately.



# **Safety Data Sheet**

according to UK REACH Regulation

# **CARNOY Fixing Solution (Chloroform)**

Revision date: 21.08.2023 Product code: 10159.xxxxx Page 4 of 17

#### After contact with skin

After contact with skin, wash immediately with plenty of water and soap. Take off immediately all contaminated clothing and wash it before reuse. Medical treatment necessary.

### After contact with eyes

After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an ophthalmologist immediately. Remove contact lenses, if present and easy to do. Continue rinsing. Consult an ophthalmologist.

### After ingestion

Observe risk of aspiration if vomiting occurs. If accidentally swallowed rinse the mouth with plenty of water (only if the person is conscious) and obtain immediate medical attention. Rinse mouth immediately and drink plenty of water. Induce vomiting when the affected person is not unconscious. Medical treatment necessary. Let water be drunken in little sips (dilution effect). Do NOT induce vomiting. Never give anything by mouth to an unconscious person or a person with cramps. Call a physician immediately.

### 4.2. Most important symptoms and effects, both acute and delayed

No information available.

### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

# **SECTION 5: Firefighting measures**

### 5.1. Extinguishing media

#### Suitable extinguishing media

Water spray jet, Carbon dioxide (CO2), Foam, Extinguishing powder.

# Unsuitable extinguishing media

High power water jet.

### 5.2. Special hazards arising from the substance or mixture

Highly flammable. Vapours can form explosive mixtures with air. Concentrated vapours are heavier than air. Reignition possible over considerable distance.

In case of fire may be liberated: Carbon monoxide Carbon dioxide (CO2). Hydrogen chloride (HCI). Chlorine (CI2). Phosgene

### 5.3. Advice for firefighters

Wear a self-contained breathing apparatus and chemical protective clothing. Full protection suit. In case of fire and/or explosion do not breathe fumes.

#### Additional information

Use water spray jet to protect personnel and to cool endangered containers. Suppress gases/vapours/mists with water spray jet. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water. Fight fire remotely due to the risk of explosion.

### **SECTION 6: Accidental release measures**

### 6.1. Personal precautions, protective equipment and emergency procedures

# General advice

Remove all sources of ignition. Provide adequate ventilation. Do not breathe gas/fumes/vapour/spray. Avoid contact with skin, eyes and clothes. Use personal protection equipment. Ventilate affected area. Remove persons to safety.

Use a positive-pressure air-supplied respirator if there is any potential for an uncontrolled release, exposure levels are not known, or any other circumstances where air-purifying respirators may not provide adequate protection.

### 6.2. Environmental precautions

Do not allow uncontrolled discharge of product into the environment. Explosion risk. Discharge into the environment must be avoided. Prevent spread over a wide area (e.g. by containment or oil barriers). Cover drains. In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities.



# **Safety Data Sheet**

according to UK REACH Regulation

# **CARNOY Fixing Solution (Chloroform)**

Revision date: 21.08.2023 Product code: 10159.xxxxx Page 5 of 17

### 6.3. Methods and material for containment and cleaning up

### For cleaning up

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

#### Other information

Ventilate affected area. Treat the recovered material as prescribed in the section on waste disposal. Clear contaminated areas thoroughly.

### 6.4. Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

# **SECTION 7: Handling and storage**

### 7.1. Precautions for safe handling

### Advice on safe handling

If handled uncovered, arrangements with local exhaust ventilation have to be used. Do not breathe gas/fumes/vapour/spray. Provide adequate ventilation as well as local exhaustion at critical locations.

Personal protection equipment (See section 8.)

Avoid exposure - obtain special instructions before use.

#### Advice on protection against fire and explosion

Keep away from sources of ignition - No smoking. Take precautionary measures against static discharges. Vapours can form explosive mixtures with air. Flammable vapours can accumulate in head space of closed systems. Heating causes rise in pressure with risk of bursting.

# Advice on general occupational hygiene

Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat, drink, smoke, sniff. Always close containers tightly after the removal of product. Protect skin by using skin protective cream. Use protective skin cream before handling the product.

### Further information on handling

Avoid contact with skin, eyes and clothes.

General protection and hygiene measures: See section 8.

# 7.2. Conditions for safe storage, including any incompatibilities

### Requirements for storage rooms and vessels

Keep container tightly closed. Keep locked up. Store in a place accessible by authorized persons only. Provide adequate ventilation as well as local exhaustion at critical locations. Keep in a cool, well-ventilated place. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Keep container tightly closed in a cool, well-ventilated place. Keep/Store only in original container. Make sure spills can be contained (e.g. sump pallets or kerbed areas).

### Hints on joint storage

Do not store together with: Oxidizing agent. Pyrophoric or self-heating substances. Do not store together with: Gas. Explosives. Flammable solids. Pyrophoric liquids and solids. Self-heating substances and mixtures. Substances or mixtures which, in contact with water, emit flammable gases. Oxidizing liquids. Oxidizing solids. ammonium nitrate. Self-reactive substances and mixtures. Organic peroxides. Non-combustible toxic substances. Radioactive substances. Infectious substances.

# Further information on storage conditions

Keep the packing dry and well sealed to prevent contamination and absorbtion of humidity.

Recommended storage temperature: 15-25 °C

Protect against: frost. UV-radiation/sunlight. heat. Humidity

### 7.3. Specific end use(s)

See section 1.



according to UK REACH Regulation

# **CARNOY Fixing Solution (Chloroform)**

Revision date: 21.08.2023 Product code: 10159.xxxxx Page 6 of 17

# **SECTION 8: Exposure controls/personal protection**

# 8.1. Control parameters

# **Exposure limits (EH40)**

CAS No	Substance	ppm	mg/m³	fibres/ml	Category	Origin
64-19-7	Acetic acid	10	25		TWA (8 h)	WEL
		20	50		STEL (15 min)	WEL
78-93-3	Butan-2-one (methyl ethyl ketone)	200	600		TWA (8 h)	WEL
		300	899		STEL (15 min)	WEL
67-66-3	Chloroform	2	9.9		TWA (8 h)	WEL
64-17-5	Ethanol	1000	1920		TWA (8 h)	WEL

# **Biological Monitoring Guidance Values (EH40)**

CAS No	Substance	Parameter	Value	Test material	Sampling time
78-93-3	Butan-2-one	butan-2-one	70 µmol/L	urine	Post shift

### **DNEL/DMEL values**

CAS No	Substance			
DNEL type		Exposure route	Effect	Value
64-17-5	Ethanol			
Worker DNEL,	acute	inhalation	local	1900 mg/m³
Worker DNEL,	long-term	dermal	systemic	343 mg/kg bw/day
Worker DNEL,	long-term	inhalation	systemic	950 mg/m³
Consumer DN	EL, acute	inhalation	local	950 mg/m³
Consumer DN	EL, long-term	dermal	systemic	206 mg/kg bw/day
Consumer DN	EL, long-term	inhalation	systemic	114 mg/m³
Consumer DN	EL, long-term	oral	systemic	87 mg/kg bw/day
67-66-3	trichloromethane			
Worker DNEL,	long-term	inhalation	systemic	2,5 mg/m³
Worker DNEL,	acute	inhalation	systemic	333 mg/m³
Worker DNEL,	long-term	inhalation	local	2,5 mg/m³
Worker DNEL,	long-term	dermal	systemic	0,94 mg/kg bw/day
64-19-7	Acetic acid%			
Worker DNEL, long-term		inhalation	local	25 mg/m³
Worker DNEL, acute		inhalation	local	25 mg/m³
Consumer DNEL, long-term		inhalation	local	25 mg/m³
Consumer DN	EL, acute	inhalation	local	25 mg/m³



according to UK REACH Regulation

# **CARNOY Fixing Solution (Chloroform)**

Revision date: 21.08.2023 Product code: 10159.xxxxx Page 7 of 17

#### **PNEC values**

CAS No	Substance	
Environment	tal compartment	Value
64-17-5	Ethanol	
Freshwater		0,96 mg/l
Freshwater (	(intermittent releases)	2,75 mg/l
Marine wate	г	0,79 mg/l
Marine water	r (intermittent releases)	2,75 mg/l
Freshwater s	sediment	3,6 mg/kg
Marine sedin	ment	2,9 mg/kg
Secondary p	poisoning	0,72 mg/kg
Micro-organi	isms in sewage treatment plants (STP)	580 mg/l
Soil		0,63 mg/kg
67-66-3	trichloromethane	
Freshwater		0,146 mg/l
Freshwater (	(intermittent releases)	0,133 mg/l
Marine wate	r	0,015 mg/l
Freshwater s	sediment	0,45 mg/kg
Marine sedin	ment	0,09 mg/kg
Micro-organi	isms in sewage treatment plants (STP)	0,048 mg/l
Soil		0,56 mg/kg
64-19-7	Acetic acid%	
Freshwater		3,058 mg/l
Freshwater (	(intermittent releases)	30,58 mg/l
Marine water		0,306 mg/l
Freshwater sediment		11,36 mg/kg
Marine sediment 1,136 ii		
Micro-organi	isms in sewage treatment plants (STP)	85 mg/l
Soil		0,47 mg/kg

### 8.2. Exposure controls









### Appropriate engineering controls

If handled uncovered, arrangements with local exhaust ventilation have to be used. Do not breathe gas/fumes/vapour/spray. Provide adequate ventilation as well as local exhaustion at critical locations.

# Individual protection measures, such as personal protective equipment

### Eye/face protection

Suitable eye protection: goggles. Eye glasses with side protection EN 166

### **Hand protection**

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the



according to UK REACH Regulation

# **CARNOY Fixing Solution (Chloroform)**

Revision date: 21.08.2023 Product code: 10159.xxxxx Page 8 of 17

supplier of these gloves. Tested protective gloves are to be worn:

Suitable material:

FKM (fluoro rubber) (0,4 mm, Breakthrough time >=480 min):

The selected protective gloves have to satisfy the specifications of EU Directive 89/686/EEC and the standard EN 374 derived from it.

Before using check leak tightness / impermeability. In the case of wanting to use the gloves again, clean them before taking off and air them well.

### Skin protection

Flame-retardant protective clothing. Wear anti-static footwear and clothing . Protective clothing.

(flame-retardant)

Minimum standard for preventive measures while handling with working materials are specified in the TRGS 500 (D).

### Respiratory protection

In case of inadequate ventilation wear respiratory protection. With correct and proper use, and under normal conditions, breathing protection is not required.

Respiratory protection necessary at:

Insufficient ventilation.

exceeding exposure limit values

generation/formation of aerosols

Suitable respiratory protective equipment: Self-contained respirator (breathing apparatus)

The filter class must be suitable for the maximum contaminant concentration (gas/vapour/aerosol/particulates) that may arise when handling the product. If the concentration is exceeded, self-contained breathing apparatus must be used.

#### Thermal hazards

Flame-retardant protective clothing. Wear anti-static footwear and clothing . . .

# **Environmental exposure controls**

Do not allow to enter into surface water or drains.

# SECTION 9: Physical and chemical properties

# 9.1. Information on basic physical and chemical properties

Physical state: liquid
Colour: colourless
Odour: characteristic

Melting point/freezing point:

Boiling point or initial boiling point and

61 °C

boiling range:

Flammability: not determined Lower explosion limits: 3.1 vol. % Upper explosion limits: 27.7 vol. % Flash point: 12 °C 400 °C Auto-ignition temperature: Decomposition temperature: not determined pH-Value: not determined Viscosity / kinematic: not determined miscible. Water solubility:

(at 20 °C)

Solubility in other solvents

miscible.

Partition coefficient n-octanol/water: not determined Vapour pressure: 211 hPa

(at 20 °C)

Density (at 20 °C): 1,02 g/cm<sup>3</sup>



# **Safety Data Sheet**

according to UK REACH Regulation

# **CARNOY Fixing Solution (Chloroform)**

Revision date: 21.08.2023 Product code: 10159.xxxxx Page 9 of 17

Relative vapour density: not determined Particle characteristics: not applicable

### 9.2. Other information

### Information with regard to physical hazard classes

Explosive properties

The product is not: Explosive. In case of insufficient ventilation and/or through use, explosive/highly flammable

mixtures may develop.

Sustaining combustion: No data available

Self-ignition temperature

Gas: not determined

Oxidizing properties

none

### Other safety characteristics

Evaporation rate: not determined Solvent separation test: not determined Solvent content: not determined Solid content: not determined Sublimation point: not determined Softening point: not determined Pour point: not determined Viscosity / dynamic: not determined

(at 25 °C)

Flow time: not determined

# **SECTION 10: Stability and reactivity**

#### 10.1. Reactivity

Highly flammable. No information available.

#### 10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

#### 10.3. Possibility of hazardous reactions

Explosion risk in contact with: Oxidizing agents, strong. nitric acid. Hydrogenium peroxide. Exothermic reactions with: Alkali metals. Alkaline earth metals. Reducing agents, strong.

### 10.4. Conditions to avoid

Keep away from sources of heat (e.g. hot surfaces), sparks and open flames. Vapours can form explosive mixtures with air. Keep away from heat. Protect from direct sunlight. Protect from moisture. In use may form flammable/explosive vapour-air mixture.

Heating causes rise in pressure with risk of bursting. Recommended storage temperature: < 40 °C

# 10.5. Incompatible materials

Oxidizing agents. Strong acid. Base. Fluorine. Reducing agents. Nitric acid. Alkali metals. Halogenes. Sulphur dioxide (SO2).. Hydrogenium peroxide. Bromine triflouride. Chloroform. difluordioxide. isoprene. nitrosulphic acid. nitromethane. nitrosyl chloride (catalyst). nitrosyl perchlorate. peroxomonosulfuric acid. phosphoryl chloride.

### 10.6. Hazardous decomposition products

In case of fire may be liberated: Carbon monoxide Carbon dioxide (CO2). Hydrogen chloride (HCl). Chlorine (Cl2). Phosgene

# **SECTION 11: Toxicological information**

### 11.1. Information on hazard classes as defined in GB CLP Regulation

### Acute toxicity

Harmful if inhaled.



according to UK REACH Regulation

# **CARNOY Fixing Solution (Chloroform)**

Revision date: 21.08.2023 Product code: 10159.xxxxx Page 10 of 17

#### **ATEmix** calculated

ATE (oral) 2091 mg/kg; ATE (dermal) > 2000 mg/kg; ATE (inhalation vapour) 24,18 mg/l; ATE (inhalation dust/mist) 1,151 mg/l

CAS No	Chemical name					
	Exposure route	Dose		Species	Source	Method
64-17-5	Ethanol					
	oral	LD50 : mg/kg	>5000	Rat	ECHA Dossier	
	dermal	LD50 : mg/kg	>2000	Rabbit	ECHA Dossier	
	inhalation (4 h) vapour	LC50 mg/l	124,7	Rat	ECHA Dossier	
67-66-3	trichloromethane					
	oral	LD50 9	908	Rat	ECHA Dossier	OECD 401
	dermal	LD50 : mg/kg	>3980	Rabbit	ECHA	
	inhalation (4 h) vapour	LC50	10,5 mg/l	Ratte	ECHA	
	inhalation dust/mist	ATE (	0,5 mg/l			
64-19-7	Acetic acid%					
	oral	LD50 : mg/kg	3530	Rat	GESTIS	
	inhalation (4 h) vapour	LC50 :	>40 mg/l	Rat	suppliers SDS.	
78-93-3	butanone					
	oral	LD50 : mg/kg	2054	Ratte	SDB Lieferant	
	dermal		>2000	Rabbit	ECHA Dossier	

### Irritation and corrosivity

Causes skin irritation.

Causes serious eye irritation.

# Sensitising effects

Based on available data, the classification criteria are not met.

### Carcinogenic/mutagenic/toxic effects for reproduction

Suspected of causing cancer. (trichloromethane)

Suspected of damaging the unborn child. (trichloromethane)

Germ cell mutagenicity: Based on available data, the classification criteria are not met.

# STOT-single exposure

Based on available data, the classification criteria are not met.

# STOT-repeated exposure

Causes damage to organs through prolonged or repeated exposure. (trichloromethane)

#### **Aspiration hazard**

Based on available data, the classification criteria are not met.

# 11.2. Information on other hazards

# **Endocrine disrupting properties**

This product does not contain a substance that has endocrine disrupting properties with respect to humans as no components meets the criteria.

### Other information

The mixture is classified as hazardous according to regulation (EC) No 1272/2008 [CLP]. Special hazards



# **Safety Data Sheet**

according to UK REACH Regulation

# **CARNOY Fixing Solution (Chloroform)**

Revision date: 21.08.2023 Product code: 10159.xxxxx Page 11 of 17

arising from the substance or mixture! Depending on the ingested quantity the following symptoms can be induced: a reduction of inhibitions, euphoria but also dysphoria, aggressiveness, impaired motoric skills, impaired responsiveness, blurred vision and fatigue.

# **SECTION 12: Ecological information**

### 12.1. Toxicity

Based on available data, the classification criteria are not met.

CAS No	Chemical name						
	Aquatic toxicity	Dose		[h]   [d]	Species	Source	Method
64-17-5	Ethanol						
	Acute fish toxicity	LC50 mg/l	14200	96 h	Pimephales promelas (fathead minnow)	ECHA Dossier	
	Acute algae toxicity	ErC50	275 mg/l	72 h	Chlorella vulgaris	ECHA Dossier	
	Acute crustacea toxicity	EC50 mg/l	5012	48 h	Ceriodaphnia dubia (water flea)	ECHA Dossier	
	Crustacea toxicity	NOEC	9,6 mg/l	9 d	Daphnia magna	ECHA Dossier	
67-66-3	trichloromethane						
	Acute fish toxicity	LC50 mg/l	18,2	96 h	Oncorhynchus mykiss	ECHA Dossier	
	Acute algae toxicity	ErC50 mg/l	13,3	72 h	Chlamydomonas reinhardtii	ECHA Dossier	
	Acute crustacea toxicity	EC50 mg/l	152,2	48 h	Crassostrea gigas	ECHA Dossier	
	Fish toxicity	NOEC mg/l	0,151	275 d	Oryzias latipes	ECHA Dossier	
	Crustacea toxicity	NOEC	6,3 mg/l	21 d	Daphnia magna	ECHA Dossier	
	Acute bacteria toxicity	(EC50 mg/l)	0,48		Nitrosomonas sp. (24h)	ECHA Dossier	
64-19-7	Acetic acid%						
	Acute fish toxicity	LC50 mg/l	>300	96 h	Oncorhynchus mykiss	ECHA Dossier	
	Acute algae toxicity	ErC50 mg/l	>300	72 h	Skeletonema costatum	ECHA Dossier	
	Acute crustacea toxicity	EC50 mg/l	>300	48 h	Daphnia magna	ECHA Dossier	
78-93-3	butanone						
	Acute fish toxicity	LC50 mg/l	2993	96 h	Pimephales promelas	ECHA Dossier	OECD 203
	Acute algae toxicity	ErC50 mg/l	1972	72 h	Pseudokirchnerella subcapitata	ECHA Dossier	OECD 201
	Acute crustacea toxicity	EC50	308 mg/l	48 h	Daphnia magna	ECHA Dossier	OECD 202

### 12.2. Persistence and degradability

The product has not been tested.



# **Safety Data Sheet**

according to UK REACH Regulation

# **CARNOY Fixing Solution (Chloroform)**

Revision date: 21.08.2023 Product code: 10159.xxxxx Page 12 of 17

CAS No	Chemical name			
	Method	Value	d	Source
	Evaluation	-	-	
64-17-5	Ethanol			
	other guideline	84%	20	ECHA Dossier
	Biodegradable.			
64-19-7	Acetic acid%			
	Other guideline	95%	5	suppliers SDS.
	Easily biodegradable (concerning to the criteria of	f the OECD)	-	
78-93-3	butanone			
		98%	28	ECHA Dossier
	Readily biodegradable (according to OECD criter	ia).	-	

#### 12.3. Bioaccumulative potential

The product has not been tested.

#### Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
64-17-5	Ethanol	-0,31
67-66-3	trichloromethane	1,97
64-19-7	Acetic acid%	-0,17
78-93-3	butanone	0,3

### **BCF**

CAS No	Chemical name	BCF	Species	Source
64-19-7	Acetic acid%	3,16		

# 12.4. Mobility in soil

The product has not been tested.

# 12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to UK REACH.

# 12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

# 12.7. Other adverse effects

The product has not been tested.

#### **Further information**

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

### **SECTION 13: Disposal considerations**

### 13.1. Waste treatment methods

### **Disposal recommendations**

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil. Dispose of waste according to applicable legislation. Observe in addition any national regulations! Consult the local waste disposal expert about waste disposal. Non-contaminated packages may be recycled.

According to (EWC) European Waste Catalogue, allocation of waste identity numbers/waste descriptions must be carried out in a specific way for every industry and process.

Control report for waste code/ waste marking according to (EWC) European Waste Catalogue:

### List of Wastes Code - residues/unused products

160508 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and

discarded chemicals; discarded organic chemicals consisting of or containing hazardous

substances; hazardous waste



according to UK REACH Regulation

# **CARNOY Fixing Solution (Chloroform)**

Revision date: 21.08.2023 Product code: 10159.xxxxx Page 13 of 17

List of Wastes Code - used product

160508 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and

discarded chemicals; discarded organic chemicals consisting of or containing hazardous

substances; hazardous waste

List of Wastes Code - contaminated packaging

150110 WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND

PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED; packaging (including separately collected municipal packaging waste); packaging containing residues of or contaminated by

hazardous substances; hazardous waste

Contaminated packaging

Hazardous waste according to Directive 2008/98/EC (waste framework directive). Handle contaminated packages in the same way as the substance itself.

# **SECTION 14: Transport information**

Land transport (ADR/RID)

14.1. UN number or ID number: UN 1993

14.2. UN proper shipping name: FLAMMABLE LIQUID, N.O.S.(ethanol)

14.3. Transport hazard class(es):314.4. Packing group:IIHazard label:3



Classification code: F1

Special Provisions: 274 601 640D

Limited quantity: 1 L
Excepted quantity: E2
Transport category: 2
Hazard No: 33
Tunnel restriction code: D/E

Inland waterways transport (ADN)

14.1. UN number or ID number: UN 1993

**14.2. UN proper shipping name:** FLAMMABLE LIQUID, N.O.S.(ethanol)

14.3. Transport hazard class(es):314.4. Packing group:IIHazard label:3



Classification code: F1

Special Provisions: 274 601 640D

Limited quantity: 1 L
Excepted quantity: E2

Marine transport (IMDG)

14.1. UN number or ID number: UN 1993

14.2. UN proper shipping name: FLAMMABLE LIQUID, N.O.S.(ethanol)

14.3. Transport hazard class(es):314.4. Packing group:IIHazard label:3



according to UK REACH Regulation

# **CARNOY Fixing Solution (Chloroform)**

Revision date: 21.08.2023 Product code: 10159.xxxxx Page 14 of 17



Special Provisions: 274
Limited quantity: 1 L
Excepted quantity: E2
EmS: F-E, S-E

Air transport (ICAO-TI/IATA-DGR)

14.1. UN number or ID number: UN 1993

14.2. UN proper shipping name: FLAMMABLE LIQUID, N.O.S.(ethanol)

14.3. Transport hazard class(es):314.4. Packing group:IIHazard label:3



Special Provisions:

Limited quantity Passenger:

Passenger LQ:

Excepted quantity:

A3

1 L

Y341

Excepted quantity:

E2

IATA-packing instructions - Passenger: 353
IATA-max. quantity - Passenger: 5 L
IATA-packing instructions - Cargo: 364
IATA-max. quantity - Cargo: 60 L

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: No

14.6. Special precautions for user

Warning: Combustible liquid. Refer to section 6-8

14.7. Maritime transport in bulk according to IMO instruments

not relevant

### **SECTION 15: Regulatory information**

# 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

### **EU** regulatory information

Restrictions on use (REACH, annex XVII):

Entry 3, Entry 40, Entry 75

2010/75/EU (VOC): not determined 2004/42/EC (VOC): not determined

Information according to 2012/18/EU P5c FLAMMABLE LIQUIDS

(SEVESO III):

### **Additional information**

The mixture is classified as hazardous according to regulation (EC) No 1272/2008 [CLP].

# **National regulatory information**

Employment restrictions: Observe restrictions to employment for juveniles according to the 'juvenile

work protection guideline' (94/33/EC). Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or

nursing mothers.

Water hazard class (D): 3 - highly hazardous to water



# **Safety Data Sheet**

according to UK REACH Regulation

# **CARNOY Fixing Solution (Chloroform)**

Revision date: 21.08.2023 Product code: 10159.xxxxx Page 15 of 17

#### 15.2. Chemical safety assessment

For the following substances of this mixture a chemical safety assessment has been carried out:

Ethanol

trichloromethane

Acetic acid%

butanone

### **SECTION 16: Other information**

# Changes

This data sheet contains changes from the previous version in section(s): 2,4,6,8,9,11,12,14,15,16.

Rev. 2.0, 18.06.2023; Individual safety data sheet based on 10159 collect

Rev. 2,1; 03.08.2023; general adjustment(s)

Rev. 2.2: 21.08.2023: revision of the classification

### Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route

AwSV: Verordnung über Anlagen zum Umgang mit wassergefährdenden Stoffen

AGW: Arbeitsplatzgrenzwert

AVV: Abfallverzeichnisverordnung

CAS Chemical Abstracts Service

CLP: Classification, Labelling and Packaging of substances and mixtures

DNEL: Derived No Effect Level

d: day(s)

EAKV: Europäisches Abfallverzeichnis gemäß Entwurf Abfallverzeichnisverordnung

EINECS: European INventory of Existing Commercial chemical Substances

ELINCS: European List of Notified Chemical Substances

ECHA: European Chemicals Agency EWC: European Waste Catalogue

IARC: INTERNATIONAL AGENCY FOR RESEARCH ON CANCER

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)

ICAO: International Civil Aviation Organization

ICAO-TI: Technical Instructions by the "International Civil Aviation Organization" (ICAO)

GHS: Globally Harmonized System of Classification and Labelling of Chemicals

GefStoffV: Gefahrstoffverordnung (Ordinance on Hazardous Substances, Germany)

h: hour

LOAEL: Lowest observed adverse effect level

LOAEC: Lowest observed adverse effect concentration

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

NOAEL: No observed adverse effect level NOAEC: No observed adverse effect level

NLP: No-Longer Polymers

N/A: not applicable

OECD: Organisation for Economic Co-operation and Development

PNEC: predicted no effect concentration PBT: Persistent bioaccumulative toxic

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de

fer (Regulations Concerning the International Transport of Dangerous Goods by Rail )

REACH: Registration, Evaluation, Authorisation of Chemicals

SVHC: substance of very high concern TRGS Technische Regeln fuer Gefahrstoffe

**UN: United Nations** 

VOC: Volatile Organic Compounds



### according to UK REACH Regulation

# **CARNOY Fixing Solution (Chloroform)**

Revision date: 21.08.2023 Product code: 10159.xxxxx Page 16 of 17

VwVwS: Verwaltungsvorschrift wassergefaehrdender Stoffe

WGK: Wassergefaehrdungsklasse

CLP: Classification, labelling and Packaging

REACH: Registration, Evaluation and Authorization of Chemicals

GHS: Globally Harmonised System of Classification, Labelling and Packaging of Chemicals

**UN: United Nations** 

CAS: Chemical Abstracts Service
DNEL: Derived No Effect Level
DMEL: Derived Minimal Effect Level
PNEC: Predicted No Effect Concentration

ATE: Acute toxicity estimate LL50: Lethal loading, 50% EL50: Effect loading, 50%

EC50: Effective Concentration 50%

ErC50: Effective Concentration 50%, growth rate NOFC: No Observed Effect Concentration

BCF: Bio-concentration factor

PBT: persistent, bioaccumulative, toxic vPvB: very persistent, very bioaccumulative

ADR: Accord européen sur le transport des marchandises dangereuses par Route

(European Agreement concerning the International Carriage of Dangerous Goods by Road)

RID: Regulations concerning the international carriage of dangerous goods by rail

ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways (Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures)

EmS: Emergency Schedules MFAG: Medical First Aid Guide

MARPOL: International Convention for the Prevention of Marine Pollution from Ships

IBC: Intermediate Bulk Container

For abbreviations and acronyms, see table at http://abbrev.esdscom.eu

For abbreviations and acronyms, see: ECHA Guidance on information requirements and chemical safety

assessment, chapter R.20 (Table of terms and abbreviations).

# Classification for mixtures and used evaluation method according to GB CLP Regulation

Classification	Classification procedure
Flam. Liq. 2; H225	On basis of test data
Acute Tox. 4; H332	Calculation method
Skin Irrit. 2; H315	Calculation method
Eye Irrit. 2; H319	Calculation method
Carc. 2; H351	Calculation method
Repr. 2; H361d	Calculation method
STOT RE 1; H372	Calculation method

### Relevant H and EUH statements (number and full text)

H225	Highly flammable liquid and vapour.
H226	Flammable liquid and vapour.
H302	Harmful if swallowed.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H319	Causes serious eye irritation.
H331	Toxic if inhaled.
H332	Harmful if inhaled.
H336	May cause drowsiness or dizziness.
H351	Suspected of causing cancer.
H361d	Suspected of damaging the unborn child.



# **Safety Data Sheet**

according to UK REACH Regulation

# **CARNOY Fixing Solution (Chloroform)**

Revision date: 21.08.2023 Product code: 10159.xxxxx Page 17 of 17

H372 Causes damage to organs through prolonged or repeated exposure.

EUH066 Repeated exposure may cause skin dryness or cracking.

### **Further Information**

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights. The receiver of our product is singularly responsible for adhering to existing laws and regulations. Classification according to Regulation (EC) No 1272/2008 [CLP]

- Classification procedure:

Health hazards: Calculation method.

Environmental hazards: Calculation method.

Physical hazards: On basis of test data and / or calculated and / or estimated.

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)