

Safety Data Sheet

according to UK REACH Regulation

EDTA Decalcifying Solution ~ 20 %, pH 7.0 - 7.2

Revision date: 15.05.2023 Product code: 16529.xxxxx Page 1 of 10

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

EDTA Decalcifying Solution ~ 20 %, pH 7.0 - 7.2

UFI: V3SF-31GX-M008-K15F

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Use as laboratory reagent. The product is intended for research, analysis and scientific education.

Uses advised against

Any non-intended use.

1.3. Details of the supplier of the safety data sheet

Company name: MORPHISTO GmbH
Street: Schumannstr. 142/144
Place: D-63069 Offenbach

Telephone: +49 (0) 69 / 400 3019-60 Telefax: +49 (0) 69 / 400 3019-64

e-mail: info@morphisto.de Contact person: Morphisto GmbH

e-mail: gefahrstoffmanagement@morphisto.de

Internet: http://www.morphisto.de

1.4. Emergency telephone Poison Information Center Mainz, Germany, Tel: +49(0)6131/19240

number:

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

GB CLP Regulation

Skin Irrit. 2; H315 Eye Irrit. 2; H319 STOT RE 2; H373

Full text of hazard statements: see SECTION 16.

2.2. Label elements

GB CLP Regulation

Hazard components for labelling

Disodium dihydrogen ethylenediaminetetraacetate

Signal word: Warning

Pictograms:





Hazard statements

H315 Causes skin irritation. H319 Causes serious eye irritation.

H373 May cause damage to organs through prolonged or repeated exposure.

Precautionary statements

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P314 Get medical advice/attention if you feel unwell.
P337+P313 If eye irritation persists: Get medical advice/attention.



Safety Data Sheet

according to UK REACH Regulation

EDTA Decalcifying Solution ~ 20 %, pH 7.0 - 7.2

Revision date: 15.05.2023 Product code: 16529.xxxxx Page 2 of 10

Labelling of packages where the contents do not exceed 125 ml

Signal word: Warning

Pictograms:





2.3. Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulating and toxic (PBT) or very persistent and very bioaccumulating (vPvB) at levels of 0.1% or higher. Ecological information: The substance/mixture does not contain any components that are considered to be hazardous according to REACH Article 57(f) or Commission Delegated Regulation (EU) 2017/2100 or Commission Delegated Regulation (EU) 2018/605 in amounts of 0.1 % or more have endocrine disrupting properties. Toxicological information: The substance/mixture does not contain any components that are to be classified according to REACH Article 57(f) or Commission Delegated Regulation (EU) 2017/2100 or Commission Delegated Regulation (EU) 2018/605 in quantities of 0.1 % or more have endocrine disrupting properties.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Hazardous components

| CAS No | Chemical name | Chemical name | | | |
|-----------|---|----------------------------|------------------|-------------|--|
| | EC No | Index No | REACH No | | |
| | Classification (GB CLP Regu | ulation) | · | | |
| 6381-92-6 | Disodium dihydrogen ethylenediaminetetraacetate | | | 15 - < 20 % | |
| | 205-358-3 | | 01-2119486775-20 | | |
| | Acute Tox. 4, STOT RE 2; H | | | | |
| 1310-73-2 | Sodium hydroxide; caustic s | 1 - < 5 % | | | |
| | 215-185-5 | 011-002-00-6 | 01-2119457892-27 | | |
| | Met. Corr. 1, Skin Corr. 1A, | Eye Dam. 1; H290 H314 H318 | | | |

Full text of H and EUH statements: see section 16.

Specific Conc. Limits, M-factors and ATE

| CAS No | EC No | Chemical name | Quantity |
|-----------|-------------------------------|---|-------------|
| | Specific Conc. | Limits, M-factors and ATE | |
| 6381-92-6 | 205-358-3 | Disodium dihydrogen ethylenediaminetetraacetate | 15 - < 20 % |
| | inhalation: ATI 2800 mg/kg | E = 11 mg/l (vapours); inhalation: ATE = 1,5 mg/l (dusts or mists); oral: LD50 = | |
| 1310-73-2 | 215-185-5 | Sodium hydroxide; caustic soda | 1 - < 5 % |
| | 1 | H314: >= 5 - 100 Skin Corr. 1B; H314: >= 2 - < 5 Skin Irrit. 2; H315: >= 0,5 - < H319: >= 0,5 - < 2 | |

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

After inhalation

Provide fresh air. In all cases of doubt, or when symptoms persist, seek medical advice.

After contact with skin

Take off contaminated clothing and wash it before reuse. Wash with plenty of water. In case of skin irritation,



Safety Data Sheet

according to UK REACH Regulation

EDTA Decalcifying Solution ~ 20 %, pH 7.0 - 7.2

Revision date: 15.05.2023 Product code: 16529.xxxxx Page 3 of 10

seek medical treatment.

After contact with eyes

Rinse immediately carefully and thoroughly with eye-bath or water. In case of troubles or persistent symptoms, consult an ophthalmologist.

After ingestion

Observe risk of aspiration if vomiting occurs. Rinse mouth thoroughly with water. Let water be drunken in little sips (dilution effect). In all cases of doubt, or when symptoms persist, seek medical advice.

4.2. Most important symptoms and effects, both acute and delayed

No information available.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings. The product itself does not burn.

Unsuitable extinguishing media

High power water jet.

5.2. Special hazards arising from the substance or mixture

Non-flammable. Vapours can form explosive mixtures with air. In case of fire may be liberated: Carbon monoxide Carbon dioxide (CO2).

5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus.

Additional information

Use water spray jet to protect personnel and to cool endangered containers. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General advice

Conditions to avoid: Generation/formation of aerosols. Wear personal protection equipment. (See section 8.). Avoid contact with skin, eyes and clothes.

For non-emergency personnel

Ventilate affected area.

For emergency responders

Move undamaged containers from immediate hazard area if it can be done safely. Stop leak if safe to do so.

6.2. Environmental precautions

Do not allow to enter into surface water or drains. Discharge into the environment must be avoided.

6.3. Methods and material for containment and cleaning up

For containment

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

For cleaning up

Clean contaminated objects and areas thoroughly observing environmental regulations.

6.4. Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13



Safety Data Sheet

according to UK REACH Regulation

EDTA Decalcifying Solution ~ 20 %, pH 7.0 - 7.2

Revision date: 15.05.2023 Product code: 16529.xxxxx Page 4 of 10

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Provide adequate ventilation. Use extractor hood (laboratory). Wear suitable protective clothing. (See section 8.). Avoid contact with skin, eyes and clothes.

Advice on protection against fire and explosion

No special fire protection measures are necessary.

Advice on general occupational hygiene

Take off contaminated clothing. Wash hands before breaks and after work. Draw up and observe skin protection programme. When using do not eat, drink, smoke, sniff. Always close containers tightly after the removal of product.

Further information on handling

Conditions to avoid: Generation/formation of aerosolsAvoid contact with skin, eyes and clothes.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep container tightly closed and in a well-ventilated place.

Recommended storage temperature: 15-25°C

Hints on joint storage

Do not store together with: food and feed. pharmaceuticals. Infectious substances. Radioactive substances. Explosive substances. Oxidizing substances. Oxidizing liquids. Organic peroxides. Self-reactive substances and mixtures. Pyrophoric solids. Substances which in contact with water form flammable gases. Ammonium nitrate and preparations containing ammonium nitrate.

Further information on storage conditions

Keep/Store only in original container. Protect against: frost. heat. Cold. Humidity

7.3. Specific end use(s)

Use as laboratory reagent. The product is intended for research, analysis and scientific education.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure limits (EH40)

| CAS No | Substance | ppm | mg/m³ | fibres/ml | Category | Origin |
|-----------|------------------|-----|-------|-----------|---------------|--------|
| 1310-73-2 | Sodium hydroxide | - | 2 | | STEL (15 min) | WEL |

DNEL/DMEL values

| CAS No | Substance | | | | |
|---|---------------|----------------|--------|-----------|--|
| DNEL type | | Exposure route | Effect | Value | |
| 6381-92-6 Disodium dihydrogen ethylenediaminetetraacetate | | | | | |
| Worker DNEL, | long-term | inhalation | local | 1,5 mg/m³ | |
| Worker DNEL, | acute | inhalation | local | 3 mg/m³ | |
| 1310-73-2 Sodium hydroxide; caustic soda | | | | | |
| Worker DNEL, | long-term | inhalation | local | 1 mg/m³ | |
| Consumer DN | EL, long-term | inhalation | local | 1 mg/m³ | |



Safety Data Sheet

according to UK REACH Regulation

EDTA Decalcifying Solution ~ 20 %, pH 7.0 - 7.2

Revision date: 15.05.2023 Product code: 16529.xxxxx Page 5 of 10

PNEC values

| CAS No | Substance | | |
|---|---------------------------------|-----------|--|
| Environmental | Environmental compartment Value | | |
| 6381-92-6 Disodium dihydrogen ethylenediaminetetraacetate | | | |
| Freshwater | Freshwater 2,2 mg/l | | |
| Marine water 0,22 mg/l | | | |
| Micro-organisms in sewage treatment plants (STP) 43 mg/l | | | |
| Soil 0.72 n | | 0.72 mg/l | |

Additional advice on limit values

Does not contain substances above concentration limits fixing an occupational exposure limit.

8.2. Exposure controls

Appropriate engineering controls

Provide adequate ventilation as well as local exhaustion at critical locations. Use extractor hood (laboratory).

Individual protection measures, such as personal protective equipment

Eye/face protection

Wear eye/face protection. Suitable eye protection: Tightly sealed safety glasses. EN 166

Hand protection

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. Pull-over gloves of rubber. EN ISO 374

Suitable material:

(penetration time (maximum wearing period): >= 8 h):

CR (polychloroprenes, Chloroprene rubber). (0,5 mm)

NBR (Nitrile rubber). (0,35 mm)

FKM (fluororubber). (0,4 mm)

PVC (Polyvinyl chloride). (0,5 mm)

Butyl rubber. (0,5 mm)

Before using check leak tightness / impermeability.

Skin protection

Use of protective clothing. Suitable protective clothing: Lab apron.

Respiratory protection

In case of inadequate ventilation wear respiratory protection. With correct and proper use, and under normal conditions, breathing protection is not required.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state: liquid
Colour: colourless
Odour: characteristic

Melting point/freezing point:

Boiling point or initial boiling point and

not determined

100 °C

boiling range:

Flammability: not applicable
Lower explosion limits: not determined
Upper explosion limits: not determined
Flash point: not determined
Auto-ignition temperature: not determined



Safety Data Sheet

according to UK REACH Regulation

EDTA Decalcifying Solution ~ 20 %, pH 7.0 - 7.2

Revision date: 15.05.2023 Product code: 16529.xxxxx Page 6 of 10

Decomposition temperature: not determined

pH-Value (at 20 °C): 7-8

Viscosity / kinematic: not determined Water solubility: completely miscible

(at 20 °C)

Vapour pressure: 23 hPa

(at 20 °C)

Vapour pressure: 123 hPa

(at 50 °C)

Density (at 20 °C): 1,07 g/cm³

9.2. Other information

Information with regard to physical hazard classes

Explosive properties

The product is not: Explosive.

Sustaining combustion: Not sustaining combustion

Oxidizing properties

The product is not: oxidising.

Other safety characteristics

Evaporation rate: not determined

SECTION 10: Stability and reactivity

10.1. Reactivity

No hazardous reaction when handled and stored according to provisions.

10.2. Chemical stability

Stable under normal storage and handling conditions.

10.3. Possibility of hazardous reactions

Reacts with:

10.4. Conditions to avoid

Keep away from heat. Protect against: frost.

10.5. Incompatible materials

Materials to avoid:

10.6. Hazardous decomposition products

In case of fire may be liberated: Carbon monoxide Carbon dioxide (CO2). Nitrogen oxides (NOx).

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in GB CLP Regulation

Acute toxicity

Based on available data, the classification criteria are not met.

ATEmix calculated

ATE (inhalation vapour) 78,85 mg/l; ATE (inhalation dust/mist) 10,753 mg/l

| CAS No | Chemical name | | | | | | |
|-----------|--------------------------|---------------|---------------|---------|-----------------|--------|--|
| | Exposure route | Dose | | Species | Source | Method | |
| 6381-92-6 | Disodium dihydrogen ethy | /lenediamine | etetraacetate |) | | | |
| | oral | LD50 mg/kg | 2800 | Rat | Lieferanten SDB | | |
| | inhalation vapour | ATE | 11 mg/l | | | | |
| | inhalation dust/mist | ATE | 1,5 mg/l | | | | |



Safety Data Sheet

according to UK REACH Regulation

EDTA Decalcifying Solution ~ 20 %, pH 7.0 - 7.2

Revision date: 15.05.2023 Product code: 16529.xxxxx Page 7 of 10

Irritation and corrosivity

Causes skin irritation.

Causes serious eye irritation.

Sensitising effects

Based on available data, the classification criteria are not met.

Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

May cause damage to organs through prolonged or repeated exposure. (Disodium dihydrogen ethylenediaminetetraacetate)

Aspiration hazard

Based on available data, the classification criteria are not met.

11.2. Information on other hazards

Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to humans as no components meets the criteria.

SECTION 12: Ecological information

12.1. Toxicity

Based on available data, the classification criteria are not met.

| CAS No | Chemical name | | | | | | |
|-----------|---|--------------|----------|-----------|--------------------|--|--------|
| | Aquatic toxicity | Dose | | [h] [d] | Species | Source | Method |
| 6381-92-6 | Disodium dihydrogen ethylenediaminetetraacetate | | | | | | |
| | Acute fish toxicity | LC50 mg/l | >100 | 96 h | Ocorhynchus mykiss | ECHA (139-33-3) | |
| | Acute crustacea toxicity | EC50 | 140 mg/l | 48 h | Daphnia magna | ECHA (139-33-3) | |
| | Fish toxicity | NOEC | >35 mg/l | 35 d | Danio rero | ECHA | |
| | | | | | Danio rerio | | |
| | Crustacea toxicity | NOEC | 25 mg/l | 21 d | Daphnia magna | ECHA | |
| 1310-73-2 | Sodium hydroxide; caustic | c soda | | | | | |
| | Acute fish toxicity | LC50 | 196 mg/l | 96 h | | Adema, D.M.M. 1985., GESTIS. | |
| | Acute crustacea toxicity | EC50 mg/l | 40,4 | 48 h | Ceriodaphnia sp. | Warne and Schifko, 1999; ECHA Dossier. | |

12.2. Persistence and degradability

Disodium dihydrogen ethylenediaminetetraacetate:

55% (20 d) Guideline: PN-88/C-05561; Parameter: COD There are no data available on the preparation/mixture itself.

12.3. Bioaccumulative potential

Partition coefficient n-octanol/water

| CAS No | Chemical name | Log Pow |
|-----------|---|---------|
| 6381-92-6 | Disodium dihydrogen ethylenediaminetetraacetate | 1,8 |



Safety Data Sheet

according to UK REACH Regulation

EDTA Decalcifying Solution ~ 20 %, pH 7.0 - 7.2

Revision date: 15.05.2023 Product code: 16529.xxxxx Page 8 of 10

12.4. Mobility in soil

The product has not been tested.

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to UK REACH.

12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

12.7. Other adverse effects

No information available.

Further information

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil. Dispose of waste according to applicable legislation. Consult the local waste disposal expert about waste disposal.

List of Wastes Code - residues/unused products

160506 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and

discarded chemicals; laboratory chemicals, consisting of or containing hazardous substances,

including mixtures of laboratory chemicals; hazardous waste

List of Wastes Code - used product

160506 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and

discarded chemicals; laboratory chemicals, consisting of or containing hazardous substances,

including mixtures of laboratory chemicals; hazardous waste

List of Wastes Code - contaminated packaging

150110 WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND

PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED; packaging (including separately collected municipal packaging waste); packaging containing residues of or contaminated by

hazardous substances; hazardous waste

Contaminated packaging

Non-contaminated packages may be recycled. Handle contaminated packages in the same way as the substance itself.

SECTION 14: Transport information

Land transport (ADR/RID)

| 14.1. UN number or ID number: | Not restricted |
|-----------------------------------|----------------|
| 14.2. UN proper shipping name: | Not restricted |
| 14.3. Transport hazard class(es): | Not restricted |
| 14.4. Packing group: | Not restricted |

Marine transport (IMDG)

| a | |
|-----------------------------------|----------------|
| 14.1. UN number or ID number: | Not restricted |
| 14.2. UN proper shipping name: | Not restricted |
| 14.3. Transport hazard class(es): | Not restricted |
| 14.4. Packing group: | Not restricted |

Other applicable information (marine transport)

Not restricted

Air transport (ICAO-TI/IATA-DGR)

| 14.1. UN number or ID number: | Not restricted |
|--------------------------------|----------------|
| 14.2. UN proper shipping name: | Not restricted |



Safety Data Sheet

according to UK REACH Regulation

EDTA Decalcifying Solution ~ 20 %, pH 7.0 - 7.2

Revision date: 15.05.2023 Product code: 16529.xxxxx Page 9 of 10

14.3. Transport hazard class(es):
Not restricted
Not restricted

Other applicable information (air transport)

Not restricted

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: No

14.6. Special precautions for user

Not restricted

14.7. Maritime transport in bulk according to IMO instruments

Not restricted

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulatory information

Restrictions on use (REACH, annex XVII):

Entry 3, Entry 75

Information according to 2012/18/EU

Not subject to 2012/18/EU (SEVESO III)

(SEVESO III):

National regulatory information

Water hazard class (D): 2 - obviously hazardous to water

15.2. Chemical safety assessment

For the following substances of this mixture a chemical safety assessment has been carried out:

Disodium dihydrogen ethylenediaminetetraacetate

Sodium hydroxide; caustic soda

SECTION 16: Other information

Changes

This data sheet contains changes from the previous version in section(s): 16.

Rev. 2,0; 15.05.2023; Recreation from collect SDB 13412.xxxxx

Abbreviations and acronyms

CLP: Classification, labelling and Packaging

REACH: Registration, Evaluation and Authorization of Chemicals

GHS: Globally Harmonised System of Classification, Labelling and Packaging of Chemicals

UN: United Nations

CAS: Chemical Abstracts Service
DNEL: Derived No Effect Level
DMEL: Derived Minimal Effect Level

PNEC: Predicted No Effect Concentration

ATE: Acute toxicity estimate LC50: Lethal concentration, 50%

LD50: Lethal dose, 50% LL50: Lethal loading, 50% EL50: Effect loading, 50%

EC50: Effective Concentration 50%

ErC50: Effective Concentration 50%, growth rate

NOEC: No Observed Effect Concentration

BCF: Bio-concentration factor

PBT: persistent, bioaccumulative, toxic vPvB: very persistent, very bioaccumulative

ADR: Accord européen sur le transport des marchandises dangereuses par Route



Safety Data Sheet

according to UK REACH Regulation

EDTA Decalcifying Solution ~ 20 %, pH 7.0 - 7.2

Revision date: 15.05.2023 Product code: 16529.xxxxx Page 10 of 10

(European Agreement concerning the International Carriage of Dangerous Goods by Road)

RID: Regulations concerning the international carriage of dangerous goods by rail

ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways (Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures)

IMDG: International Maritime Code for Dangerous Goods

EmS: Emergency Schedules MFAG: Medical First Aid Guide

IATA: International Air Transport Association ICAO: International Civil Aviation Organization

MARPOL: International Convention for the Prevention of Marine Pollution from Ships

IBC: Intermediate Bulk Container SVHC: Substance of Very High Concern

For abbreviations and acronyms, see table at http://abbrev.esdscom.eu

Classification for mixtures and used evaluation method according to GB CLP Regulation

| Classification | Classification procedure |
|---------------------|--------------------------|
| Skin Irrit. 2; H315 | |
| Eye Irrit. 2; H319 | |
| STOT RE 2; H373 | Calculation method |

Relevant H and EUH statements (number and full text)

| H290 | May be corrosive to metals. |
|------|--|
| H314 | Causes severe skin burns and eye damage. |
| H315 | Causes skin irritation. |
| H318 | Causes serious eye damage. |
| H319 | Causes serious eye irritation. |
| H332 | Harmful if inhaled. |

H373 May cause damage to organs through prolonged or repeated exposure.

Further Information

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights. The receiver of our product is singularly responsible for adhering to existing laws and regulations. The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)