

## Safety Data Sheet

according to UK REACH Regulation

### Eosin 1 %, methanolic

Revision date: 23.08.2023

Product code: 11948.xxxxx

Page 1 of 14

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

Eosin 1 %, methanolic

UFI: YKY7-XAG8-H3CR-EVD8

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### Use of the substance/mixture

Use as laboratory reagent. The product is intended for research, analysis and scientific education.

#### Uses advised against

Any non-intended use.

### 1.3. Details of the supplier of the safety data sheet

Company name: MORPHISTO GmbH  
Street: Schumannstr. 142/144  
Place: D-63069 Offenbach  
Telephone: +49 (0) 69 / 400 3019-60      Telefax: +49 (0) 69 / 400 3019-64  
E-mail: info@morphisto.de  
Contact person: Morphisto GmbH  
E-mail: gefahrstoffmanagement@morphisto.de  
Internet: http://www.morphisto.de

### 1.4. Emergency telephone number:

Poison Information Center Mainz, Germany, Tel: +49(0)6131/19240

## SECTION 2: Hazards identification

### 2.1. Classification of the substance or mixture

#### GB CLP Regulation

Flam. Liq. 2; H225  
Acute Tox. 3; H301  
Acute Tox. 3; H311  
Acute Tox. 3; H331  
Skin Sens. 1; H317  
STOT SE 1; H370

Full text of hazard statements: see SECTION 16.

### 2.2. Label elements

#### GB CLP Regulation

#### Hazard components for labelling

methanol  
Eosin G

Signal word: Danger

#### Pictograms:



#### Hazard statements

H225      Highly flammable liquid and vapour.  
H301+H311+H331      Toxic if swallowed, in contact with skin or if inhaled.  
H317      May cause an allergic skin reaction.  
H370      Causes damage to organs.

**Safety Data Sheet**

according to UK REACH Regulation

**Eosin 1 %, methanolic**

Revision date: 23.08.2023

Product code: 11948.xxxxx

Page 2 of 14

**Precautionary statements**

P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P260	Do not breathe mist/vapours/spray.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P301+P310	IF SWALLOWED: Immediately call a POISON CENTER/doctor.
P308+P311	IF exposed or concerned: Call a POISON CENTER/doctor.
P403+P233	Store in a well-ventilated place. Keep container tightly closed.

**Labelling of packages where the contents do not exceed 125 ml**
**Signal word:** Danger

**Pictograms:**

**Hazard statements**

H301+H311+H331-H317-H370

**Precautionary statements**

P260-P280-P301+P310-P308+P311

**2.3. Other hazards**

This substance/mixture contains no components considered to be either persistent, bioaccumulating and toxic (PBT) or very persistent and very bioaccumulating (vPvB) at levels of 0.1% or higher. Ecological information: The substance/mixture does not contain any components that are considered to be hazardous according to REACH Article 57(f) or Commission Delegated Regulation (EU) 2017/2100 or Commission Delegated Regulation (EU) 2018/605 in amounts of 0.1 % or more have endocrine disrupting properties. Toxicological information: The substance/mixture does not contain any components that are to be classified according to REACH Article 57(f) or Commission Delegated Regulation (EU) 2017/2100 or Commission Delegated Regulation (EU) 2018/605 in quantities of 0.1 % or more have endocrine disrupting properties.

**SECTION 3: Composition/information on ingredients**
**3.2. Mixtures**
**Hazardous components**

CAS No	Chemical name			Quantity
	EC No	Index No	REACH No	
	Classification (GB CLP Regulation)			
67-56-1	methanol			95 - < 100 %
	200-659-6	603-001-00-X	01-2119433307-44	
	Flam. Liq. 2, Acute Tox. 3, Acute Tox. 3, Acute Tox. 3, STOT SE 1; H225 H331 H311 H301 H370			
17372-87-1	Eosin G			1 - < 5 %
	241-409-6		01-2120138551-62	
	Eye Irrit. 2, Skin Sens. 1; H319 H317			

Full text of H and EUH statements: see section 16.

## Safety Data Sheet

according to UK REACH Regulation

### Eosin 1 %, methanolic

Revision date: 23.08.2023

Product code: 11948.xxxxx

Page 3 of 14

#### Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity
		Specific Conc. Limits, M-factors and ATE	
67-56-1	200-659-6	methanol	95 - < 100 %
		inhalation: ATE = 3 mg/l (vapours); inhalation: ATE = 0,5 mg/l (dusts or mists); dermal: LD50 = 17100 mg/kg; oral: LD50 = 2528 mg/kg STOT SE 1; H370: >= 10 - 100 STOT SE 2; H371: >= 3 - < 10	
17372-87-1	241-409-6	Eosin G	1 - < 5 %
		oral: LD50 = 2344 mg/kg	

#### Further Information

This product contains no substances of very high concern (SVHC) (>0,1%) which are included in the Candidate List according to Article 59 of REACH.

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

#### General information

Remove affected person from the danger area and lay down. First aider: Pay attention to self-protection! Remove contaminated, saturated clothing immediately. Remove casualty to fresh air and keep warm and at rest. To supervise the blood circulation. In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

#### After inhalation

Provide fresh air. If breathing is irregular or stopped, administer artificial respiration. Remove casualty to fresh air and keep warm and at rest. No mouth-to-mouth or mouth-to-nose resuscitation. Use Ambu bag or ventilator. Where appropriate artificial ventilation. Call a physician immediately. In the case of lung irritation: Primary treatment using corticoide spray, eg. Auxilolon spray, Pulmicort-dosage-spray. (Auxilolon and Pulmicort are registered trademarks.)

#### After contact with skin

After contact with skin, wash immediately with plenty of water and soap. Take off immediately all contaminated clothing and wash it before reuse. Call a physician immediately.

#### After contact with eyes

After eye contact: Rinse immediately carefully and thoroughly with eye-bath or water. Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Consult an ophthalmologist.

#### After ingestion

Rinse mouth immediately and drink 1 glass of water. Rinse out mouth, spit out liquid again. Never give anything by mouth to an unconscious person or a person with cramps. Observe risk of aspiration if vomiting occurs. Call a physician immediately.

### 4.2. Most important symptoms and effects, both acute and delayed

Following inhalation: Cough Dizziness Headache.

Following skin contact: Has degreasing effect on the skin.

After eye contact: Irritation Conjunctival redness. Conjunctival oedema (chemosis). Risk of blindness.

In case of ingestion: Risk of blindness. Stomach ache. Indisposition. vomiting. Functional disorders of the CNS and cardiovascular system. Loss of the positioning reflex and ataxia (disturbance of movement coordination) Headaches and dizziness may occur, proceeding to fainting or unconsciousness; large doses may result in coma and death.

### 4.3. Indication of any immediate medical attention and special treatment needed

First Aid, decontamination, treatment of symptoms.

## SECTION 5: Firefighting measures

### 5.1. Extinguishing media

**Safety Data Sheet**

according to UK REACH Regulation

**Eosin 1 %, methanolic**

Revision date: 23.08.2023

Product code: 11948.xxxxx

Page 4 of 14

**Suitable extinguishing media**Water spray jet, Carbon dioxide (CO<sub>2</sub>), Foam, Extinguishing powder.**Unsuitable extinguishing media**

High power water jet.

**5.2. Special hazards arising from the substance or mixture**

Highly flammable. Vapours can form explosive mixtures with air. In case of insufficient ventilation and/or through use, explosive/highly flammable mixtures may develop. The vapour of the product is heavier than air and may accumulate below ground level, in pits, channels and basements in higher concentration. Reignition possible over considerable distance. In case of fire may be liberated: Carbon monoxide, Carbon dioxide (CO<sub>2</sub>).

**5.3. Advice for firefighters**

Wear a self-contained breathing apparatus and chemical protective clothing. Full protection suit. In case of fire and/or explosion do not breathe fumes. Fight fire remotely due to the risk of explosion.

**Additional information**

Use water spray jet to protect personnel and to cool endangered containers. Suppress gases/vapours/mists with water spray jet. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

**SECTION 6: Accidental release measures****6.1. Personal precautions, protective equipment and emergency procedures****General advice**

Remove all sources of ignition. Do not breathe gas/fumes/vapour/spray. Avoid contact with skin, eyes and clothes. Use personal protection equipment. Remove victim out of the danger area. Wear personal protection equipment (refer to section 8). Ventilate affected area. Remove persons to safety. Use a positive-pressure air-supplied respirator if there is any potential for an uncontrolled release, exposure levels are not known, or any other circumstances where air-purifying respirators may not provide adequate protection.

**For non-emergency personnel**

Ventilate affected area. Clear danger zone. Follow emergency plan. Consult an expert.

**For emergency responders**

Move undamaged containers from immediate hazard area if it can be done safely. Stop leak if safe to do so. Stop and contain spill/release if it can be done safely. If this cannot be done, allow fire to burn under control.

**6.2. Environmental precautions**

Do not allow uncontrolled discharge of product into the environment. Explosion risk. Discharge into the environment must be avoided. In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities.

**6.3. Methods and material for containment and cleaning up****For containment**

Prevent spread over a wide area (e.g. by containment or oil barriers). Cover drains. Collect, embank and pump out. Observe possible material restrictions (section 10).

**For cleaning up**

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal. Ventilate affected area.

**6.4. Reference to other sections**

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

**SECTION 7: Handling and storage****7.1. Precautions for safe handling****Advice on safe handling**

If handled uncovered, arrangements with local exhaust ventilation have to be used. Do not breathe

## Safety Data Sheet

according to UK REACH Regulation

### Eosin 1 %, methanolic

Revision date: 23.08.2023

Product code: 11948.xxxxx

Page 5 of 14

gas/fumes/vapour/spray. Avoid contact with skin, eyes and clothes. Use extractor hood (laboratory). Provide adequate ventilation as well as local exhaust at critical locations. Avoid exposure - obtain special instructions before use. Wear personal protection equipment (refer to section 8).

#### Advice on protection against fire and explosion

Keep away from sources of ignition - No smoking. Take precautionary measures against static discharges. Vapours can form explosive mixtures with air. Flammable vapours can accumulate in head space of closed systems. Use only antistatically equipped (spark-free) tools. Wear anti-static footwear and clothing Ground and bond container and receiving equipment. Heating causes rise in pressure with risk of bursting. Have fire-extinguishers in readiness before opening containers.

#### Advice on general occupational hygiene

Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat, drink, smoke, sniff. Contaminated work clothing should not be allowed out of the workplace. Street clothing should be stored separately from work clothing. Protect skin by using skin protective cream. Always close containers tightly after the removal of product. Ensure cleanliness and dryness in the workplace.

#### Further information on handling

General protection and hygiene measures: See section 8.

#### 7.2. Conditions for safe storage, including any incompatibilities

##### Requirements for storage rooms and vessels

Keep container tightly closed. Keep locked up. Store in a place accessible by authorized persons only. Provide adequate ventilation as well as local exhaust at critical locations. Keep in a cool, well-ventilated place. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Make sure spills can be contained, e.g. in sump pallets or kerbed areas. Ensure adequate ventilation of the storage area.

##### Hints on joint storage

Do not store together with: Oxidizing agent. Pyrophoric or self-heating substances. Gas. Explosives. Flammable solids. Pyrophoric liquids and solids. Self-heating substances and mixtures. Substances or mixtures which, in contact with water, emit flammable gases. Oxidizing liquids. Oxidizing solids. Ammonium nitrate and preparations containing ammonium nitrate. Self-reactive substances and mixtures. Organic peroxides. Non-combustible toxic substances. Radioactive substances. Infectious substances.

##### Further information on storage conditions

Keep the packing dry and well sealed to prevent contamination and absorption of humidity. Recommended storage temperature: 15-25 °C  
 Protect against: frost. UV-radiation/sunlight. heat. Humidity. Heating may cause a fire or explosion. Ground and bond container and receiving equipment.

#### 7.3. Specific end use(s)

See section 1.

### SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

##### Exposure limits (EH40)

CAS No	Substance	ppm	mg/m <sup>3</sup>	fibres/ml	Category	Origin
67-56-1	Methanol	200	266		TWA (8 h)	WEL
		250	333		STEL (15 min)	WEL

## Safety Data Sheet

according to UK REACH Regulation

### Eosin 1 %, methanolic

Revision date: 23.08.2023

Product code: 11948.xxxxx

Page 6 of 14

#### DNEL/DMEL values

CAS No	Substance		
DNEL type	Exposure route	Effect	Value
67-56-1	methanol		
Worker DNEL, acute	inhalation	local	260 mg/m <sup>3</sup>
Worker DNEL, acute	dermal	systemic	40 mg/kg bw/day
Worker DNEL, acute	inhalation	systemic	260 mg/m <sup>3</sup>
Worker DNEL, long-term	inhalation	local	260 mg/m <sup>3</sup>
Worker DNEL, long-term	dermal	systemic	40 mg/kg bw/day
Worker DNEL, long-term	inhalation	systemic	260 mg/m <sup>3</sup>

#### PNEC values

CAS No	Substance	
Environmental compartment	Value	
67-56-1	methanol	
Freshwater	20,8 mg/l	
Marine water	2,08 mg/l	
Marine water (intermittent releases)	1540 mg/l	
Freshwater sediment	77 mg/kg	
Marine sediment	7,7 mg/kg	
Micro-organisms in sewage treatment plants (STP)	100 mg/l	
Soil	3,18 mg/kg	

#### 8.2. Exposure controls



##### Appropriate engineering controls

If handled uncovered, arrangements with local exhaust ventilation have to be used. Do not breathe gas/fumes/vapour/spray. Technical measures and the application of suitable work processes have priority over personal protection equipment. Provide adequate ventilation as well as local exhaustion at critical locations. Use extractor hood (laboratory). Provide washing facilities at the workplace, provide an eye shower or eyewash bottle and mark them. Usual measures for fire prevention.

##### Individual protection measures, such as personal protective equipment

###### Eye/face protection

Wear eye/face protection. Eye glasses with side protection EN 166

###### Hand protection

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. Pull-over gloves of rubber.

Suitable material: Butyl rubber. (0,7 mm)

(penetration time (maximum wearing period): >= 480 h)

The selected protective gloves have to satisfy the specifications of EU Directive 89/686/EEC and the standard EN 374 derived from it.

Before using check leak tightness / impermeability.

**Safety Data Sheet**

according to UK REACH Regulation

**Eosin 1 %, methanolic**

Revision date: 23.08.2023

Product code: 11948.xxxxx

Page 7 of 14

**Skin protection**

Flame-retardant protective clothing. Wear anti-static footwear and clothing  
Minimum standard for preventive measures while handling with working materials are specified in the TRGS 500 (D).

**Respiratory protection**

In case of inadequate ventilation wear respiratory protection. With correct and proper use, and under normal conditions, breathing protection is not required.  
Respiratory protection necessary at: Insufficient ventilation. exceeding exposure limit values  
Suitable respiratory protective equipment: gas filtering equipment (EN 141). Type AX. Identification color: brown. Filter type: AX (for group 2 low boilers). In case of a maximum contaminant concentration in inhaled air of 1000 mL/m<sup>3</sup> (0.1 % by vol.), group 2 may be used for a maximum of 60 min. In case of a maximum contaminant concentration in inhaled air of 5000 mL/m<sup>3</sup> (0.5 % by vol.), group 2 may be used for a maximum of 20 min.  
The filter class must be suitable for the maximum contaminant concentration (gas/vapour/aerosol/particulates) that may arise when handling the product. If the concentration is exceeded, self-contained breathing apparatus must be used. Suitable respiratory protective equipment: Self-contained respirator (breathing apparatus).

**Thermal hazards**

Flame-retardant protective clothing. Wear anti-static footwear and clothing . Decomposes when heated. Risk of explosion if heated under confinement. .

**Environmental exposure controls**

Do not allow to enter into surface water or drains.

**SECTION 9: Physical and chemical properties****9.1. Information on basic physical and chemical properties**

Physical state:	liquid	
Colour:	-red	
Odour:	alcoholic	
Melting point/freezing point:		not determined
Boiling point or initial boiling point and boiling range:		64,7 °C
Flammability:		not determined
Lower explosion limits:		6 vol. %
Upper explosion limits:		50 vol. %
Flash point:		9,7 °C
Auto-ignition temperature:		440 °C
Decomposition temperature:		not determined
pH-Value:		not applicable
Viscosity / kinematic:		not determined
Water solubility: (at 20 °C)		miscible.
Solubility in other solvents		miscible.
Partition coefficient n-octanol/water:		not determined
Vapour pressure: (at 20 °C)		129 hPa
Density (at 20 °C):		0,79 g/cm <sup>3</sup>
Relative vapour density:		not determined
Particle characteristics:		not applicable

**9.2. Other information****Information with regard to physical hazard classes**

Explosive properties

The product is not: Explosive. In case of insufficient ventilation and/or through use, explosive/highly flammable



**Safety Data Sheet**

according to UK REACH Regulation

**Eosin 1 %, methanolic**

Revision date: 23.08.2023

Product code: 11948.xxxxx

Page 8 of 14

mixtures may develop.  
Sustaining combustion:  
Oxidizing properties  
Combustible liquid.

Sustaining combustion

**Other safety characteristics**

Evaporation rate: not determined  
Viscosity / dynamic: not determined  
Flow time: not determined

**SECTION 10: Stability and reactivity****10.1. Reactivity**

Highly flammable.

**10.2. Chemical stability**

Stable under normal storage and handling conditions. Thermal decomposition.

**10.3. Possibility of hazardous reactions**

Oxidizing agents, strong. Alkali metals. Aluminium. Nitric acid. Sulphuric acid. Nitric oxides. Hydrogen peroxide. Barium perchlorate. Lead chlorate. Lead perchlorate. Chromosulphuric acid. Dichlorohexoxide. Magnesium powder. Sodium hypochlorite. Perchloric acid. Permanganic acid. Zinc diethyl. Nitrogen oxides (NO<sub>x</sub>)Halogenes. Reducing agent. Acids.

**10.4. Conditions to avoid**

Keep away from sources of heat (e.g. hot surfaces), sparks and open flames. Vapours can form explosive mixtures with air. Keep away from heat. Protect from direct sunlight. Keep away from sources of ignition - No smoking. Take precautionary measures against static discharge.

**10.5. Incompatible materials**

Oxidizing agents. Strong acid, Base. Slowly corrodes aluminium and zinc under hydrogen evolution. Information is given in subsection 10.3.

**10.6. Hazardous decomposition products**

In case of fire may be liberated: Carbon monoxide, Carbon dioxide (CO<sub>2</sub>).

**SECTION 11: Toxicological information****11.1. Information on hazard classes as defined in GB CLP Regulation****Acute toxicity**

Toxic if swallowed.  
Toxic in contact with skin.  
Toxic if inhaled.

**ATE<sub>mix</sub> calculated**

ATE (oral) 101,0 mg/kg; ATE (dermal) 303,0 mg/kg; ATE (inhalation vapour) 3,030 mg/l; ATE (inhalation dust/mist) 0,5050 mg/l



## Safety Data Sheet

according to UK REACH Regulation

### Eosin 1 %, methanolic

Revision date: 23.08.2023

Product code: 11948.xxxxx

Page 9 of 14

CAS No	Chemical name					
	Exposure route	Dose		Species	Source	Method
67-56-1	methanol					
	oral	LD50 mg/kg	2528	Rat	ECHA Dossier	
	dermal	LD50 mg/kg	17100	Rabbit	ECHA Dossier	
	inhalation vapour	ATE	3 mg/l			
	inhalation dust/mist	ATE	0,5 mg/l			
17372-87-1	Eosin G					
	oral	LD50 mg/kg	2344	Rat, male and female	suppliers SDS.	

#### Irritation and corrosivity

Based on available data, the classification criteria are not met.

#### Sensitising effects

May cause an allergic skin reaction. (Eosin G)

#### Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

#### STOT-single exposure

Causes damage to organs. (methanol)

#### STOT-repeated exposure

Based on available data, the classification criteria are not met.

#### Aspiration hazard

Based on available data, the classification criteria are not met.

### 11.2. Information on other hazards

#### Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to humans as no components meets the criteria.

#### Other information

The mixture is classified as hazardous according to regulation (EC) No 1272/2008 [CLP]. Special hazards arising from the substance or mixture!

## SECTION 12: Ecological information

### 12.1. Toxicity

Based on available data, the classification criteria are not met.

CAS No	Chemical name						
	Aquatic toxicity	Dose		[h]   [d]	Species	Source	Method
67-56-1	methanol						
	Acute fish toxicity	LC50 mg/l	15400	96 h	Lepomis macrochirus	ECHA Dossier	
	Acute algae toxicity	ErC50 mg/l	22000	96 h	Pseudokirchneriella subcapitata	ECHA Dossier	
	Acute crustacea toxicity	EC50 mg/l	>1000	48 h	Daphnia magna	ECHA Dossier	OECD 202

### 12.2. Persistence and degradability

The product has not been tested.

**Safety Data Sheet**

according to UK REACH Regulation

**Eosin 1 %, methanolic**

Revision date: 23.08.2023

Product code: 11948.xxxxx

Page 10 of 14

CAS No	Chemical name			
	Method	Value	d	Source
	Evaluation			
67-56-1	methanol			
	other guideline	96%	20	ECHA Dossier
	Easily biodegradable (concerning to the criteria of the OECD)			

**12.3. Bioaccumulative potential**

The product has not been tested.

**Partition coefficient n-octanol/water**

CAS No	Chemical name	Log Pow
67-56-1	methanol	-0,77
17372-87-1	Eosin G	6,92

**BCF**

CAS No	Chemical name	BCF	Species	Source
67-56-1	methanol	<10		

**12.4. Mobility in soil**

The product has not been tested.

**12.5. Results of PBT and vPvB assessment**

The substances in the mixture do not meet the PBT/vPvB criteria according to UK REACH.

**12.6. Endocrine disrupting properties**

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

**12.7. Other adverse effects**

No information available.

**Further information**

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil. highly hazardous to water. Do not allow uncontrolled discharge of product into the environment.

**SECTION 13: Disposal considerations**
**13.1. Waste treatment methods**
**Disposal recommendations**

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil. Dispose of waste according to applicable legislation. Hazardous waste according to Directive 2008/98/EC (waste framework directive). Observe in addition any national regulations! Consult the local waste disposal expert about waste disposal. According to (EWC) European Waste Catalogue, allocation of waste identity numbers/waste descriptions must be carried out in a specific way for every industry and process.

Control report for waste code/ waste marking according to (EWC) European Waste Catalogue:

**List of Wastes Code - residues/unused products**

160508 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and discarded chemicals; discarded organic chemicals consisting of or containing hazardous substances; hazardous waste

**List of Wastes Code - used product**

160508 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and discarded chemicals; discarded organic chemicals consisting of or containing hazardous substances; hazardous waste

**List of Wastes Code - contaminated packaging**

**Safety Data Sheet**

according to UK REACH Regulation

**Eosin 1 %, methanolic**

Revision date: 23.08.2023

Product code: 11948.xxxxx

Page 11 of 14

150110 WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED; packaging (including separately collected municipal packaging waste); packaging containing residues of or contaminated by hazardous substances; hazardous waste

**Contaminated packaging**

Hazardous waste according to Directive 2008/98/EC (waste framework directive). Handle contaminated packages in the same way as the substance itself. Non-contaminated packages may be recycled.

**SECTION 14: Transport information**
**Land transport (ADR/RID)**

**14.1. UN number or ID number:** UN 1230  
**14.2. UN proper shipping name:** METHANOL  
**14.3. Transport hazard class(es):** 3  
**14.4. Packing group:** II  
 Hazard label: 3+6.1



Classification code: FT1  
 Special Provisions: 279  
 Limited quantity: 1 L  
 Excepted quantity: E2  
 Transport category: 2  
 Hazard No: 336  
 Tunnel restriction code: D/E

**Inland waterways transport (ADN)**

**14.1. UN number or ID number:** UN 1230  
**14.2. UN proper shipping name:** METHANOL  
**14.3. Transport hazard class(es):** 3  
**14.4. Packing group:** II  
 Hazard label: 3+6.1



Classification code: FT1  
 Special Provisions: 279 802  
 Limited quantity: 1 L  
 Excepted quantity: E2

**Marine transport (IMDG)**

**14.1. UN number or ID number:** UN 1230  
**14.2. UN proper shipping name:** METHANOL  
**14.3. Transport hazard class(es):** 3  
**14.4. Packing group:** II  
 Hazard label: 3+6.1



Special Provisions: 279  
 Limited quantity: 1 L  
 Excepted quantity: E2  
 EmS: F-E, S-D

**Safety Data Sheet**

according to UK REACH Regulation

**Eosin 1 %, methanolic**

Revision date: 23.08.2023

Product code: 11948.xxxxx

Page 12 of 14

**Air transport (ICAO-TI/IATA-DGR)**

<b>14.1. UN number or ID number:</b>	UN 1230
<b>14.2. UN proper shipping name:</b>	METHANOL
<b>14.3. Transport hazard class(es):</b>	3
<b>14.4. Packing group:</b>	II
Hazard label:	3+6.1



Special Provisions:	A113	
Limited quantity Passenger:	1 L	
Passenger LQ:	Y341	
Excepted quantity:	E2	
IATA-packing instructions - Passenger:		352
IATA-max. quantity - Passenger:		1 L
IATA-packing instructions - Cargo:		364
IATA-max. quantity - Cargo:		60 L

**14.5. Environmental hazards**

ENVIRONMENTALLY HAZARDOUS: No

**14.6. Special precautions for user**

Warning: Combustible liquid. Acute Toxicity. Refer to section 6-8

**14.7. Maritime transport in bulk according to IMO instruments**

not relevant

**SECTION 15: Regulatory information**
**15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture**
**EU regulatory information**

Restrictions on use (REACH, annex XVII):

Entry 3, Entry 40, Entry 69, Entry 75

2010/75/EU (VOC):	not determined
2004/42/EC (VOC):	not determined
Information according to 2012/18/EU (SEVESO III):	H2 ACUTE TOXIC
Additional information:	P5c

**Additional information**

The mixture is classified as hazardous according to regulation (EC) No 1272/2008 [CLP].

**National regulatory information**

Employment restrictions:	Observe restrictions to employment for juveniles according to the 'juvenile work protection guideline' (94/33/EC). Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.
Water hazard class (D):	2 - obviously hazardous to water
Skin resorption/Sensitization:	Permeates easily through outer skin and causes poisoning. Causes allergic hypersensitivity reactions.

**15.2. Chemical safety assessment**

For the following substances of this mixture a chemical safety assessment has been carried out:

 methanol  
 Eosin G

**Safety Data Sheet**

according to UK REACH Regulation

**Eosin 1 %, methanolic**

Revision date: 23.08.2023

Product code: 11948.xxxxx

Page 13 of 14

**SECTION 16: Other information****Changes**

This data sheet contains changes from the previous version in section(s): 2,3,6,7,8,9,11,12,15,16.

Rev. 2,0; 13.02.23; Individual safety data sheet based on 12433\_collect

Rev. 2,1; 09.05.2023; general adjustment(s)

Rev. 2,2; 30.05.2023; general adjustment(s)

Rev. 3,0; 23.08.2023; Change of classification/labeling

**Abbreviations and acronyms**

ADR: Accord européen sur le transport des marchandises dangereuses par Route

CAS Chemical Abstracts Service

DNEL: Derived No Effect Level

IARC: INTERNATIONAL AGENCY FOR RESEARCH ON CANCER

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)

ICAO: International Civil Aviation Organization

ICAO-TI: Technical Instructions by the "International Civil Aviation Organization" (ICAO)

GHS: Globally Harmonized System of Classification and Labelling of Chemicals

GefStoffV: Gefahrstoffverordnung (Ordinance on Hazardous Substances, Germany)

LOAEL: Lowest observed adverse effect level

LOAEC: Lowest observed adverse effect concentration

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

NOAEL: No observed adverse effect level

NOAEC: No observed adverse effect level

NTP: National Toxicology Program

N/A: not applicable

OSHA: Occupational Safety and Health Administration

PNEC: predicted no effect concentration

PBT: Persistent bioaccumulative toxic

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail )

SARA: Superfund Amendments and Reauthorization Act

SVHC: substance of very high concern

TRGS Technische Regeln fuerGefahrstoffe

TSCA: Toxic Substances Control Act

VOC: Volatile Organic Compounds

VwVwS: Verwaltungsvorschrift wassergefaehrdender Stoffe

WGK: Wassergefaehrdungsklasse

CLP: Classification, labelling and Packaging

REACH: Registration, Evaluation and Authorization of Chemicals

GHS: Globally Harmonised System of Classification, Labelling and Packaging of Chemicals

UN: United Nations

CAS: Chemical Abstracts Service

DNEL: Derived No Effect Level

DMEL: Derived Minimal Effect Level

PNEC: Predicted No Effect Concentration

ATE: Acute toxicity estimate

LL50: Lethal loading, 50%

EL50: Effect loading, 50%

EC50: Effective Concentration 50%

ErC50: Effective Concentration 50%, growth rate

NOEC: No Observed Effect Concentration

## Safety Data Sheet

according to UK REACH Regulation

### Eosin 1 %, methanolic

Revision date: 23.08.2023

Product code: 11948.xxxxx

Page 14 of 14

BCF: Bio-concentration factor  
 PBT: persistent, bioaccumulative, toxic  
 vPvB: very persistent, very bioaccumulative  
 ADR: Accord européen sur le transport des marchandises dangereuses par Route  
 (European Agreement concerning the International Carriage of Dangerous Goods by Road)  
 RID: Regulations concerning the international carriage of dangerous goods by rail  
 ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways  
 (Accord européen relatif au transport international des marchandises dangereuses par voies de navigation  
 intérieures)  
 EmS: Emergency Schedules  
 MFAG: Medical First Aid Guide  
 MARPOL: International Convention for the Prevention of Marine Pollution from Ships  
 IBC: Intermediate Bulk Container  
 For abbreviations and acronyms, see table at <http://abbrev.esdscom.eu>  
 For abbreviations and acronyms, see: ECHA Guidance on information requirements and chemical safety  
 assessment, chapter R.20 (Table of terms and abbreviations).

#### Classification for mixtures and used evaluation method according to GB CLP Regulation

Classification	Classification procedure
Flam. Liq. 2; H225	On basis of test data
Acute Tox. 3; H301	Calculation method
Acute Tox. 3; H311	Calculation method
Acute Tox. 3; H331	Calculation method
Skin Sens. 1; H317	Calculation method
STOT SE 1; H370	Calculation method

#### Relevant H and EUH statements (number and full text)

H225	Highly flammable liquid and vapour.
H301	Toxic if swallowed.
H301+H311+H331	Toxic if swallowed, in contact with skin or if inhaled.
H311	Toxic in contact with skin.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H331	Toxic if inhaled.
H370	Causes damage to organs.

#### Further Information

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights. The receiver of our product is singularly responsible for adhering to existing laws and regulations. Classification according EC regulation 1272/2008 (CLP): -

Classification procedure:

Health hazards: Calculation method.

Environmental hazards: Calculation method.

Physical hazards: On basis of test data and / or calculated and / or estimated.

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

*(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)*