

according to UK REACH Regulation

Eosin 1 %, aqueous in NaCl 0,9 %

Revision date: 12.05.2022

Product code: 14140.xxxxx

Page 1 of 11

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Eosin 1 %, aqueous in NaCl 0,9 %

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

, Use as laboratory reagent.

The product is intended for research, analysis and scientific education.

Uses advised against

Any non-intended use.

1.3. Details of the supplier of the safety data sheet

Manufacturer		
Company name:	MORPHISTO GmbH	
Street:	Schumannstr. 142/144	
Place:	D-63069 Offenbach	
Telephone:	+49 (0) 69 / 400 3019-60	Telefax: +49 (0) 69 / 400 3019-64
e-mail:	info@morphisto.de	
Contact person:	Morphisto GmbH	
e-mail:	info@morphisto.de	
Internet:	http://www.morphisto.de	
Supplier		
Company name:	MORPHISTO GmbH	
Street:	Schumannstr. 142/144	
Place:	D-63069 Offenbach	
Telephone:	+49 (0) 69 / 400 3019-60	Telefax: +49 (0) 69 / 400 3019-64
e-mail:	info@morphisto.de	
Contact person:	Morphisto GmbH	
e-mail:	info@morphisto.de	
Internet:	http://www.morphisto.de	
1.4. Emergency telephone	Morphisto GmbH, Tel: +49(0)69 400 3	019-60, Mo-Fr.: 09-16Uhr
number:		

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

GB CLP Regulation

This mixture is not classified as hazardous in accordance with GB CLP Regulation.

2.2. Label elements

2.3. Other hazards

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII. No risks worthy of mention. Please observe the information on the safety data sheet at all times.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Chemical characterization aqueous solution



according to UK REACH Regulation

Eosin 1 %, aqueous in NaCl 0,9 %

Revision date: 12.05.2022

Product code: 14140.xxxxx

Page 2 of 11

Hazardous components

CAS No	Chemical name		Quantity		
	EC No	Index No	REACH No		
	Classification (GB CLP Regulation				
17372-87-1	Eosin Y (disodium 2-(2,4,5,7-tetrabromo-6-oxido-3-oxoxanthen-9-yl)benzoate)				
	241-409-6				
	Eye Irrit. 2; H319				
7647-14-5	Sodium Chloride			< 1 %	
	231-598-3				
26628-22-8	sodium azide			< 0.1 %	
	247-852-1	011-004-00-7	01-2119457019-37		
	Acute Tox. 1, Acute Tox. 2, Acute H330 H300 H373 H400 H410 EUH	Tox. 2, STOT RE 2, Aquatic Acute 1, 1032	Aquatic Chronic 1; H310		

Full text of H and EUH statements: see section 16.

Specific Conc. Limits, M-factors and ATE

CAS No	EC No Chemical name			
	Specific Conc. Limits, M-factors and ATE			
17372-87-1	241-409-6	Eosin Y (disodium 2-(2,4,5,7-tetrabromo-6-oxido-3-oxoxanthen-9-yl)benzoate)	< 1 %	
	oral: LD50 = 23	344 mg/kg		
26628-22-8	247-852-1	sodium azide	< 0.1 %	
	inhalation: ATE = 0,5 mg/l (vapours); inhalation: LC50 = > 0,054 - < 0,52 mg/l (dusts or mists); dermal: LD50 = 20,0 mg/kg; oral: LD50 = 27,0 mg/kg			

Further Information

Product does not contain listed SVHC substances > 0,1 % according to Regulation (EC) No. 1907/2006 Article 59 (REACH)

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible). Remove casualty to fresh air and keep warm and at rest.

After inhalation

Provide fresh air.In case of respiratory tract irritation, consult a physician.

After contact with skin

Wash with plenty of water. Take off contaminated clothing and wash it before reuse. In case of skin irritation, seek medical treatment.

After contact with eyes

Rinse immediately carefully and thoroughly with eye-bath or water. In case of contact with eyes, rinse immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart. Subsequently consult an ophthalmologist.

After ingestion

Observe risk of aspiration if vomiting occurs. @0401.B040030 Rinse mouth immediately and drink plenty of water. Do NOT induce vomiting. In all cases of doubt, or when symptoms persist, seek medical advice.

4.2. Most important symptoms and effects, both acute and delayed

No information available.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.



according to UK REACH Regulation

Eosin 1 %, aqueous in NaCl 0,9 %

Revision date: 12.05.2022

Product code: 14140.xxxxx

Page 3 of 11

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings. Carbon dioxide (CO2). Dry extinguishing powder. alcohol resistant foam. Atomized water.

5.2. Special hazards arising from the substance or mixture

Non-flammable. Can be released in case of fire: Carbon monoxide. Carbon dioxide (CO2). Bromine hydrogen (HBr). Sodium oxides.

The product itself does not burn.

5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General advice

Wear personal protection equipment (refer to section 8). See protective measures under point 7 and 8.

6.2. Environmental precautions

Discharge into the environment must be avoided.

6.3. Methods and material for containment and cleaning up

For cleaning up

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

Other information

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal. Clean contaminated objects and areas thoroughly observing environmental regulations.

6.4. Reference to other sections

Safe handling: see section 7 Personal protection equipment: see section 8 Disposal: see section 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Personal protection equipment (See section 8.)

Advice on protection against fire and explosion

Usual measures for fire prevention.

Advice on general occupational hygiene

Take off contaminated clothing. Wash hands before breaks and after work. When using do not eat, drink, smoke, sniff. Take off contaminated clothing. Wash hands before breaks and after work. When using do not eat, drink, smoke, sniff. Always close containers tightly after the removal of product.

Further information on handling

Avoid contact with skin, eyes and clothes. General protection and hygiene measures: See section 8.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep container tightly closed. Keep container tightly closed in a cool, well-ventilated place.

according to UK REACH Regulation

Eosin 1 %, aqueous in NaCl 0,9 %

Revision date: 12.05.2022

Product code: 14140.xxxxx

Page 4 of 11

Suitable material for Container: polyethylene. Glass.

Hints on joint storage

Do not store together with: food and feed. pharmaceuticals. Infectious substances. Radioactive substances. Explosive substances. Oxidizing substances. Oxidizing liquids. Organic peroxides. Self-reactive substances and mixtures. Pyrophoric solids. Substances which in contact with water form flammable gases. Ammonium nitrate and preparations containing ammonium nitrate.

Further information on storage conditions

Keep the packing dry and well sealed to prevent contamination and absorbtion of humidity. Recommended storage temperature: 15-25 °C Protect against: frost. UV-radiation/sunlight. heat. Humidity

7.3. Specific end use(s)

No information available.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure limits (EH40)

CAS No	Substance	ppm	mg/m³	fibres/ml	Category	Origin
26628-22-8	Sodium azide (as NaN3)	-	0.1		TWA (8 h)	WEL
		-	0.3		STEL (15 min)	WEL

DNEL/DMEL values

CAS No	Substance					
DNEL type		Exposure route	Effect	Value		
26628-22-8	sodium azide					
Consumer DN	IEL, long-term	oral	systemic	0,0167 mg/kg bw/day		
Worker DNEL	, long-term	dermal	systemic	0,0467 mg/kg bw/day		
Worker DNEL	, long-term	inhalation	systemic	0,164 mg/m ³		
Consumer DN	IEL, long-term	dermal	systemic	0,0167 mg/kg bw/day		

PNEC values

CAS No	Substance				
Environmental	Environmental compartment				
26628-22-8 sodium azide					
Freshwater 0,00035 mg/l		0,00035 mg/l			
Freshwater (intermittent releases) 0,0035 mg/l		0,0035 mg/l			
Freshwater sediment 0,0167 mg/k		0,0167 mg/kg			
Marine sediment 0,00072 mg		0,00072 mg/kg			
Micro-organisms in sewage treatment plants (STP) 0,03 mg/l		0,03 mg/l			

Additional advice on limit values

To date, no national critical limit values exist.

8.2. Exposure controls

Appropriate engineering controls

Provide adequate ventilation.

Use extractor hood (laboratory). Technical measures and the application of suitable work processes have



according to UK REACH Regulation

Eosin 1 %, aqueous in NaCl 0,9 %

Revision date: 12.05.2022

Product code: 14140.xxxxx

Page 5 of 11

priority over personal protection equipment. Provide washing facilities at the workplace, provide an eye shower or eyewash bottle and mark them.

Individual protection measures, such as personal protective equipment

Eye/face protection

Wear eye protection/face protection. Suitable eye protection: Eye glasses with side protection DIN EN 166

Hand protection

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. Wear suitable gloves. Suitable material: FKM (fluororubber). - Thickness of glove material: 0,4 mm Breakthrough time >= 8 h

Butyl rubber. - Thickness of glove material: 0,5 mm

Breakthrough time >= 8 h

CR (polychloroprenes, Chloroprene rubber). - Thickness of glove material: 0,5 mm

Breakthrough time >= 8 h

NBR (Nitrile rubber). - Thickness of glove material: 0,35 mm

Breakthrough time >= 8 h

PVC (Polyvinyl chloride). - Thickness of glove material: 0,5 mm

Breakthrough time >= 8 h

The selected protective gloves have to satisfy the specifications of EU Directive 89/686/EEC and the standard EN 374 derived from it.

Check leak tightness/impermeability prior to use.

Skin protection

Use of protective clothing. Suitable protective clothing: Lab apron. Minimum standard for preventive measures while handling with working materials are specified in the TRGS 500 (D).

Respiratory protection

In case of inadequate ventilation wear respiratory protection. With correct and proper use, and under normal conditions, breathing protection is not required.

Environmental exposure controls

No special measures are necessary.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state: Colour:	liquid red	
Odour:	characteristic	
Changes in the physical state		
Melting point/freezing point:		ca. 0 °C
Boiling point or initial boiling point and boiling range:		100 °C
Sublimation point:		not determined
Softening point:		not determined
Pour point:		not determined
:		not determined
Flash point:		not determined
Flammability		



according to UK REACH Regulation

	Eosin 1 %, aqueous in NaCl 0,9 %	
Revision date: 12.05.2022	Product code: 14140.xxxxx	Page 6 of 11
Solid/liquid:	not applicable	
Gas:	not applicable	
Explosive properties The product is not: Explosive.		
Lower explosion limits:	not determined	
Upper explosion limits:	not determined	
Auto-ignition temperature:	not determined	
Solid: Gas:	not determined not determined	
Decomposition temperature:	not determined	
pH-Value (at 20 °C):	~6	
Viscosity / dynamic:	not determined	
Viscosity / kinematic:	not determined	
Flow time:	not determined	
Water solubility: (at 20 °C)	miscible.	
Solubility in other solvents not determined		
Partition coefficient n-octanol/water:	not determined	
Vapour pressure: (at 20 °C)	6,1 hPa	
Vapour pressure: (at 50 °C)	12 hPa	
Density (at 20 °C):	1,01 g/cm ³	
Relative vapour density:	not determined	
9.2. Other information		
Information with regard to physical haza Oxidizing properties none	rd classes	
Other safety characteristics		
Solid content:	not determined	
Evaporation rate:	not determined	
Further Information		
SECTION 10: Stability and reactivity		

10.1. Reactivity

No information available.

10.2. Chemical stability

The product is chemically stable under recommended conditions of storage, use and temperature.

10.3. Possibility of hazardous reactions

Substances which in contact with water, emit flammable gases.

10.4. Conditions to avoid

Protect against: UV-radiation/sunlight. heat.



according to UK REACH Regulation

Eosin 1 %, aqueous in NaCl 0,9 %

Revision date: 12.05.2022

Product code: 14140.xxxxx

Page 7 of 11

10.5. Incompatible materials

Materials to avoid: Oxidizing agents, strong. Reducing agents, strong.

10.6. Hazardous decomposition products

Resulting from the use of the product: Chlorine. Can be released in case of fire: Carbon dioxide (CO2). Carbon monoxide. Bromine hydrogen (HBr). Sodium oxides.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in GB CLP Regulation

Toxicocinetics, metabolism and distribution

No information available.

Acute toxicity

Based on available data, the classification criteria are not met.

CAS No	Chemical name						
	Exposure route	Dose		Species	Source	Method	
17372-87-1	Eosin Y (disodium 2-(2,4,5,7-tetrabro	mo-6-oxido-	3-oxoxanthen-9-yl)benzoate)		
	oral	LD50 mg/kg	2344	Mouse.			
26628-22-8	sodium azide						
	oral	LD50 mg/kg	27,0	Rat.	HSDB Toxnet		
	dermal	LD50 mg/kg	20,0	Rabbit	HSDB Toxnet		
	inhalation vapour	ATE	0,5 mg/l				
	inhalation (4 h) dust/mist	LC50 < 0,52 mg/	> 0,054 - 'I	Rat	ECHA Dossier	EPA OPPTS 870.1300	

Irritation and corrosivity

Based on available data, the classification criteria are not met.

Sensitising effects

Based on available data, the classification criteria are not met.

Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

Further information

The mixture is classified as not hazardous according to regulation (EC) No 1272/2008 [CLP].

SECTION 12: Ecological information

12.1. Toxicity

The product has not been tested.



according to UK REACH Regulation

Eosin 1 %, aqueous in NaCl 0,9 %

Revision date: 12.05.2022

Product code: 14140.xxxxx

Page 8 of 11

CAS No	Chemical name						
	Aquatic toxicity	Dose		[h] [d]	Species	Source	Method
7647-14-5	Sodium Chloride						
	Acute fish toxicity	LC50 mg/l	5840	96 h	Lepomis macrochirus	ECHA Dossier	
	Acute crustacea toxicity	EC50	874 mg/l	48 h	Daphnia magna	ECHA Dossier	
	Fish toxicity	NOEC	252 mg/l	33 d	Pimephales promelas	ECHA Dossier	
	Crustacea toxicity	NOEC	314 mg/l	21 d	Daphnia pulex	ECHA Dossier	
26628-22-8	sodium azide						
	Acute fish toxicity	LC50 5,46 mg/l	0,68-	96 h	Pimephales promelas	ECHA Dossier	OECD Guideline 203
	Acute algae toxicity	ErC50 mg/l	0,348	96 h	Pseudokirchneriella subcapitata, Selenastrum capricornutum	ECHA Dossier	OECD Guideline 201
	Acute crustacea toxicity	EC50	5-9 mg/l	48 h	Gammarus fasciatus	ECHA Dossier	EPA/600/R-95-13 6: Short-term meth
	Acute bacteria toxicity	(EC50 mg/l)	79,3	3 h	Activated sludge	ECHA Dossier	OECD Guideline 209

12.2. Persistence and degradability

The product has not been tested.

12.3. Bioaccumulative potential

The product has not been tested.

12.4. Mobility in soil

The product has not been tested.

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to UK REACH. The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

12.7. Other adverse effects

No information available.

Further information

Avoid release to the environment. Do not allow to enter into surface water or drains.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

Dispose of waste according to applicable legislation. Observe in addition any national regulations! Consult the local waste disposal expert about waste disposal. Non-contaminated packages may be recycled. According to (EWC) European Waste Catalogue, allocation of waste identity numbers/waste descriptions must be carried out in a specific way for every industry and process. Control report for waste code/ waste marking according to (EWC) European Waste Catalogue:

List of Wastes Code - residues/unused products

160509 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and discarded chemicals; discarded chemicals other than those mentioned in 16 05 06, 16 05 07 or 16 05 08



according to UK REACH Regulation

Eosin 1 %, aqueous in NaCl 0,9 %

Revision date: 12.05.2022

Product code: 14140.xxxxx

Page 9 of 11

List of Wastes Code - used product

160509 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and discarded chemicals; discarded chemicals other than those mentioned in 16 05 06, 16 05 07 or 16 05 08

List of Wastes Code - contaminated packaging

150106 WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED; packaging (including separately collected municipal packaging waste); mixed packaging

Contaminated packaging

Wash with plenty of water. Completely emptied packages can be recycled. Handle contaminated packages in the same way as the substance itself.

SECTION 14: Transport information

Land transport (ADR/RID)	
14.1. UN number or ID number:	No dangerous good in sense of this transport regulation.
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.
14.4. Packing group:	No dangerous good in sense of this transport regulation.
Inland waterways transport (ADN)	
14.1. UN number or ID number:	No dangerous good in sense of this transport regulation.
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.
14.4. Packing group:	No dangerous good in sense of this transport regulation.
Marine transport (IMDG)	
14.1. UN number or ID number:	No dangerous good in sense of this transport regulation.
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.
14.4. Packing group:	No dangerous good in sense of this transport regulation.
Air transport (ICAO-TI/IATA-DGR)	
14.1. UN number or ID number:	No dangerous good in sense of this transport regulation.
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.
14.4. Packing group:	No dangerous good in sense of this transport regulation.
14.5. Environmental hazards	
ENVIRONMENTALLY HAZARDOUS:	No
14.6. Special precautions for user Not restricted	
14.7. Maritime transport in bulk according	to IMO instruments
Not restricted	
SECTION 15: Regulatory information	
	ulations/legislation specific for the substance or mixture
Ell regulatory information	

EU regulatory information

Information according to 2012/18/EU Not subject to 2012/18/EU (SEVESO III) (SEVESO III):

Additional information

The mixture is classified as not hazardous according to regulation (EC) No 1272/2008 [CLP]. REACH 1907/2006 Appendix XVII: not relevant



Eosin 1 %, aqueous in NaCl 0,9 %

according to UK REACH Regulation

Revision date: 12.05.2022

Product code: 14140.xxxx

Page 10 of 11

National regulatory information

Water hazard class (D):

- - non-hazardous to water

15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

Changes

Rev. 1,00; 25.06.2014, Initial release Rev. 1,01; 21.07.2014 Rev. 1,1; 06.09.2016, Changes in chapter: 1 - 16. Rev. 1,2; 16.01.2020, Fusion into Collect Data SDB. Rev. 1,3; 29.01.2021 Revision; Adding an article.

Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route CAS Chemical Abstracts Service DNEL: Derived No Effect Level IARC: INTERNATIONAL AGENCY FOR RESEARCH ON CANCER

IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA) ICAO: International Civil Aviation Organization ICAO-TI: Technical Instructions by the "International Civil Aviation Organization" (ICAO) GHS: Globally Harmonized System of Classification and Labelling of Chemicals GefStoffV: Gefahrstoffverordnung (Ordinance on Hazardous Substances, Germany) LOAEL: Lowest observed adverse effect level LOAEC: Lowest observed adverse effect concentration LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent NOAEL: No observed adverse effect level NOAEC: No observed adverse effect level NTP: National Toxicology Program N/A: not applicable OSHA: Occupational Safety and Health Administration PNEC: predicted no effect concentration PBT: Persistent bioaccumulative toxic RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail) SARA: Superfund Amendments and Reauthorization Act SVHC: substance of very high concern TRGS Technische Regeln fuerGefahrstoffe TSCA: Toxic Substances Control Act VOC: Volatile Organic Compounds VwVwS: Verwaltungsvorschrift wassergefaehrdender Stoffe WGK: Wassergefaehrdungsklasse CLP: Classification, labelling and Packaging REACH: Registration, Evaluation and Authorization of Chemicals GHS: Globally Harmonised System of Classification, Labelling and Packaging of Chemicals UN: United Nations CAS: Chemical Abstracts Service DNEL: Derived No Effect Level DMEL: Derived Minimal Effect Level PNEC: Predicted No Effect Concentration



according to UK REACH Regulation

Safety Data Sheet

Eosin 1 %, aqueous in NaCl 0,9 %

Revision date: 12.05.2022

Product code: 14140.xxxxx

Page 11 of 11

ATE: Acute toxicity estimate LL50: Lethal loading, 50% EL50: Effect loading, 50% EC50: Effective Concentration 50% ErC50: Effective Concentration 50%, growth rate NOEC: No Observed Effect Concentration BCF: Bio-concentration factor PBT: persistent, bioaccumulative, toxic vPvB: very persistent, very bioaccumulative ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) RID: Regulations concerning the international carriage of dangerous goods by rail ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways (Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures) EmS: Emergency Schedules MFAG: Medical First Aid Guide MARPOL: International Convention for the Prevention of Marine Pollution from Ships IBC: Intermediate Bulk Container For abbreviations and acronyms, see table at http://abbrev.esdscom.eu @1605.B000001

Relevant H and EUH statements (number and full text)

H300	Fatal if swallowed.
H310	Fatal in contact with skin.
H319	Causes serious eye irritation.
H330	Fatal if inhaled.
H373	May cause damage to organs through prolonged or repeated exposure.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
EUH032	Contact with acids liberates very toxic gas.

Further Information

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights. The receiver of our product is singularly responsible for adhering to existing laws and regulations. Classification according EC regulation 1272/2008 (CLP): - Classification procedure:

Health hazards: Calculation method.

Environmental hazards: Calculation method.

Physical hazards: On basis of test data and / or calculated and / or estimated.

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)