

Safety Data Sheet

according to Regulation (EC) No 1907/2006 and (EU) No 2020/878

Formaline 5 %, phosphate buffer, pH neutral

Revision: 10.11.2025

Product code: 19270.xxxxx

Page 1 of 15

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Formaline 5 %, phosphate buffer, pH neutral

UFI: 9ECQ-E1E2-400Q-QRE9

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Use as laboratory reagent. The product is intended for research, analysis and scientific education.

Uses advised against

Any non-intended use.

1.3. Details of the supplier of the safety data sheet

Company name:	MORPHISTO GmbH	
Street:	Schumannstr. 142/144	
Place:	D-63069 Offenbach	
Telephone:	+49 (0) 69 / 400 3019-60	Telefax: +49 (0) 69 / 400 3019-64
E-mail:	info@morphisto.de	
Contact person:	Morphisto GmbH	
E-mail:	gefahrstoffmanagement@morphisto.de	
Internet:	http://www.morphisto.de	

1.4. Emergency telephone number:

Poison Information Center Mainz, Germany, Tel: +49(0)6131/19240

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No 1272/2008

Carc. 1B; H350
Muta. 2; H341
Acute Tox. 4; H302
Skin Irrit. 2; H315
Eye Irrit. 2; H319
Skin Sens. 1; H317
STOT SE 3; H335

Full text of hazard statements: see SECTION 16.

2.2. Label elements


Regulation (EC) No 1272/2008

Hazard components for labelling

formaldehyde 5%. 01-2119488953-20-xxxx
methanol

Signal word: Danger

Pictograms:



Hazard statements

H302	Harmful if swallowed.
H315	Causes skin irritation.

Safety Data Sheet

according to Regulation (EC) No 1907/2006 and (EU) No 2020/878

Formaline 5 %, phosphate buffer, pH neutral

Revision: 10.11.2025

Product code: 19270.xxxxx

Page 2 of 15

H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H335	May cause respiratory irritation.
H341	Suspected of causing genetic defects.
H350	May cause cancer.

Precautionary statements

P201	Obtain special instructions before use.
P280	Wear protective gloves/protective clothing and eye protection/face protection.
P301+P312	IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell.
P308+P313	IF exposed or concerned: Get medical advice/attention.
P333+P313	If skin irritation or rash occurs: Get medical advice/attention.
P337+P313	If eye irritation persists: Get medical advice/attention.


Special labelling of certain mixtures

Restricted to professional users.

Labelling of packages where the contents do not exceed 125 ml

Signal word: Danger

Pictograms:



Hazard statements

H317-H341-H350

Precautionary statements

P201-P280-P308+P313

2.3. Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulating and toxic (PBT) or very persistent and very bioaccumulating (vPvB) at levels of 0.1% or higher. Ecological information: The substance/mixture does not contain any components that are considered to be hazardous according to REACH Article 57(f) or Commission Delegated Regulation (EU) 2017/2100 or Commission Delegated Regulation (EU) 2018/605 in amounts of 0.1 % or more have endocrine disrupting properties. Toxicological information: The substance/mixture does not contain any components that are to be classified according to REACH Article 57(f) or Commission Delegated Regulation (EU) 2017/2100 or Commission Delegated Regulation (EU) 2018/605 in quantities of 0.1 % or more have endocrine disrupting properties.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Chemical characterization

in aqueous solution

Safety Data Sheet

according to Regulation (EC) No 1907/2006 and (EU) No 2020/878

Formaline 5 %, phosphate buffer, pH neutral

Revision: 10.11.2025

Product code: 19270.xxxxx

Page 3 of 15

Relevant ingredients

CAS No	Chemical name			Quantity
	EC No	Index No	REACH No	
	Classification (Regulation (EC) No 1272/2008)			
50-00-0	formaldehyde%. 01-2119488953-20-xxxx			5 - < 10 %
	200-001-8	605-001-00-5	01-2119488953-20	
	Carc. 1B, Muta. 2, Acute Tox. 3, Acute Tox. 3, Acute Tox. 3, Skin Corr. 1B, Skin Sens. 1; H350 H341 H331 H311 H301 H314 H317			
67-56-1	methanol			1 - < 3 %
	200-659-6	603-001-00-X	01-2119433307-44	
	Flam. Liq. 2, Acute Tox. 3, Acute Tox. 3, Acute Tox. 3, STOT SE 1; H225 H331 H311 H301 H370			

Full text of H and EUH statements: see section 16.

Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity
		Specific Conc. Limits, M-factors and ATE	
50-00-0	200-001-8	formaldehyde%. 01-2119488953-20-xxxx	5 - < 10 %
		inhalation: LC50 = 3 mg/l (vapours); inhalation: ATE = 0.5 mg/l (dusts or mists); dermal: LD50 = 292 mg/kg; oral: LD50 = 100 mg/kg Skin Corr. 1B; H314: >= 25 - 100 Skin Irrit. 2; H315: >= 5 - < 25 Eye Irrit. 2; H319: >= 5 - < 25 Skin Sens. 1; H317: >= 0.2 - 100 STOT SE 3; H335: >= 5 - 100	
67-56-1	200-659-6	methanol	1 - < 3 %
		inhalation: LC50 = 128,2 mg/l (vapours); inhalation: ATE = 0.5 mg/l (dusts or mists); dermal: LD50 = 17000 mg/kg; oral: LD50 = 1187-2769 mg/kg STOT SE 1; H370: >= 10 - 100 STOT SE 2; H371: >= 3 - < 10	

Further Information

This mixture contains no substances of very high concern (SVHC) (> 0,1%) which are included in the Candidate List according to Article 59 of REACH.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

First aider: Pay attention to self-protection! Remove contaminated, saturated clothing immediately. Remove affected person from the danger area and lay down. Remove person to fresh air and keep comfortable for breathing. To supervise the blood circulation. In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

After inhalation

When in doubt or if symptoms are observed, get medical advice. If breathing is irregular or stopped, administer artificial respiration. Provide fresh air. Get immediate medical advice/attention.

After contact with skin

After contact with skin, wash immediately with plenty of water and soap. Take off immediately all contaminated clothing and wash it before reuse. Medical treatment necessary.

After contact with eyes

After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an ophthalmologist immediately. Rinse immediately carefully and thoroughly with eye-bath or water. Consult an ophthalmologist.

After ingestion

If accidentally swallowed rinse the mouth with plenty of water (only if the person is conscious) and obtain immediate medical attention. Observe risk of aspiration if vomiting occurs. Rinse mouth immediately and drink

Safety Data Sheet

according to Regulation (EC) No 1907/2006 and (EU) No 2020/878

Formaline 5 %, phosphate buffer, pH neutral

Revision: 10.11.2025

Product code: 19270.xxxxx

Page 4 of 15

plenty of water.

4.2. Most important symptoms and effects, both acute and delayed

Inebriation, Dizziness, Headache, Dizziness, Agitation, Spasms, Impairment of vision, Anaesthetic state, Coma, Irritation and etching, Allergic reactions, Cough, Dyspnoea, Danger of blindness!

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures**5.1. Extinguishing media****Suitable extinguishing media**

Co-ordinate fire-fighting measures to the fire surroundings. The product itself does not burn. Water spray jet, alcohol resistant foam, Dry extinguishing powder, Carbon dioxide.

Unsuitable extinguishing media

High power water jet.

5.2. Special hazards arising from the substance or mixture

Non-flammable. In case of fire may be liberated: Carbon monoxide. Carbon dioxide (CO₂). Formaldehyde. Phosphorus oxides.

5.3. Advice for firefighters

Wear a self-contained breathing apparatus and chemical protective clothing. Full protection suit

Additional information

Use water spray jet to protect personnel and to cool endangered containers. Suppress gases/vapours/mists with water spray jet. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

SECTION 6: Accidental release measures**6.1. Personal precautions, protective equipment and emergency procedures****General advice**

Provide adequate ventilation. Do not breathe gas/fumes/vapour/spray. Avoid contact with skin, eyes and clothes. Use personal protection equipment.

Use a positive-pressure air-supplied respirator if there is any potential for an uncontrolled release, exposure levels are not known, or any other circumstances where air-purifying respirators may not provide adequate protection.

For non-emergency personnel

Clear danger zone. Follow emergency plan. Consult an expert.

For emergency responders

Move undamaged containers from immediate hazard area if it can be done safely. Stop and contain spill/release if it can be done safely. If this cannot be done, allow fire to burn under control.

6.2. Environmental precautions

Do not allow to enter into surface water or drains. Discharge into the environment must be avoided. Inform competent authorities in case of accidental release. (Larger quantities)

6.3. Methods and material for containment and cleaning up**For containment**

Collect, embank and pump out. Observe possible material restrictions (section 10). Cover drains.

For cleaning up

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal. The contaminated area should be cleaned up immediately with: a concentrated aqueous sodium bisulfite solution. Rinse with water.

6.4. Reference to other sections

Safe handling: see section 7

Safety Data Sheet

according to Regulation (EC) No 1907/2006 and (EU) No 2020/878

Formaline 5 %, phosphate buffer, pH neutral

Revision: 10.11.2025

Product code: 19270.xxxxx

Page 5 of 15

Personal protection equipment: see section 8

Disposal: see section 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

If handled uncovered, arrangements with local exhaust ventilation have to be used. Do not breathe gas/fumes/vapour/spray. Technical ventilation of workplace. Wear suitable protective clothing. (See section 8.)

Avoid exposure - obtain special instructions before use. Keep container tightly closed.

Advice on protection against fire and explosion

The product itself does not burn. Usual measures for fire prevention.

Advice on general occupational hygiene

Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat, drink, smoke, sniff. Always close containers tightly after the removal of product. Used working clothes should not be worn outside the work area. Street clothing should be stored separately from work clothing.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep container tightly closed. Keep locked up. Store in a place accessible by authorized persons only. Provide adequate ventilation as well as local exhaust at critical locations. Keep only in the original container in a cool, well-ventilated place.

Hints on joint storage

Do not store together with: food and feed. pharmaceuticals. Infectious substances. Radioactive substances. Explosive substances. Oxidizing substances. Oxidizing liquids. Organic peroxides. Self-reactive substances and mixtures. Pyrophoric solids. Substances which in contact with water form flammable gases. Ammonium nitrate and preparations containing ammonium nitrate.

Further information on storage conditions

Keep/Store only in original container. Ensure adequate ventilation of the storage area. Store small packages in a suitable, robust cabinet. Recommended storage temperature: 15°-25°C.

7.3. Specific end use(s)

See section 1.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limit values

CAS No	Name of agent	ppm	mg/m ³	fib/cm ³	Category	Origin
50-00-0	Formaldehyde	0.3	0.37		TWA (8 h)	
		0.6	0.74		STEL (15 min)	
67-56-1	Methanol	200	260		TWA (8 h)	

Safety Data Sheet

according to Regulation (EC) No 1907/2006 and (EU) No 2020/878

Formaline 5 %, phosphate buffer, pH neutral

Revision: 10.11.2025

Product code: 19270.xxxxx

Page 6 of 15

DNEL/DMEL values

CAS No	Name of agent			
DNEL type		Exposure route	Effect	Value
50-00-0	formaldehyde%. 01-2119488953-20-xxxx			
Worker DNEL, acute		inhalation	systemic	1 mg/m³
Worker DNEL, long-term		dermal	systemic	240 mg/kg bw/day
Worker DNEL, long-term		inhalation	systemic	0,5 mg/m³
Worker DNEL, long-term		inhalation	local	0,375 mg/m³
Worker DNEL, acute		inhalation	local	0,75 mg/m³
Worker DNEL, long-term		dermal	local	0,037 mg/cm²
67-56-1	methanol			
Worker DNEL, acute		inhalation	local	260 mg/m³
Worker DNEL, acute		dermal	systemic	40 mg/kg bw/day
Worker DNEL, acute		inhalation	systemic	260 mg/m³
Worker DNEL, long-term		inhalation	local	260 mg/m³
Worker DNEL, long-term		dermal	systemic	40 mg/kg bw/day
Worker DNEL, long-term		inhalation	systemic	260 mg/m³

PNEC values

CAS No	Name of agent	
Environmental compartment	Value	
50-00-0	formaldehyde%. 01-2119488953-20-xxxx	
Freshwater	0,44 mg/l	
Freshwater (intermittent releases)	4,44 mg/l	
Marine water	0,44 mg/l	
Freshwater sediment	2,3 mg/kg	
Marine sediment	2,3 mg/kg	
Micro-organisms in sewage treatment plants (STP)	0,19 mg/l	
Soil	0,2 mg/kg	
67-56-1	methanol	
Freshwater	20,8 mg/l	
Marine water	2,08 mg/l	
Marine water (intermittent releases)	1540 mg/l	
Freshwater sediment	77 mg/kg	
Marine sediment	7,7 mg/kg	
Micro-organisms in sewage treatment plants (STP)	100 mg/l	
Soil	3,18 mg/kg	

8.2. Exposure controls



Appropriate engineering controls

If handled uncovered, arrangements with local exhaust ventilation have to be used. Do not breathe

Safety Data Sheet

according to Regulation (EC) No 1907/2006 and (EU) No 2020/878

Formaline 5 %, phosphate buffer, pH neutral

Revision: 10.11.2025

Product code: 19270.xxxxx

Page 7 of 15

gas/fumes/vapour/spray. Technical measures and the application of suitable work processes have priority over personal protection equipment. Technical ventilation of workplace. Use extractor hood (laboratory). Process within closed systems.

Individual protection measures, such as personal protective equipment

Eye/face protection

Suitable eye protection: Tightly sealed safety glasses. goggles. EN 166

Hand protection

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

Pull-over gloves of rubber. EN ISO 374

Suitable material: (penetration time (maximum wearing period): ≥ 8 Stunden):

CR (polychloroprenes, Chloroprene rubber). (0,5 mm)

NBR (Nitrile rubber). (0,35 mm)

FKM (fluororubber). (0,4 mm)

PVC (Polyvinyl chloride). (0,5 mm)

Butyl rubber. (0,5 mm)

Before using check leak tightness / impermeability.

Skin protection

Use of protective clothing. Suitable protective clothing: Protective clothing.: Solvent resistant. Chemical protection clothing.

Minimum standard for preventive measures while handling with working materials are specified in the TRGS 500 (D).

Respiratory protection

In case of inadequate ventilation wear respiratory protection. Respiratory protection necessary at: Insufficient ventilation. insufficient absorption. exceeding exposure limit values. Release of product.

Suitable respiratory protective equipment: Combination filtering device (EN 14387) ABEK-P3.

The filter class must be suitable for the maximum contaminant concentration (gas/vapour/aerosol/particulates) that may arise when handling the product. If the concentration is exceeded, self-contained breathing apparatus must be used. Self-contained respirator (breathing apparatus) The wearing time limitations according to GefStoffV in conjunction with the rules for the use of respiratory protective devices (BGR 190) must be observed.

Environmental exposure controls

product Do not allow to enter into surface water or drains. Do not allow uncontrolled discharge of product into the environment.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state:	liquid	
Colour:	colourless	
Odour:	slightly irritant	
Melting point/freezing point:		not determined
Boiling point or initial boiling point and boiling range:		97 °C
Flammability:		not applicable
Lower explosion limits:		not determined
Upper explosion limits:		not determined
Flash point:		not applicable
Auto-ignition temperature:		not determined

Safety Data Sheet

according to Regulation (EC) No 1907/2006 and (EU) No 2020/878

Formaline 5 %, phosphate buffer, pH neutral

Revision: 10.11.2025

Product code: 19270.xxxxx

Page 8 of 15

Decomposition temperature:	not determined
pH-Value (at 20 °C):	7
Viscosity / kinematic:	not determined
Water solubility: (at 20 °C)	completely miscible
Solubility in other solvents not determined	
Partition coefficient n-octanol/water:	not determined
Vapour pressure: (at 20 °C)	23 hPa
Vapour pressure: (at 50 °C)	123 hPa
Density (at 20 °C):	1,02 g/cm ³
Relative vapour density:	not determined
Particle characteristics:	not applicable

9.2. Other information**Information with regard to physical hazard classes**

Explosive properties

The product is not: Explosive.

Sustained combustibility:

No sustained combustibility

Self-ignition temperature

Solid:

not applicable

Gas:

not applicable

Oxidizing properties

none

Other safety characteristics

Evaporation rate:

not determined

Solid content:

not determined

Pour point:

not determined

Viscosity / dynamic:

not determined

SECTION 10: Stability and reactivity**10.1. Reactivity**

Stable under normal storage and handling conditions.

10.2. Chemical stability

The product is chemically stable under recommended conditions of storage, use and temperature.

10.3. Possibility of hazardous reactions

Incompatible materials: Oxidizing agents.

10.4. Conditions to avoid

Keep away from heat. Protect from direct sunlight.

10.5. Incompatible materialsMaterials to avoid: Nitrogen oxides (NO_x). Nitric acid. Hydrogenium peroxide. Oxidizing agents, strong. Reducing agents, strong. Aniline. Performic acid, perchloric acid**10.6. Hazardous decomposition products**In case of fire may be liberated: Carbon monoxide Carbon dioxide (CO₂). Formaldehyde, Phosphorus oxides.**SECTION 11: Toxicological information****11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008**

Safety Data Sheet

according to Regulation (EC) No 1907/2006 and (EU) No 2020/878

Formaline 5 %, phosphate buffer, pH neutral

Revision: 10.11.2025

Product code: 19270.xxxxx

Page 9 of 15

Acute toxicity

Harmful if swallowed.

ATEmix calculated

ATE (oral) 1476 mg/kg; ATE (dermal) > 2000 mg/kg; ATE (inhalation vapour) > 20 mg/l; ATE (inhalation dust/mist) > 5 mg/l

CAS No	Chemical name				
	Exposure route	Dose	Species	Source	Method
50-00-0	formaldehyde%. 01-2119488953-20-xxxx				
	oral	LD50 100 mg/kg	Rat	GESTIS	
	dermal	LD50 292 mg/kg	Rabbit	GESTIS	
	inhalation (4 h) vapour	LC50 3 mg/l	Rat	suppliers SDS.	
	inhalation dust/mist	ATE 0.5 mg/l			
67-56-1	methanol				
	oral	LD50 1187-2769 mg/kg	Rat	ECHA	
	dermal	LD50 17000 mg/kg	Rabbit	ECHA	
	inhalation (4 h) vapour	LC50 128,2 mg/l	Rat	suppliers SDS.	
	inhalation dust/mist	ATE 0.5 mg/l			

Irritation and corrosivity

Skin corrosion/irritation: Causes skin irritation.

Serious eye damage/eye irritation: Causes serious eye irritation.

Sensitising effects

May cause an allergic skin reaction. (formaldehyde%. 01-2119488953-20-xxxx)

Carcinogenic/mutagenic/toxic effects for reproduction

May cause cancer. (formaldehyde%. 01-2119488953-20-xxxx)

Suspected of causing genetic defects. (formaldehyde%. 01-2119488953-20-xxxx)

Reproductive toxicity: Based on available data, the classification criteria are not met.

STOT-single exposure

May cause respiratory irritation. (formaldehyde%. 01-2119488953-20-xxxx)

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

11.2. Information on other hazards

Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to humans as no components meets the criteria.

Other information

The mixture is classified as hazardous according to regulation (EC) No 1272/2008 [CLP]. Special hazards arising from the substance or mixture!

SECTION 12: Ecological information

12.1. Toxicity

Safety Data Sheet

according to Regulation (EC) No 1907/2006 and (EU) No 2020/878

Formaline 5 %, phosphate buffer, pH neutral

Revision: 10.11.2025

Product code: 19270.xxxxx

Page 10 of 15

Based on available data, the classification criteria are not met.

CAS No	Chemical name					
	Aquatic toxicity	Dose	[h] [d]	Species	Source	Method
50-00-0	formaldehyde%. 01-2119488953-20-xxxx					
	Acute fish toxicity	LC50 6,7 mg/l	96 h	Pimephales promelas	suppliers SDS.	
	Acute algae toxicity	ErC50 4,89 mg/l	72 h	Desmodesmus subspicatus	ECHA Dossier	
	Acute crustacea toxicity	EC50 5,8 mg/l	48 h	Daphnia pulex (water flea)	ECHA Dossier	
67-56-1	methanol					
	Acute fish toxicity	LC50 15400 mg/l	96 h	Lepomis macrochirus	ECHA Dossier	
	Acute algae toxicity	ErC50 22000 mg/l	96 h	Selenastrum capricornutum	ECHA Dossier	
	Acute crustacea toxicity	EC50 18000 mg/l	48 h	Daphnia magna	ECHA Dossier	OECD 202

12.2. Persistence and degradability

The product has not been tested.

CAS No	Chemical name			
	Method	Value	d	Source
	Evaluation			
50-00-0	formaldehyde%. 01-2119488953-20-xxxx			
	OECD Guideline 301 C	91 %	14	ECHA Dossier
	Readily biodegradable (according to OECD criteria).			
	OECD Guideline 301 D	90	28	ECHA Dossier
	Product is biodegradable.			
67-56-1	methanol			
	other guideline	96%	20	ECHA Dossier
	Readily biodegradable (according to OECD criteria).			

12.3. Bioaccumulative potential

The product has not been tested.

Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
50-00-0	formaldehyde%. 01-2119488953-20-xxxx	0,35
67-56-1	methanol	-0,77

BCF

CAS No	Chemical name	BCF	Species	Source
67-56-1	methanol	<10		

12.4. Mobility in soil

No information available.

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

Safety Data Sheet

according to Regulation (EC) No 1907/2006 and (EU) No 2020/878

Formaline 5 %, phosphate buffer, pH neutral

Revision: 10.11.2025

Product code: 19270.xxxxx

Page 11 of 15

12.7. Other adverse effects

No information available.

Further information

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil. Do not allow uncontrolled discharge of product into the environment.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil. Dispose of waste according to applicable legislation. Hazardous waste according to Directive 2008/98/EC (waste framework directive). Consult the local waste disposal expert about waste disposal. According to (EWC) European Waste Catalogue, allocation of waste identity numbers/waste descriptions must be carried out in a specific way for every industry and process.

Control report for waste code/ waste marking according to (EWC) European Waste Catalogue:

List of Wastes Code - residues/unused products

160506 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and discarded chemicals; laboratory chemicals, consisting of or containing hazardous substances, including mixtures of laboratory chemicals; hazardous waste

List of Wastes Code - used product

160506 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and discarded chemicals; laboratory chemicals, consisting of or containing hazardous substances, including mixtures of laboratory chemicals; hazardous waste

List of Wastes Code - contaminated packaging

150110 WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED; packaging (including separately collected municipal packaging waste); packaging containing residues of or contaminated by hazardous substances; hazardous waste

Contaminated packaging

Hazardous waste according to Directive 2008/98/EC (waste framework directive). Handle contaminated packages in the same way as the substance itself. Non-contaminated packages may be recycled.

SECTION 14: Transport information

Land transport (ADR/RID)

14.1. UN number or ID number:

No dangerous good in sense of this transport regulation.

14.2. UN proper shipping name:

No dangerous good in sense of this transport regulation.

14.3. Transport hazard class(es):

No dangerous good in sense of this transport regulation.

14.4. Packing group:

No dangerous good in sense of this transport regulation.

Inland waterways transport (ADN)

14.1. UN number or ID number:

No dangerous good in sense of this transport regulation.

14.2. UN proper shipping name:

No dangerous good in sense of this transport regulation.

14.3. Transport hazard class(es):

No dangerous good in sense of this transport regulation.

14.4. Packing group:

No dangerous good in sense of this transport regulation.

Marine transport (IMDG)

14.1. UN number or ID number:

No dangerous good in sense of this transport regulation.

14.2. UN proper shipping name:

No dangerous good in sense of this transport regulation.

14.3. Transport hazard class(es):

No dangerous good in sense of this transport regulation.

14.4. Packing group:

No dangerous good in sense of this transport regulation.

Air transport (ICAO-TI/IATA-DGR)

Safety Data Sheet

according to Regulation (EC) No 1907/2006 and (EU) No 2020/878

Formaline 5 %, phosphate buffer, pH neutral

Revision: 10.11.2025

Product code: 19270.xxxxx

Page 12 of 15

- 14.1. UN number or ID number:** No dangerous good in sense of this transport regulation.
14.2. UN proper shipping name: No dangerous good in sense of this transport regulation.
14.3. Transport hazard class(es): No dangerous good in sense of this transport regulation.
14.4. Packing group: No dangerous good in sense of this transport regulation.

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: No

14.6. Special precautions for user

Not restricted

14.7. Maritime transport in bulk according to IMO instruments

not applicable

SECTION 15: Regulatory information**15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture****EU regulatory information**

Restrictions on use (REACH, annex XVII):

Entry 3, Entry 40, Entry 75

Information according to Directive

Not subject to 2012/18/EU (SEVESO III)

2012/18/EU (SEVESO III):

Additional information

The mixture is classified as hazardous according to regulation (EC) No 1272/2008 [CLP].

National regulatory information

Employment restrictions:

Observe restrictions to employment for juveniles according to the 'juvenile work protection guideline' (94/33/EC). Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.

Water hazard class (D):

3 - highly hazardous to water

Skin resorption/Sensitization:

Causes allergic hypersensitivity reactions.

Additional information

The product is subject to the Chemicals Prohibition Ordinance (ChemVerbotsV). Observe the requirements and restrictions for handling and dispensing in Section 3 of the ChemVerbotsV, among others.

15.2. Chemical safety assessment

For the following substances of this mixture a chemical safety assessment has been carried out:

formaldehyde%. 01-2119488953-20-xxxx

methanol

SECTION 16: Other information**Changes**

This data sheet contains changes from the previous version in section(s): 1,2,3,4,5,6,7,8,9,10,11,12,13,14,15,16.

Rev. 2,1; 10.11.2025; general adjustment(s).

Safety Data Sheet

according to Regulation (EC) No 1907/2006 and (EU) No 2020/878

Formaline 5 %, phosphate buffer, pH neutral

Revision: 10.11.2025

Product code: 19270.xxxxx

Page 13 of 15

Abbreviations and acronyms

Flam. Liq. 2: Flammable liquids, hazard category 2
Acute Tox. 3: Acute toxicity, hazard category 3
Skin Corr. 1B: Skin corrosion, sub-category 1B
Skin Irrit. 2: Skin irritation, hazard category 2
Eye Irrit. 2: Eye irritation, hazard category 2
Skin Sens. 1: Skin sensitisation, hazard category 1
Muta. 2: Germ cell mutagenicity, hazard category 2
Carc. 1B: Carcinogenicity, hazard category 1B
STOT SE 1: Specific target organ toxicity - single exposure, hazard category 1
ADR: Accord européen sur le transport des marchandises dangereuses par Route
CAS: Chemical Abstracts Service
DNEL: Derived No Effect Level
IARC: INTERNATIONAL AGENCY FOR RESEARCH ON CANCER
IMDG: International Maritime Code for Dangerous Goods
IATA: International Air Transport Association
IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)
ICAO: International Civil Aviation Organization
ICAO-TI: Technical Instructions by the "International Civil Aviation Organization" (ICAO)
GHS: Globally Harmonized System of Classification and Labelling of Chemicals
GefStoffV: Gefahrstoffverordnung (Ordinance on Hazardous Substances, Germany)
LOAEL: Lowest observed adverse effect level
LOAEC: Lowest observed adverse effect concentration
LC50: Lethal concentration, 50 percent
LD50: Lethal dose, 50 percent
NOAEL: No observed adverse effect level
NOAEC: No observed adverse effect level
NTP: National Toxicology Program
N/A: not applicable
OSHA: Occupational Safety and Health Administration
PNEC: predicted no effect concentration
PBT: Persistent bioaccumulative toxic
RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)
SARA: Superfund Amendments and Reauthorization Act
SVHC: substance of very high concern
TRGS: Technische Regeln fuer Gefahrstoffe
TSCA: Toxic Substances Control Act
VOC: Volatile Organic Compounds
VwVwS: Verwaltungsvorschrift wassergefährdender Stoffe
WGK: Wassergefährdungsklasse
CLP: Classification, labelling and Packaging
REACH: Registration, Evaluation and Authorization of Chemicals
GHS: Globally Harmonised System of Classification, Labelling and Packaging of Chemicals
UN: United Nations
CAS: Chemical Abstracts Service
DNEL: Derived No Effect Level
DMEL: Derived Minimal Effect Level
PNEC: Predicted No Effect Concentration
ATE: Acute toxicity estimate
LL50: Lethal loading, 50%
EL50: Effect loading, 50%
EC50: Effective Concentration 50%

Safety Data Sheet

according to Regulation (EC) No 1907/2006 and (EU) No 2020/878

Formaline 5 %, phosphate buffer, pH neutral

Revision: 10.11.2025

Product code: 19270.xxxxx

Page 14 of 15

ErC50: Effective Concentration 50%, growth rate

NOEC: No Observed Effect Concentration

BCF: Bio-concentration factor

PBT: persistent, bioaccumulative, toxic

vPvB: very persistent, very bioaccumulative

ADR: Accord européen sur le transport des marchandises dangereuses par Route

(European Agreement concerning the International Carriage of Dangerous Goods by Road)

RID: Regulations concerning the international carriage of dangerous goods by rail

ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways

(Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures)

EmS: Emergency Schedules

MFAG: Medical First Aid Guide

MARPOL: International Convention for the Prevention of Marine Pollution from Ships

IBC: Intermediate Bulk Container

 For abbreviations and acronyms, see table at <http://abbrev.esdscom.eu>

For abbreviations and acronyms, see: ECHA Guidance on information requirements and chemical safety assessment, chapter R.20 (Table of terms and abbreviations).

Classification for mixtures and used evaluation method according to Regulation (EC) No 1272/2008 [CLP]

Classification	Classification procedure
Carc. 1B; H350	Calculation method
Muta. 2; H341	Calculation method
Acute Tox. 4; H302	Calculation method
Skin Irrit. 2; H315	Calculation method
Eye Irrit. 2; H319	Calculation method
Skin Sens. 1; H317	Calculation method
STOT SE 3; H335	Calculation method

Relevant H and EUH statements (number and full text)

H225	Highly flammable liquid and vapour.
H301	Toxic if swallowed.
H302	Harmful if swallowed.
H311	Toxic in contact with skin.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H331	Toxic if inhaled.
H335	May cause respiratory irritation.
H341	Suspected of causing genetic defects.
H350	May cause cancer.
H370	Causes damage to organs.

Further Information

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights. The receiver of our product is singularly responsible for adhering to existing laws and regulations. The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights. The receiver of our product is singularly responsible for adhering to existing laws and regulations. The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing

Safety Data Sheet

according to Regulation (EC) No 1907/2006 and (EU) No 2020/878

Formaline 5 %, phosphate buffer, pH neutral

Revision: 10.11.2025

Product code: 19270.xxxxx

Page 15 of 15

the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

(The data for the relevant ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)