Telefax: +49 (0) 69 / 400 3019-64



## **Safety Data Sheet**

according to UK REACH Regulation

## **GIEMSA's Stock Solution (Original)**

Revision date: 11.07.2023 Product code: 11418.xxxxx Page 1 of 12

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

## 1.1. Product identifier

GIEMSA's Stock Solution (Original)

UFI: 79M0-71S0-500W-Q7UQ

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### Use of the substance/mixture

Use as laboratory reagent.

The product is intended for research, analysis and scientific education.

### Uses advised against

Any non-intended use.

### 1.3. Details of the supplier of the safety data sheet

Company name: MORPHISTO GmbH
Street: Schumannstr. 142/144
Place: D-63069 Offenbach
Telephone: +49 (0) 69 / 400 3019-60

E-mail: info@morphisto.de

Contact person: Morphisto GmbH

E-mail: gefahrstoffmanagement@morphisto.de

Internet: http://www.morphisto.de

1.4. Emergency telephone Poison Information Center Mainz, Germany, Tel: +49(0)6131/19240

number:

### **SECTION 2: Hazards identification**

### 2.1. Classification of the substance or mixture

#### **GB CLP Regulation**

Flam. Liq. 2; H225 Acute Tox. 3; H301 Acute Tox. 3; H311 Acute Tox. 3; H331 STOT SE 1; H370

Full text of hazard statements: see SECTION 16.

## 2.2. Label elements

### **GB CLP Regulation**

### Hazard components for labelling

methanol

Signal word: Danger

Pictograms:







## **Hazard statements**

H225 Highly flammable liquid and vapour.

H301+H311+H331 Toxic if swallowed, in contact with skin or if inhaled.

H370 Causes damage to organs.

#### **Precautionary statements**

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No



## **Safety Data Sheet**

according to UK REACH Regulation

## **GIEMSA's Stock Solution (Original)**

Revision date: 11.07.2023 Product code: 11418.xxxxx Page 2 of 12

smoking.

P260 Do not breathe mist/vapours/spray.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/doctor.
P308+P311 IF exposed or concerned: Call a POISON CENTER/doctor.
P403+P233 Store in a well-ventilated place. Keep container tightly closed.

## Labelling of packages where the contents do not exceed 125 ml

Signal word: Danger

Pictograms:







#### **Hazard statements**

H301+H311+H331-H370

### **Precautionary statements**

P260-P308+P311

#### 2.3. Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulating and toxic (PBT) or very persistent and very bioaccumulating (vPvB) at levels of 0.1% or higher. Ecological information: The substance/mixture does not contain any components that are considered to be hazardous according to REACH Article 57(f) or Commission Delegated Regulation (EU) 2017/2100 or Commission Delegated Regulation (EU) 2018/605 in amounts of 0.1 % or more have endocrine disrupting properties. Toxicological information: The substance/mixture does not contain any components that are to be classified according to REACH Article 57(f) or Commission Delegated Regulation (EU) 2017/2100 or Commission Delegated Regulation (EU) 2018/605 in quantities of 0.1 % or more have endocrine disrupting properties.

## **SECTION 3: Composition/information on ingredients**

### 3.2. Mixtures

## **Hazardous components**

CAS No	Chemical name					
	EC No	Index No	REACH No			
	Classification (GB CLP Regulation)					
67-56-1	methanol					
	200-659-6	603-001-00-X	01-2119433307-44			
	Flam. Liq. 2, Acute Tox. 3, Acute To	Flam. Liq. 2, Acute Tox. 3, Acute Tox. 3, Acute Tox. 3, STOT SE 1; H225 H331 H311 H301 H370				

Full text of H and EUH statements: see section 16.

## Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity
	Specific Conc. L	imits, M-factors and ATE	
67-56-1	200-659-6	methanol	35 - < 40 %
	1	= 3 mg/l (vapours); inhalation: ATE = 0,5 mg/l (dusts or mists); dermal: LD50 = ral: LD50 = 2528 mg/kg	

## **Further Information**

This product contains no substances of very high concern (SVHC) (>0,1%) which are included in the Candidate List according to Article 59 of REACH.

## **SECTION 4: First aid measures**



according to UK REACH Regulation

## **GIEMSA's Stock Solution (Original)**

Revision date: 11.07.2023 Product code: 11418.xxxxx Page 3 of 12

### 4.1. Description of first aid measures

#### General information

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

Remove contaminated, saturated clothing immediately.

First aider: Pay attention to self-protection!

#### After inhalation

In case of accident by inhalation: remove casualty to fresh air and keep at rest. If breathing is irregular or stopped, administer artificial respiration. Where appropriate artificial ventilation. No direct artificial respiration to be given by first aider. Call a physician immediately. In the case of lung irritation: Primary treatment using corticoide spray, eg. Auxiloson spray, Pulmicort-dosage-spray. (Auxiloson and Pulmicort are registered trademarks.)

#### After contact with skin

Remove contaminated, saturated clothing immediately. Gently wash with plenty of soap and water. Call a physician immediately.

#### After contact with eyes

Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Consult an ophthalmologist.

#### After ingestion

Rinse mouth thoroughly with water. Let water be drunken in little sips (dilution effect). Afterwards let drink one glas of water with 100 ml of ca. 40% ethanol (dose for adults). Never give anything by mouth to an unconscious person or a person with cramps. Call a physician immediately.

### 4.2. Most important symptoms and effects, both acute and delayed

refer to chapter 2 and 11.

### 4.3. Indication of any immediate medical attention and special treatment needed

First Aid, decontamination, treatment of symptoms.

## **SECTION 5: Firefighting measures**

## 5.1. Extinguishing media

## Suitable extinguishing media

Carbon dioxide (CO2). Dry extinguishing powder. alcohol resistant foam. Atomized water.

## Unsuitable extinguishing media

High power water jet.

## 5.2. Special hazards arising from the substance or mixture

Concentrated vapours are heavier than air. Reignition possible over considerable distance.

In case of fire may be liberated: Carbon monoxide, Carbon dioxide (CO2).

### 5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus. In case of fire and/or explosion do not breathe fumes.

### Additional information

Use water spray jet to protect personnel and to cool endangered containers. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

Fight fire remotely due to the risk of explosion.

## **SECTION 6: Accidental release measures**

### 6.1. Personal precautions, protective equipment and emergency procedures

#### General advice

Ventilate affected area. Remove all sources of ignition. Remove persons to safety.

Avoid contact with skin, eyes and clothes.

Wear personal protection equipment (refer to section 8).

Use a positive-pressure air-supplied respirator if there is any potential for an uncontrolled release, exposure



## **Safety Data Sheet**

according to UK REACH Regulation

## **GIEMSA's Stock Solution (Original)**

Revision date: 11.07.2023 Product code: 11418.xxxxx Page 4 of 12

levels are not known, or any other circumstances where air-purifying respirators may not provide adequate protection.

### 6.2. Environmental precautions

Discharge into the environment must be avoided. Prevent spread over a wide area (e.g. by containment or oil barriers). Cover drains. In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities.

## 6.3. Methods and material for containment and cleaning up

#### Other information

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

Treat the recovered material as prescribed in the section on waste disposal.

Clean contaminated objects and areas thoroughly observing environmental regulations.

### 6.4. Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

# **SECTION 7: Handling and storage**

### 7.1. Precautions for safe handling

## Advice on safe handling

Provide adequate ventilation as well as local exhaustion at critical locations.

Use extractor hood (laboratory).

Avoid exposure - obtain special instructions before use.

Personal protection equipment (See section 8.)

### Advice on protection against fire and explosion

Keep away from sources of ignition - No smoking. Take precautionary measures against static discharges. Flammable vapours can accumulate in head space of closed systems. Heating causes rise in pressure with risk of bursting.

## Advice on general occupational hygiene

Always close containers tightly after the removal of product. When using do not eat, drink or smoke. Protect skin by using skin protective cream. Wash hands before breaks and after work. Take off contaminated clothing and wash it before reuse.

### Further information on handling

Avoid contact with skin, eyes and clothes.

General protection and hygiene measures: See section 8.

#### 7.2. Conditions for safe storage, including any incompatibilities

### Requirements for storage rooms and vessels

Keep/Store only in original container. Keep locked up. Keep container tightly closed in a cool, well-ventilated place.

Ensure adequate ventilation of the storage area.

Make sure spills can be contained (e.g. sump pallets or kerbed areas).

## Hints on joint storage

Do not store together with: Gas. Explosives. Flammable solids. Pyrophoric liquids and solids. Self-heating substances and mixtures. Substances or mixtures which, in contact with water, emit flammable gases. Oxidizing liquids. Oxidizing solids. Ammonium nitrate and preparations containing ammonium nitrate. Self-reactive substances and mixtures. Organic peroxides. Non-combustible toxic substances. Radioactive substances. Infectious substances.

## Further information on storage conditions

Keep the packing dry and well sealed to prevent contamination and absorbtion of humidity.

Recommended storage temperature: 15-25 °C

Protect against: frost. UV-radiation/sunlight. heat. Humidity



according to UK REACH Regulation

# **GIEMSA's Stock Solution (Original)**

Revision date: 11.07.2023 Product code: 11418.xxxxx Page 5 of 12

## 7.3. Specific end use(s)

See section 1.

## **SECTION 8: Exposure controls/personal protection**

## 8.1. Control parameters

## **Exposure limits (EH40)**

CAS No	Substance	ppm	mg/m³	fibres/ml	Category	Origin
56-81-5	Glycerol, mist	-	10		TWA (8 h)	WEL
67-56-1	Methanol	200	266		TWA (8 h)	WEL
		250	333		STEL (15 min)	WEL

## **DNEL/DMEL values**

CAS No	Substance					
DNEL type		Exposure route	Effect	Value		
56-81-5	Glycerol					
Worker DNEL,	long-term	inhalation	local	56 mg/m³		
67-56-1	methanol					
Worker DNEL,	acute	inhalation	local	260 mg/m³		
Worker DNEL, acute		dermal	systemic	40 mg/kg bw/day		
Worker DNEL,	Worker DNEL, acute		systemic	260 mg/m³		
Worker DNEL, long-term		inhalation	local	260 mg/m³		
Worker DNEL,	long-term	dermal	systemic	40 mg/kg bw/day		
Worker DNEL,	long-term	inhalation	systemic	260 mg/m³		

## **PNEC values**

CAS No	Substance		
Environmenta	Environmental compartment		
67-56-1	methanol		
Freshwater		20,8 mg/l	
Marine water		2,08 mg/l	
Marine water (intermittent releases)		1540 mg/l	
Freshwater sediment 7		77 mg/kg	
Marine sediment		7,7 mg/kg	
Micro-organisms in sewage treatment plants (STP)		100 mg/l	
Soil		3,18 mg/kg	

### 8.2. Exposure controls









Print date: 25.07.2023

## Appropriate engineering controls

Provide adequate ventilation as well as local exhaustion at critical locations. Use extractor hood (laboratory).

Individual protection measures, such as personal protective equipment



according to UK REACH Regulation

## **GIEMSA's Stock Solution (Original)**

Revision date: 11.07.2023 Product code: 11418.xxxxx Page 6 of 12

### Eye/face protection

Eye glasses with side protection EN 166

### Hand protection

Pull-over gloves of rubber.

Suitable material:

Butyl rubber. (0,5 mm)

(penetration time (maximum wearing period): >= 480 h)

The selected protective gloves have to satisfy the specifications of EU Directive 89/686/EEC and the standard EN 374 derived from it.

Before using check leak tightness / impermeability. In the case of wanting to use the gloves again, clean them before taking off and air them well.

#### Skin protection

Protective clothing. (flame-retardant)

Minimum standard for preventive measures while handling with working materials are specified in the TRGS 500 (D).

## **Respiratory protection**

With correct and proper use, and under normal conditions, breathing protection is not required.

Respiratory protection necessary at:

Insufficient ventilation.

exceeding exposure limit values

Suitable respiratory protective equipment: Self-contained respirator (breathing apparatus)

The filter class must be suitable for the maximum contaminant concentration (gas/vapour/aerosol/particulates) that may arise when handling the product. If the concentration is exceeded, self-contained breathing apparatus must be used.

## **Environmental exposure controls**

Do not allow to enter into surface water or drains.

## **SECTION 9: Physical and chemical properties**

## 9.1. Information on basic physical and chemical properties

Physical state: liquid
Colour: dark blue
Odour: characteristic

Melting point/freezing point:

Boiling point or initial boiling point and

Methanol: 64-65 °C

boiling range:

Lower explosion limits: Methanol: 6 vol. % Methanol: 36,5 vol. % Upper explosion limits: Flash point: Methanol: 12 °C Methanol: 445 °C Auto-ignition temperature: Decomposition temperature: not determined pH-Value: not determined Viscosity / kinematic: not determined Water solubility: miscible.

Solubility in other solvents

miscible.

Partition coefficient n-octanol/water: not determined Vapour pressure: Methanol: 128 hPa

(at 20 °C)

Vapour pressure: Methanol: 535 hPa

(at 50 °C)

Density (at 20 °C): 0,99 g/cm³
Relative vapour density: not determined



according to UK REACH Regulation

## **GIEMSA's Stock Solution (Original)**

Revision date: 11.07.2023 Product code: 11418.xxxxx Page 7 of 12

### 9.2. Other information

## Information with regard to physical hazard classes

Explosive properties

In case of insufficient ventilation and/or through use, explosive/highly flammable mixtures may develop.

Sustaining combustion: Sustaining combustion

Oxidizing properties

none

## Other safety characteristics

Solid content: not determined Viscosity / dynamic: not determined Flow time: not determined

### **SECTION 10: Stability and reactivity**

## 10.1. Reactivity

No information available.

## 10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

### 10.3. Possibility of hazardous reactions

Explosion risk in contact with: Hydrogenium peroxide. Oxidizing agents, strong. Bromine triflouride. Chloroform difluordioxide. isoprene. nitrosulphic acid. nitromethane. nitrosyl chloride (catalyst). nitrosyl perchlorate. peroxomonosulfuric acid.

## 10.4. Conditions to avoid

Keep away from heat. Protect from direct sunlight.

Keep away from sources of ignition - No smoking. Take precautionary measures against static discharge.

## 10.5. Incompatible materials

Oxidizing agents. Strong acid, Base.

### 10.6. Hazardous decomposition products

In case of fire may be liberated: Carbon monoxide, Carbon dioxide (CO2).

## **SECTION 11: Toxicological information**

## 11.1. Information on hazard classes as defined in GB CLP Regulation

### **Acute toxicity**

Toxic if swallowed.

Toxic in contact with skin.

Toxic if inhaled.

### **ATEmix calculated**

ATE (oral) 261,4 mg/kg; ATE (dermal) 784,3 mg/kg; ATE (inhalation vapour) 7,840 mg/l; ATE (inhalation dust/mist) 1,307 mg/l

CAS No	Chemical name	Chemical name							
	Exposure route	Dose		Species	Source	Method			
67-56-1	methanol								
	oral	LD50 mg/kg	2528	Rat	ECHA Dossier				
	dermal	LD50 mg/kg	17100	Rabbit	ECHA Dossier				
	inhalation vapour	ATE	3 mg/l						
	inhalation dust/mist	ATE	0,5 mg/l						



according to UK REACH Regulation

## **GIEMSA's Stock Solution (Original)**

Revision date: 11.07.2023 Product code: 11418.xxxxx Page 8 of 12

## Irritation and corrosivity

Based on available data, the classification criteria are not met.

### Sensitising effects

Based on available data, the classification criteria are not met.

### Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

### STOT-single exposure

Causes damage to organs. (methanol)

## STOT-repeated exposure

Based on available data, the classification criteria are not met.

#### **Aspiration hazard**

Based on available data, the classification criteria are not met.

### 11.2. Information on other hazards

### **Endocrine disrupting properties**

This product does not contain a substance that has endocrine disrupting properties with respect to humans as no components meets the criteria.

## **SECTION 12: Ecological information**

### 12.1. Toxicity

Based on available data, the classification criteria are not met.

CAS No	Chemical name	Chemical name								
	Aquatic toxicity	Dose	Dose		Species	Source	Method			
67-56-1	methanol	methanol								
	Acute fish toxicity	LC50 mg/l	15400	96 h	Lepomis macrochirus	ECHA Dossier				
	Acute algae toxicity	ErC50 mg/l	22000		Pseudokirchneriella subcapitata	ECHA Dossier				
	Acute crustacea toxicity	EC50 mg/l	>1000	48 h	Daphnia magna	ECHA Dossier	OECD 202			

## 12.2. Persistence and degradability

The product has not been tested.

	- F						
CAS No	Chemical name						
	Method	\	Value	d	Source		
	Evaluation						
67-56-1	methanol						
	other guideline	g	96%	20	ECHA Dossier		
	Easily biodegradable (concerning to the criteria of the OECD)						

## 12.3. Bioaccumulative potential

The product has not been tested.

### Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
67-56-1	methanol	-0,77

### **BCF**

CAS No	Chemical name	BCF	Species	Source
67-56-1	methanol	<10		

### 12.4. Mobility in soil

No information available.



## **Safety Data Sheet**

according to UK REACH Regulation

## **GIEMSA's Stock Solution (Original)**

Revision date: 11.07.2023 Product code: 11418.xxxxx Page 9 of 12

### 12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to UK REACH.

### 12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

### 12.7. Other adverse effects

No information available.

#### **Further information**

Do not allow to enter into surface water or drains.

### **SECTION 13: Disposal considerations**

#### 13.1. Waste treatment methods

### **Disposal recommendations**

Observe in addition any national regulations! Consult the local waste disposal expert about waste disposal.

Non-contaminated packages may be recycled.

According to (EWC) European Waste Catalogue, allocation of waste identity numbers/waste descriptions must be carried out in a specific way for every industry and process.

Control report for waste code/ waste marking according to (EWC) European Waste Catalogue:

#### List of Wastes Code - residues/unused products

160508 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and

discarded chemicals; discarded organic chemicals consisting of or containing hazardous

substances; hazardous waste

#### List of Wastes Code - used product

160508 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and

discarded chemicals; discarded organic chemicals consisting of or containing hazardous

substances; hazardous waste

### List of Wastes Code - contaminated packaging

150110 WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND

PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED; packaging (including separately collected municipal packaging waste); packaging containing residues of or contaminated by

hazardous substances; hazardous waste

### Contaminated packaging

Handle contaminated packages in the same way as the substance itself.

## **SECTION 14: Transport information**

## Land transport (ADR/RID)

**14.1. UN number or ID number:** UN 1230 **14.2. UN proper shipping name:** METHANOL

 14.3. Transport hazard class(es):
 3

 14.4. Packing group:
 II

 Hazard label:
 3+6.1



Classification code: FT1
Special Provisions: 279
Limited quantity: 1 L
Excepted quantity: E2
Transport category: 2
Hazard No: 336



according to UK REACH Regulation

## **GIEMSA's Stock Solution (Original)**

Revision date: 11.07.2023 Product code: 11418.xxxxx Page 10 of 12

Tunnel restriction code: D/E

Inland waterways transport (ADN)

14.1. UN number or ID number:UN 123014.2. UN proper shipping name:METHANOL

14.3. Transport hazard class(es):314.4. Packing group:IIHazard label:3+6.1



Classification code: FT1
Special Provisions: 279 802
Limited quantity: 1 L
Excepted quantity: E2

Marine transport (IMDG)

14.1. UN number or ID number:UN 123014.2. UN proper shipping name:METHANOL

14.3. Transport hazard class(es):314.4. Packing group:IIHazard label:3+6.1



Special Provisions: 279
Limited quantity: 1 L
Excepted quantity: E2
EmS: F-E, S-D

Air transport (ICAO-TI/IATA-DGR)

14.1. UN number or ID number:UN 123014.2. UN proper shipping name:METHANOL

14.3. Transport hazard class(es):314.4. Packing group:IIHazard label:3+6.1



Special Provisions:

Limited quantity Passenger:

Passenger LQ:

Excepted quantity:

A113

L

Y341

Excepted quantity:

E2

IATA-packing instructions - Passenger: 352
IATA-max. quantity - Passenger: 1 L
IATA-packing instructions - Cargo: 364
IATA-max. quantity - Cargo: 60 L

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: No

14.6. Special precautions for user

Refer to section 6-8

14.7. Maritime transport in bulk according to IMO instruments

not relevant



## **Safety Data Sheet**

according to UK REACH Regulation

## **GIEMSA's Stock Solution (Original)**

Revision date: 11.07.2023 Product code: 11418.xxxxx Page 11 of 12

### **SECTION 15: Regulatory information**

## 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

### **EU** regulatory information

Restrictions on use (REACH, annex XVII):

Entry 3, Entry 40, Entry 75

2010/75/EU (VOC): not determined
2004/42/EC (VOC): not determined
Information according to 2012/18/EU H2 ACUTE TOXIC

(SEVESO III):

Additional information: P5c

#### Additional information

The mixture is classified as hazardous according to regulation (EC) No 1272/2008 [CLP].

#### National regulatory information

Employment restrictions: Observe restrictions to employment for juveniles according to the 'juvenile

work protection guideline' (94/33/EC). Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or

nursing mothers.

Water hazard class (D): 2 - obviously hazardous to water

#### 15.2. Chemical safety assessment

For the following substances of this mixture a chemical safety assessment has been carried out: methanol

### **SECTION 16: Other information**

#### Changes

This data sheet contains changes from the previous version in section(s): 2,3,4,5,6,7,9,10,11,12,14,15,16.

Rev. 1.0; 06.09.2016, Initial release

Rev. 2,0; 11.07.2023; general adjustment(s)

### Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route

CAS Chemical Abstracts Service DNEL: Derived No Effect Level

IARC: INTERNATIONAL AGENCY FOR RESEARCH ON CANCER

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)

ICAO: International Civil Aviation Organization

ICAO-TI: Technical Instructions by the "International Civil Aviation Organization" (ICAO)

GHS: Globally Harmonized System of Classification and Labelling of Chemicals GefStoffV: Gefahrstoffverordnung (Ordinance on Hazardous Substances, Germany)

LOAEL: Lowest observed adverse effect level

LOAEC: Lowest observed adverse effect concentration

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

NOAEL: No observed adverse effect level NOAEC: No observed adverse effect level NTP: National Toxicology Program

N/A: not applicable

OSHA: Occupational Safety and Health Administration

PNEC: predicted no effect concentration



## **Safety Data Sheet**

according to UK REACH Regulation

## **GIEMSA's Stock Solution (Original)**

Revision date: 11.07.2023 Product code: 11418.xxxxx Page 12 of 12

PBT: Persistent bioaccumulative toxic

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de

fer (Regulations Concerning the International Transport of Dangerous Goods by Rail )

SARA: Superfund Amendments and Reauthorization Act

SVHC: substance of very high concern TRGS Technische Regeln fuerGefahrstoffe TSCA: Toxic Substances Control Act VOC: Volatile Organic Compounds

VwVwS: Verwaltungsvorschrift wassergefaehrdender Stoffe

WGK: Wassergefaehrdungsklasse

#### Classification for mixtures and used evaluation method according to GB CLP Regulation

Clacolitoation for mixtare	ridoomodaton for mixtaroo diid dood ovaladaton motifod doordiing to ob obi itogalation				
Classification	Classification procedure				
Flam. Liq. 2; H225	On basis of test data				
Acute Tox. 3; H301	Calculation method				
Acute Tox. 3; H311	Calculation method				
Acute Tox. 3; H331	Calculation method				
STOT SE 1; H370	Calculation method				

### Relevant H and EUH statements (number and full text)

H225 Highly flammable liquid and vapour.

H301 Toxic if swallowed.

H301+H311+H331 Toxic if swallowed, in contact with skin or if inhaled.

H311 Toxic in contact with skin.

H331 Toxic if inhaled.

H370 Causes damage to organs.

### **Further Information**

Classification according EC regulation 1272/2008 (CLP): - Classification procedure:

Health hazards: Calculation method.

Environmental hazards: Calculation method.

Physical hazards: On basis of test data and / or calculated and / or estimated.

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)