

Revision: 29.04.2022

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 29.04.2022

Version number 7 (replaces version 6)

SECTION 1: Identification of the substance/mixture and of the company/ undertaking

- · 1.1 Product identifier
 - · Trade name: Technovit 8100 liquid
- · 1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available.
 - · Application of the substance / the mixture Resin for histological examinations
- · 1.3 Details of the supplier of the safety data sheet
 - Manufacturer/Supplier:

Kulzer GmbH

Leipziger Straße 2, 63450 Hanau (Germany) Tel.: +49 (0)6181 9689-2570 (Wehrheim)

- · Informing department: email: technik.wehrheim@kulzer-dental.com
- 1.4 Emergency telephone number: Emergency CONTACT (24-Hour-Number): +49 (0)6132-84463

SECTION 2: Hazards identification

- · 2.1 Classification of the substance or mixture
 - Classification according to Regulation (EC) No 1272/2008

Skin Irrit. 2 H315 Causes skin irritation.

Eve Irrit. 2 H319 Causes serious eve irritation.

Skin Sens. 1 H317 May cause an allergic skin reaction.

- - Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the GB CLP regulation.

Hazard pictograms



GHS07

- · Signal word Warning
- Hazard-determining components of labelling:

2-hydroxyethyl methacrylate ethylenglycoldimethacrylate

· Hazard statements

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H317 May cause an allergic skin reaction.

Precautionary statements

Wear protective gloves/protective clothing/eye protection/face protection.

P302+P352 IF ON SKIN: Wash with plenty of soap and water.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.

P333+P313 If skin irritation or rash occurs: Get medical advice/attention.

P337+P313 If eye irritation persists: Get medical advice/attention.

· 2.3 Other hazards -

Results of PBT and vPvB assessment

· **PBT:** Not applicable.

(Contd. on page 2)



Printing date 29.04.2022 Version number 7 (replaces version 6) Revision: 29.04.2022

Trade name: Technovit 8100 liquid

· vPvB: Not applicable.

(Contd. of page 1)

SECTION 3: Composition/information on ingredients

· 3.2 Mixtures

· Dangerous components:		
	2-hydroxyethyl methacrylate Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1, H317	75-90%
EINECS: 203-685-6	2-isopropoxyethanol Flam. Liq. 3, H226 Acute Tox. 4, H312; Acute Tox. 4, H332; Skin Irrit. 2, H315; Eye Irrit. 2, H319 ATE: LD50 dermal: 1,300 mg/kg LC50/4 h inhalative: 11 mg/l	≥5-<10%
	ethylenglycoldimethacrylate Skin Sens. 1, H317; STOT SE 3, H335 Specific concentration limit: STOT SE 3; H335: C ≥ 10%	≥0.1-<1%

[·] Additional information For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

- · 4.1 Description of first aid measures
 - · General information

Instantly remove any clothing soiled by the product.

Personal protection for the First Aider.

· After inhalation

Supply fresh air; consult doctor in case of symptoms.

In case of unconsciousness bring patient into stable side position for transport.

· After skin contact

Instantly wash with water and soap and rinse thoroughly.

If skin irritation or rash occurs: Get medical advice/attention.

· After eve contact

Rinse opened eye for several minutes under running water. If symptoms persist, consult doctor. Remove contact lenses, if present and easy to do. Continue rinsing.

· After swallowing

Rinse out mouth and then drink plenty of water.

In case of persistent symptoms consult doctor.

- · 4.2 Most important symptoms and effects, both acute and delayed Allergic reactions
- 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5: Firefighting measures

- 5.1 Extinguishing media
 - · Suitable extinguishing agents

CO2, extinguishing powder or water jet. Fight larger fires with water jet or alcohol-resistant foam.

- For safety reasons unsuitable extinguishing agents Water with a full water jet.
- · 5.2 Special hazards arising from the substance or mixture

Formation of toxic gases is possible during heating or in case of fire.

(Contd. on page 3)



Printing date 29.04.2022

Version number 7 (replaces version 6)

Revision: 29.04.2022

Trade name: Technovit 8100 liquid

(Contd. of page 2)

Can be released in case of fire Carbon dioxide (CO2) Carbon monoxide (CO)

- 5.3 Advice for firefighters
 - Protective equipment:

Wear self-contained breathing apparatus. (EN 133)

· Additional information Cool endangered containers with water spray jet.

SECTION 6: Accidental release measures

· 6.1 Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

Avoid contact with eyes and skin.

Do not breathe vapor / mist / gas.

Ensure adequate ventilation

Keep away from ignition sources

· 6.2 Environmental precautions:

Do not allow to enter drainage system, surface or ground water.

Do not allow to enter the ground/soil.

· 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (diatomite, universal binders, for small amounts tissues).

Send for recovery or disposal in suitable containers.

6.4 Reference to other sections

See Section 8 for information on personal protection equipment.

See Section 7 for information on safe handling

SECTION 7: Handling and storage

· 7.1 Precautions for safe handling

Keep containers tightly sealed.

Avoid contact with eyes and skin.

Prevent formation of aerosols.

Do not breathe vapor / mist / gas.

Ensure good ventilation/exhaustion at the workplace.

Keep away from heat and direct sunlight.

Information about protection against explosions and fires:

Fumes can combine with air to form an explosive mixture.

Protect against electrostatic charges.

Do not spray on flames or red-hot objects.

Keep ignition sources away - Do not smoke.

· Handling

do not mix with

organic peroxides

amine

metals

reducing agent

Strong oxidizers

Strong acids

Radical initiator

· 7.2 Conditions for safe storage, including any incompatibilities

Storage

· Requirements to be met by storerooms and containers: Store in cool location.

(Contd. on page 4)



Printing date 29.04.2022

Version number 7 (replaces version 6)

(Contd. of page 3)

Revision: 29.04.2022

Trade name: Technovit 8100 liquid

- · Information about storage in one common storage facility: Not required. · Further information about storage conditions:

Store cool (not above 25 °C).
Protect from humidity and keep away from water.

Do not seal container gastight.

• 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

· 8.1 Control parameters

soil, dry weight

Components with critical values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace. Not required.

· DNI	ELs	
868-77-9	2-hydroxyethyl methacrylate	
Oral	general population, long term, systemic	0.83 mg/Kg (not defined)
Dermal	worker industrial, long term, systemic	1.3 mg/Kg/d (not defined)
	general population, long term, systemic	0.83 mg/Kg/d (not defined)
Inhalative	worker industrial, long term, systemic	4.9 mg/m3 (not defined)
	general population, long term, systemic	2.9 mg/m3 (not defined)
109-59-1	2-isopropoxyethanol	
Oral	general population, acute, systemic	12 mg/Kg (not defined)
	general population, long term, systemic	4.8 mg/Kg (not defined)
Dermal	worker industrial, acute, systemic	26 mg/Kg/d (not defined)
	worker industrial, long term, systemic	10.3 mg/Kg/d (not defined)
	general population, acute, systemic	12 mg/Kg/d (not defined)
	general population, long term, systemic	4.8 mg/Kg/d (not defined)
Inhalative	worker industrial, acute, systemic	180 mg/m3 (not defined)
	worker industrial, long term, systemic	72 mg/m3 (not defined)
	general population, acute, systemic	108 mg/m3 (not defined)
	general population, long term, systemic	43 mg/m3 (not defined)
97-90-5 et	hylenglycoldimethacrylate	
Oral	general population, long term, systemic	0.83 mg/Kg (not defined)
Dermal	worker industrial, long term, systemic	1.3 mg/Kg/d (not defined)
	general population, long term, systemic	0.83 mg/Kg/d (not defined)
Inhalative	worker professional, long term, systemic	
	general population, long term, systemic	1.45 mg/m3 (not defined)
· PNI	ECe	

PNECs	
868-77-9 2-hydroxyethyl methacry	ylate
freshwater	0.482 mg/l (not defined)
marine water	0.482 mg/l (not defined)
sewage treatment plant	10 mg/l (not defined)
sediment, dry weight, freshwater	3.79 mg/Kg (not defined)
sediment dry weight marine water	3 79 ma/Ka (not defined)

0.476 mg/Kg (not defined)

(Contd. on page 5)



Printing date 29.04.2022 Version number 7 (replaces version 6) Revision: 29.04.2022

Trade name: Technovit 8100 liquid

07-00-5 othylonglycoldimothacrylato

(Contd. of page 4)

97-90-3 ethylengiycoldilliethaciylate		
freshwater	0.139 mg/l (not defined)	
marine water	0.014 mg/l (not defined)	
sewage treatment plant	57 mg/l (not defined)	

sewage treatment plant
sediment, dry weight, freshwater
sediment, dry weight, marine water
soil, dry weight

57 mg/l (not defined)
1.6 mg/Kg (not defined)
0.16 mg/Kg (not defined)
0.239 mg/Kg (not defined)

· 8.2 Exposure controls

- · Appropriate engineering controls No further data; see item 7.
- Individual protection measures, such as personal protective equipment
 - General protective and hygienic measures

Keep away from foodstuffs, beverages and food.

Do not eat or drink while working.

Do not inhale gases / fumes / aerosols.

The usual precautionary measures should be adhered to in handling the chemicals.

Instantly remove any soiled and impregnated garments.

Wash hands during breaks and at the end of the work.

Avoid contact with the eyes and skin.

· Breathing equipment:

Use breathing protection in case of insufficient ventilation.

Filter A/P2.

· Hand protection

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Check protective gloves prior to each use for their proper condition.

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

NBR: acrylonitrile-butadiene rubber (0,11 mm)

Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

>30 min

- · Eye/face protection eye protection (EN 166)
- · Body protection: Light weight protective clothing
- Environmental exposure controls

Do not allow to enter drainage system, surface or ground water.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

General Information

· Physical state Fluid Colourless

(Contd. on page 6)

[·] Additional information: The lists that were valid during the compilation were used as basis.



Version number 7 (replaces version 6) Printing date 29.04.2022 Revision: 29.04.2022

Trade name: Technovit 8100 liquid

-	
	(Contd. of page
· Smell:	Characteristic
· Odour threshold:	Not determined.
Melting point/freezing point:	Not determined
· Boiling point or initial boiling point and	
boiling range	145 °C (109-59-1 2-isopropoxyethanol)
· Flammability	Not applicable.
· Lower and upper explosion limit	
· Lower:	Not determined.
· Upper:	Not determined.
· Flash point:	45 °C (109-59-1 2-isopropoxyethanol)
Ignition temperature:	240 °C (109-59-1 2-isopropoxyethanol)
· Decomposition temperature:	Not determined.
SAPT	
Technovit 8100 liquid >100 °C	
SADT	
· pH	Not determined.
· Viscosity:	
· Kinematic viscosity	Not determined.
· dynamic:	Not determined.
Solubility	Not determined.
· Water:	Not miscible or difficult to mix
· Partition coefficient n-octanol/water (log	THOS THIS CIDIC OF AIMCAIL TO THIX
value)	Not determined.
· Steam pressure at 20 °C:	0.1 hPa
Density and/or relative density	U.T III a
· Density at 20 °C	1 g/cm³
· Relative density	Not determined.
· Vapour density	Not determined. Not determined.
	urther relevant information available.
	urther relevant information available.
· Appearance: · Form:	Fluid
Important information on protection of	riuiu
health and environment, and on safety.	
Self-inflammability:	Product is not selfigniting.
Explosive properties:	Product is not explosive.
· Change in condition	r roduct is not explosive.
Evaporation rate	Not determined.
•	TVOL GOLOTTIMOG.
Information with regard to physical hazard	
classes	Void
Explosives	Void
Flammable gases	Void
· Aerosols	Void
Oxidising gases	Void
Gases under pressure	Void
Flammable liquids	Void
Flammable solids	Void
Self-reactive substances and mixtures	Void
Pyrophoric liquids	Void
Pyrophoric solids	Void
Self-heating substances and mixtures	Void
Substances and mixtures, which emit	17-14
flammable gases in contact with water	Void

(Contd. on page 7)



Printing date 29.04.2022 Version number 7 (replaces version 6) Revision: 29.04.2022

Trade name: Technovit 8100 liquid

(Cont	d. of pag	ge 6)

· Oxidising liquids	Void
· Oxidising solids	Void
· Organic peroxides	Void
· Corrosive to metals	Void
· Desensitised explosives	Void

SECTION 10: Stability and reactivity

- · 10.1 Reactivity No further relevant information available.
- · 10.2 Chemical stability
 - · Conditions to be avoided: No decomposition if used and stored according to specifications.
- · 10.3 Possibility of hazardous reactions Exothermic polymerisation
- · 10.4 Conditions to avoid

Heat, flames and sparks.

moisture exposure

10.5 Incompatible materials:

organic peroxides

amine

metals

reducing agent

Strong oxidizers

Strong acids

Radical initiator

· 10.6 Hazardous decomposition products: None

SECTION 11: Toxicological information

• 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008
• Acute toxicity Based on available data, the classification criteria are not met.

· LD/	· LD/LC50 values that are relevant for classification:	
868-77-9	2-hydroxy	ethyl methacrylate
Oral	LD50	5,564 mg/kg (rat)
Dermal	LD50	>5,000 mg/kg (rabbit)
109-59-1	2-isopropo	oxyethanol
Oral	LD50	>2,000 mg/kg (rat) (OECD 401)
Dermal	LD50	1,300 mg/kg (ATE)
		1,300 mg/kg (rabbit)
Inhalative	LC50/4 h	11 mg/l (ATE)
	LC0/4h	≥3,500 ppm (rat)
97-90-5 et	97-90-5 ethylenglycoldimethacrylate	
Oral	LD50	8,300 mg/kg (rat)
Dermal	LD50	>2,000 mg/kg (rat) (OECD 402)

- Skin corrosion/irritation
- Causes skin irritation.
- Serious eye damage/irritation

Causes serious eye irritation.

- Respiratory or skin sensitisation
- May cause an allergic skin reaction.
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.

(Contd. on page 8)



Revision: 29.04.2022

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 29.04.2022

Version number 7 (replaces version 6)

Trade name: Technovit 8100 liquid

(Contd. of page 7)

- Carcinogenicity Based on available data, the classification criteria are not met.
- Reproductive toxicity Based on available data, the classification criteria are not met.
- STOT-single exposure Based on available data, the classification criteria are not met. STOT-repeated exposure Based on available data, the classification criteria are not met.
- Aspiration hazard Based on available data, the classification criteria are not met.
- · 11.2 Information on other hazards
 - · Endocrine disrupting properties

None of the ingredients is listed.

SECTION 12: Ecological information

· 12.1 Toxicity

	· Aquati	c toxicity:
--	----------	-------------

868-77-9	2-hydrox	<i>vethvl</i>	methacry	/late

EC50/72h	345 mg/l (algae) (OECD 201)
EC50/21d	90.1 mg/L (daphnia) (OECD 211)
EC50/48h (static)	380 mg/l (daphnia) (OECD 202)
LC50/96h	>100 mg/l (fish) (OECD 203)
NOEC / 21d	24.1 mg/l (daphnia) (OECD 211)
ErC50 / 72 h	836 mg/l (algae) (OECD 201)
NOEC / 72h	400 mg/l (algae) (OECD 201)
NOEC / 48h	171 mg/l (daphnia) (OECD 202)

109-59-1 2-isopropoxyethanol

EC50/21d	>98 mg/L (not defined) (OECD 211)
LC50/96h	>98 mg/L (not defined) (OECD 211) >100 mg/l (fish) (OECD 203)
NOEC / 21d	98 mg/l (daphnia) (OECD 211)
LC50/48h	>970 mg/L (daphnia) (OECD 202)

97-90-5 ethylenglycoldimethacrylate

EC50/48h	44.9 mg/l (daphnia) (OECD 202)
LC50/96h	44.9 mg/l (daphnia) (OECD 202) 15.95 mg/l (fish) (OECD 203)
NOEC / 21d	5.05 mg/l (daphnia) (OECD 211) 19 mg/l (algae) (OECD 201) 0.804 mg/l (algae) (OECD 201) 13.2 mg/l (daphnia) (OECD 202) 10.1 mg/l (algae) (OECD 201)
ErC50 / 72 h	19 mg/l (algae) (OECD 201)
NOEC / 72h	0.804 mg/l (algae) (OECD 201)
NOEC / 48h	13.2 mg/l (daphnia) (OECD 202)
EbC50 / 72h	10.1 mg/l (algae) (OECD 201)

12.2 Persistence and degradability

868-77-9 2-hydroxyethyl methacrylate

Biodegradation 92-100 % /14d (not defined) (OECD 301C)

109-59-1 2-isopropoxyethanol

Biodegradation 20-26 % /28d (not defined) (OECD 301F; ISO 9408/ EEC 92/69/V, C.4-D)

97-90-5 ethylenglycoldimethacrylate

Biodegradation 71.2 % /28d (not defined) (OECD 301D)

- 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- · 12.5 Results of PBT and vPvB assessment

· PBT: Not applicable.

(Contd. on page 9)



Printing date 29.04.2022

Version number 7 (replaces version 6)

Revision: 29.04.2022

Trade name: Technovit 8100 liquid

(Contd. of page 8)

- · vPvB: Not applicable.
- · 12.6 Endocrine disrupting properties

The product does not contain substances with endocrine disrupting properties.

- · 12.7 Other adverse effects
 - · Additional ecological information:
 - · General notes:

Do not allow undiluted product or large quantities of it to reach ground water, water bodies or sewage system.

SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

Recommendation

Small quantities can be polymerized with the matching system component(s) and the cured solid material can be disposed of with the regular garbage. Larger quantities must be disposed of following the regulations of the local authorities.

- · Uncleaned packagings:
 - Recommendation: Disposal must be made according to official regulations.

SECTION 14: Transport information	on	
· 14.1 UN number or ID number · ADR, IMDG, IATA	Void	
14.2 UN proper shipping name ADR, IMDG, IATA	Void	
· 14.3 Transport hazard class(es)		
ADR, ADN, IMDG, IATA Class	Void	
· 14.4 Packing group · ADR, IMDG, IATA	Void	
· 14.5 Environmental hazards: · Marine pollutant:	No	
· 14.6 Special precautions for user	Not applicable.	
· 14.7 Maritime transport in bulk according IMO instruments	to Not applicable.	
· Transport/Additional information:	-	
· UN "Model Regulation":	Void	

SECTION 15: Regulatory information

- · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
 - Directive 2012/18/EU
 - · Named dangerous substances ANNEX I None of the ingredients is listed.
 - Information about limitation of use:
 Employment restrictions concerning young persons must be observed.

(Contd. on page 10)



Revision: 29.04.2022

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 29.04.2022

Version number 7 (replaces version 6)

Trade name: Technovit 8100 liquid

(Contd. of page 9)

Employment restrictions concerning pregnant and lactating women must be observed. 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Relevant phrases

H226 Flammable liquid and vapour.

H312 Harmful in contact with skin.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H319 Causes serious eye irritation.

H332 Harmful if inhaled.

H335 May cause respiratory irritation.

Abbreviations and acronyms:

SADT: Self Accelerating Decomposition Temperature SAPT: Self Accelerating Polymerisation Temperature

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement

Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) DNEL: Derived No-Effect Level (GB REACH)

PNEC: Predicted No-Effect Concentration (GB REACH)

LOSO: Lethal concentration 50 percent

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Flam. Liq. 3: Flammable liquids – Category 3
Acute Tox. 4: Acute toxicity – Category 4
Skin Irrit. 2: Skin corrosion/irritation – Category 2
Eye Irrit. 2: Serious eye damage/eye irritation – Category 2
Skin Sens. 1: Skin sensitisation – Category 1

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

Sources

(EC) 1272/2008: classification, labelling and packaging of substances and mixtures

(EC) 1907/2006: GB REACH

`ADŔ/RID/ADN - IDMG - IATA: transport of dangerous goods by road, rail, inland waterway, with maritime vessels and for the air transport

* Data compared to the previous version altered.



Revision: 18.10.2022

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 18.10.2022

Version number 5 (replaces version 4)

SECTION 1: Identification of the substance/mixture and of the company/ undertaking

- · 1.1 Product identifier
 - · Trade name: Technovit 8100 hardener 2
- · 1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available.
 - · Application of the substance / the mixture Resin for histological examinations
- · 1.3 Details of the supplier of the safety data sheet
 - Manufacturer/Supplier:

Kulzer GmbH

Leipziger Straße 2, 63450 Hanau (Germany) Tel.: +49 (0)6181 9689-2570 (Wehrheim)

- · Informing department: email: technik.wehrheim@kulzer-dental.com
- 1.4 Emergency telephone number: Emergency CONTACT (24-Hour-Number): +49 (0)6132-84463

SECTION 2: Hazards identification

- · 2.1 Classification of the substance or mixture
 - Classification according to Regulation (EC) No 1272/2008
 The product is not classified, according to the GB CLP regulation.

- · 2.2 Label elements
 - Labelling according to Regulation (EC) No 1272/2008 Void
 - Hazard pictograms Void
 - · Signal word Void
 - · Hazard statements Void
 - · Additional information:

Safety data sheet available on request.

- 2.3 Other hazards
 - · Results of PBT and vPvB assessment
 - PBT: Not applicable.
 - vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

· 3.2 Mixtures

Dangerous components: N.N-dimethyl-3,5-xylidine CAS: 4913-13-7

EINECS: 225-539-0 STOT RE 2. H373

Acute Tox. 4, H302; Acute Tox. 4, H312; Acute Tox. 4, H332; Skin Irrit. 2, H315; Eye Irrit. 2, H319; STOT SE 3, H335

ATE: LD50 oral: 500 mg/kg LD50 dermal: 1,100 mg/kg

LC50/4 h inhalative: 1.5 mg/l

· Additional information For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

- 4.1 Description of first aid measures
 - General information No special measures required.
 - After inhalation Supply fresh air; consult doctor in case of symptoms.
 - After skin contact

Instantly wash with water and soap and rinse thoroughly.

If skin irritation continues, consult a doctor.

(Contd. on page 2)

0-5%



Revision: 18.10.2022

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 18.10.2022

Version number 5 (replaces version 4)

(Contd. of page 1)

· After eye contact

Rinse opened eye for several minutes under running water. If symptoms persist, consult doctor. Remove contact lenses, if present and easy to do. Continue rinsing.

· After swallowing

Rinse out mouth and then drink plenty of water.

In case of persistent symptoms consult doctor.

Trade name: Technovit 8100 hardener 2

4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

· 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5: Firefighting measures

· 5.1 Extinguishing media

· Suitable extinguishing agents

CO2, extinguishing powder or water jet. Fight larger fires with water jet or alcohol-resistant foam.

For safety reasons unsuitable extinguishing agents Water with a full water jet.

· 5.2 Special hazards arising from the substance or mixture

Formation of toxic gases is possible during heating or in case of fire.

Can be released in case of fire

Carbon dioxide (CO2)

Carbon monoxide (CO)

Nitrogen oxides (NOx)

5.3 Advice for firefighters

· Protective equipment:

Wear self-contained breathing apparatus.

(EN 133)

· Additional information

Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

SECTION 6: Accidental release measures

· 6.1 Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

Do not breathe vapor / mist / gas.

Ensure adequate ventilation

Keep away from ignition sources

· 6.2 Environmental precautions:

Do not allow to enter drainage system, surface or ground water.

Keep dirty washing water for appropriate disposal.

Do not allow to enter the ground/soil.

· 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (diatomite, universal binders, for small amounts tissues).

Send for recovery or disposal in suitable containers.

6.4 Reference to other sections

See Section 8 for information on personal protection equipment.

See Section 7 for information on safe handling

SECTION 7: Handling and storage

· 7.1 Precautions for safe handling

Keep containers tightly sealed.

Do not breathe vapor / mist / gas.

(Contd. on page 3)



Revision: 18.10.2022

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 18.10.2022

Version number 5 (replaces version 4)

Trade name: Technovit 8100 hardener 2

(Contd. of page 2)

Ensure good ventilation/exhaustion at the workplace. Keep away from heat and direct sunlight.

Information about protection against explosions and fires:

Fumes can combine with air to form an explosive mixture.

Use explosion-proof apparatus / fittings and spark-proof tools.

Protect against electrostatic charges.

Do not spray on flames or red-hot objects.

Keep ignition sources away - Do not smoke.

· Handling

do not mix with

Strong acids

Strong oxidizers

· 7.2 Conditions for safe storage, including any incompatibilities

· Storage

Requirements to be met by storerooms and containers:

Store in cool, dry place in tightly closed containers.

- Information about storage in one common storage facility: Not required.
- Further information about storage conditions: None.
- · 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

· 8.1 Control parameters

Components with critical values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

Not required

· Additional information: The lists that were valid during the compilation were used as basis.

· 8.2 Exposure controls

- · Appropriate engineering controls No further data; see item 7.
- Individual protection measures, such as personal protective equipment

General protective and hygienic measures

Wash hands during breaks and at the end of the work.

Keep away from foodstuffs, beverages and food.

Do not eat or drink while working.

Do not inhale gases / fumes / aerosols.

The usual precautionary measures should be adhered to in handling the chemicals.

Breathing equipment:

Use breathing protection in case of insufficient ventilation.

Filter A/P2.

· Hand protection

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

Check protective gloves prior to each use for their proper condition.

Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

(Contd. on page 4)



Printing date 18.10.2022 Version number 5 (replaces version 4) Revision: 18.10.2022

Trade name: Technovit 8100 hardener 2

(Contd. of page 3)

NBR: acrylonitrile-butadiene rubber (0,11 mm)

Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

>30 min

· Eye/face protection eye protection (EN 166)

· Body protection: Light weight protective clothing

Environmental exposure controls Do not allow to enter the ground/soil.

Do not allow to enter drainage system, surface or ground water.

SECTION 9: Physical and chemical properties

· 9.1 Information on basic physical and chemical properties

General Information

Physical state Fluid · Colour: Colourless · Smell: Odourless

Odour threshold: Not determined. Not determined · Melting point/freezing point:

· Boiling point or initial boiling point and

>150 °C (25322-68-3 polyethylene glycol) boiling range · Flammability Not applicable.

· Lower and upper explosion limit

Not determined. Lower: Upper: Not determined.

91 °C (4913-13-7 N,N-dimethyl-3,5-xylidine) Flash point:

Ignition temperature: not determined Ingredients:

No information available

Partly miscible

· Decomposition temperature: Not determined.

SADT

Not determined. pН

Viscosity:

Kinematic viscosity Not determined. Not determined. dynamic: Solubility

Water: · Partition coefficient n-octanol/water (log

Not determined. >0 hPa

Steam pressure at 20 °C:

· Density and/or relative density Density at 20 °C 1.15 g/cm3 Not determined. Relative density

· Vapour density Not determined.

9.2 Other information No further relevant information available.

Appearance:

Form: Fluid

Important information on protection of health and environment, and on safety.

· Self-inflammability: Product is not selfigniting. · Explosive properties: Product is not explosive.

(Contd. on page 5)



Printing date 18.10.2022

Version number 5 (replaces version 4)

Revision: 18.10.2022

Trade name: Technovit 8100 hardener 2

		(Contd. of page 4
· Solvent content:		
· VOC EU	g/l	
· Change in condition		
· Evaporation rate	Not determined.	
· Information with regard to physical hazard		
classes		
· Explosives	Void	
Flammable gases	Void	
· Aerosols	Void	
· Oxidising gases	Void	
Gases under pressure	Void	
· Flammable liquids	Void	
Flammable solids	Void	
Self-reactive substances and mixtures	Void	
· Pyrophoric liquids	Void	
· Pyrophoric solids	Void	
· Self-heating substances and mixtures	Void	
Substances and mixtures, which emit		
flammable gases in contact with water	Void	
· Oxidising liquids	Void	
· Oxidising solids	Void	
· Organic peroxides	Void	
· Corrosive to metals	Void	
Desensitised explosives	Void	

SECTION 10: Stability and reactivity

- · 10.1 Reactivity No further relevant information available.
- · 10.2 Chemical stability
 - Conditions to be avoided: No decomposition if used and stored according to specifications.
- · 10.3 Possibility of hazardous reactions No dangerous reactions known
- · 10.4 Conditions to avoid Heat, flames and sparks.
- · 10.5 Incompatible materials:

Strong oxidizers

Strong acids

· 10.6 Hazardous decomposition products: None

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

· Acute toxicity

Based on available data, the classification criteria are not met. Based on available data, the classification criteria are not met.

LD/LC50 values that are relevant for classification:

4913-13-7 N,N-dimethyl-3,5-xylidine

Oral LD50 500 mg/kg (ATE)
Dermal LD50 1,100 mg/kg (ATE)

Skin corrosion/irritation Based on available data, the classification criteria are not met.

Germ cell mutagenicity

Based on available data, the classification criteria are not met. Based on available data, the classification criteria are not met.

(Contd. on page 6)



Printing date 18.10.2022

Version number 5 (replaces version 4)

(Contd. of page 5)

Revision: 18.10.2022

· Carcinogenicity

Based on available data, the classification criteria are not met. Based on available data, the classification criteria are not met.

· Reproductive toxicity Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met. Based on available data, the classification criteria are not met.

· STOT-repeated exposure

Based on available data, the classification criteria are not met. Based on available data, the classification criteria are not met.

· Aspiration hazard

Based on available data, the classification criteria are not met. Based on available data, the classification criteria are not met.

· 11.2 Information on other hazards

· Endocrine disrupting properties

None of the ingredients is listed.

SECTION 12: Ecological information

Trade name: Technovit 8100 hardener 2

- · 12.1 Toxicity
 - · Aquatic toxicity: No further relevant information available.
- · 12.2 Persistence and degradability No further relevant information available.
- · 12.3 Bioaccumulative potential No further relevant information available.
- 12.4 Mobility in soil No further relevant information available.
- · 12.5 Results of PBT and vPvB assessment
 - · **PBT:** Not applicable.
 - · vPvB: Not applicable.
- 12.6 Endocrine disrupting properties

The product does not contain substances with endocrine disrupting properties.

- 12.7 Other adverse effects
 - · Additional ecological information:
 - · General notes:

Do not allow product to reach ground water, water bodies or sewage system.

Danger to drinking water if even small quantities leak into soil.

SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
 - · Recommendation

Small quantities can be polymerized with the matching system component(s) and the cured solid material can be disposed of with the regular garbage.

Disposal must be made according to official regulations.

Uncleaned packagings:

· Recommendation: Disposal must be made according to official regulations.

SECTION 14: Transport information

· 14.1 UN number or ID number

· ADR, ADN, IMDG, IATA

Void

(Contd. on page 7)



Printing date 18.10.2022

Version number 5 (replaces version 4)

Revision: 18.10.2022

Trade name: Technovit 8100 hardener 2

		(Contd. of page
· 14.2 UN proper shipping name · ADR, ADN, IMDG, IATA	Void	
· 14.3 Transport hazard class(es)		
ADR, ADN, IMDG, IATA Class	Void	
· 14.4 Packing group · ADR, IMDG, IATA	Void	
· 14.5 Environmental hazards: · Marine pollutant:	No	
· 14.6 Special precautions for user	Not applicable.	
· 14.7 Maritime transport in bulk according IMO instruments	g to Not applicable.	
· Transport/Additional information:	-	
· UN "Model Regulation":	Void	

SECTION 15: Regulatory information

- · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
 - · Directive 2012/18/EU
 - · Information about limitation of use:

Employment restrictions concerning young persons must be observed.

Employment restrictions concerning pregnant and lactating women must be observed.

15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Relevant phrases

H302 Harmful if swallowed.

H312 Harmful in contact with skin.

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H332 Harmful if inhaled.

H335 May cause respiratory irritation.

H373 May cause damage to organs through prolonged or repeated exposure.

Abbreviations and acronyms:

Abbreviations and actionyms.

SADT: Self Accelerating Decomposition Temperature

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

VOCV: Lenkungsabgabe auf flüchtigen organischen Verbindungen, Schweiz (Swiss Ordinance on volatile organic compounds)

LC50: Lethal concentration, 50 percent

(Contd. on page 8)



Printing date 18.10.2022

Version number 5 (replaces version 4)

Revision: 18.10.2022

Trade name: Technovit 8100 hardener 2

(Contd. of page 7)

LD50: Lethal dose, 50 percent
PBT: Persistent, Bioaccumulative and Toxic
vPvB: very Persistent and very Bioaccumulative
Acute Tox. 4: Acute toxicity – Category 4
Skin Irrit. 2: Skin corrosion/irritation – Category 2
Eye Irrit. 2: Serious eye damage/eye irritation – Category 2
STOT SE 3: Specific target organ toxicity (single exposure) – Category 3
STOT RE 2: Specific target organ toxicity (repeated exposure) – Category 2
Sources

(EC) 1272/2008: classification, labelling and packaging of substances and mixtures (EC) 1907/2006: UK REACH

ADR/RID/ADN - IDMG - IATA: transport of dangerous goods by road, rail, inland waterway, with maritime vessels and for the air transport

* Data compared to the previous version altered.

GB ·



Printing date 07.04.2022 Version number 2 (replaces version 1) Revision: 07.04.2022

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- · 1.1 Product identifier
 - Trade name: Technovit 8100 Hardener new
- · 1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available.
 - · Application of the substance / the mixture Resin for histological examinations
- · 1.3 Details of the supplier of the safety data sheet
 - · Manufacturer/Supplier:

Kulzer GmbH

Leipziger Straße 2, 63450 Hanau (Germany) Tel.: +49 (0)6181 9689-2570 (Wehrheim)

- · Informing department: email: technik.wehrheim@kulzer-dental.com
- 1.4 Emergency telephone number: Emergency CONTACT (24-Hour-Number): +49 (0)6132-84463

SECTION 2: Hazards identification

- · 2.1 Classification of the substance or mixture
 - · Classification according to Regulation (EC) No 1272/2008

Org. Perox. D H242 Heating may cause a fire.

Eye Irrit. 2 H319 Causes serious eye irritation.

Skin Sens. 1 H317 May cause an allergic skin reaction.

Aquatic Acute 1 H400 Very toxic to aquatic life.

Aquatic Chronic 1 H410 Very toxic to aquatic life with long lasting effects.

· 2.2 Label elements

· Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the GB CLP regulation.

· Hazard pictograms







GHS02 GI

GHS07 G

GHS09

- · Signal word Danger
- · Hazard-determining components of labelling:

dibenzoyl peroxide

· Hazard statements

H242 Heating may cause a fire. H319 Causes serious eye irritation.

H317 May cause an allergic skin reaction.

H410 Very toxic to aquatic life with long lasting effects.

Precautionary statements

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition

sources. No smoking.

P273 Avoid release to the environment.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P302+P352 IF ON SKIN: Wash with plenty of soap and water.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.

P370+P378 In case of fire: Use CO2, powder or water spray to extinguish.

· 2.3 Other hazards -

(Contd. on page 2)



Printing date 07.04.2022 Version number 2 (replaces version 1)

Revision: 07.04.2022

Trade name: Technovit 8100 Hardener new

(Contd. of page 1)

· Results of PBT and vPvB assessment

· **PBT:** Not applicable. · **vPvB:** Not applicable.

SECTION 3: Composition/information on ingredients

· 3.2 Mixtures

· Description: -

Dangerous components:		
	<i>≥</i> 25- <i>≤</i> 75%	
EINECS: 202-327-6 Self-react. B, H241; Org. Perox. B, H241 Reg.nr.: 01-2119511472-50-xxxx Aquatic Acute 1, H400 (M=10); Aquatic Chronic 1,		
Reg.nr.: 01-2119511472-50-xxxx Aquatic Acute 1, H400 (M=10); Aquatic Chronic 1,		
H410 (M=10)		
Eye Irrit. 2, H319; Skin Sens. 1, H317		
CAS: 94-49-5 Ethylene dibenzoate	<i>≥</i> 25- <i>≤</i> 75%	
EINECS: 202-338-6 Aquatic Chronic 2, H411		

[·] Additional information For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

· 4.1 Description of first aid measures

General information

Personal protection for the First Aider.

Instantly remove any clothing soiled by the product.

Take affected persons out of danger area and instruct to lie down.

· After inhalation Supply fresh air; consult doctor in case of symptoms.

· After skin contact

Instantly wash with water and soap and rinse thoroughly.

If skin irritation or rash occurs: Get medical advice/attention.

· After eye contact

Rinse opened eye for several minutes under running water. If symptoms persist, consult doctor. Remove contact lenses, if present and easy to do. Continue rinsing.

· After swallowing

Rinse out mouth and then drink plenty of water.

In case of persistent symptoms consult doctor.

- · 4.2 Most important symptoms and effects, both acute and delayed Allergic reactions
- 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5: Firefighting measures

· 5.1 Extinguishing media

Suitable extinguishing agents

CO2, extinguishing powder or water jet. Fight larger fires with water jet or alcohol-resistant foam.

For safety reasons unsuitable extinguishing agents Water with a full water jet.

· 5.2 Special hazards arising from the substance or mixture

Formation of toxic gases is possible during heating or in case of fire.

Combustible solids. Fine dust clouds can form explosive mixtures with air.

Can be released in case of fire

Carbon dioxide (CO2)

Carbon monoxide (CO)

(Contd. on page 3)



Printing date 07.04.2022

Version number 2 (replaces version 1)

Revision: 07.04.2022

Trade name: Technovit 8100 Hardener new

(Contd. of page 2)

5.3 Advice for firefighters

- Protective equipment: Wear self-contained breathing apparatus.
- Additional information Cool endangered containers with water spray jet.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

Avoid contact with eyes and skin.

Ensure adequate ventilation

Keep away from ignition sources

Avoid causing dust.

- 6.2 Environmental precautions: Do not allow to enter drainage system, surface or ground water.
- 6.3 Methods and material for containment and cleaning up:

Collect mechanically.

Send for recovery or disposal in suitable containers. **6.4 Reference to other sections**

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

SECTION 7: Handling and storage

· 7.1 Precautions for safe handling

Keep containers tightly sealed.

Provide suction extractors if dust is formed.

Avoid contact with eyes and skin.

Any deposit of dust which cannot be avoided must be removed regularly.

Wear protective equipment. Keep unprotected persons away.

Ensure good ventilation/exhaustion at the workplace.

Information about protection against explosions and fires:

Keep ignition sources away - Do not smoke.

Use explosion-proof apparatus / fittings and spark-proof tools.

Do not spray on flames or red-hot objects.

Dust can combine with air to form an explosive mixture.

Protect from heat.

Protect against electrostatic charges.

· Handling

do not mix with

metals

reducing agent

Strong acids

· 7.2 Conditions for safe storage, including any incompatibilities

Requirements to be met by storerooms and containers:

Store in cool, dry place in tightly closed containers.

Information about storage in one common storage facility:

Do not store together with reducing agents, heavy-metal compounds, acids and alkalis. Store away from foodstuffs.

Further information about storage conditions:

Protect from heat and direct sunlight.

Store in a cool place.

Recommended storage temperature: < 25°C

(Contd. on page 4)



Printing date 07.04.2022 Version number 2 (replaces version 1) Revision: 07.04.2022

Trade name: Technovit 8100 Hardener new

· 7.3 Specific end use(s) No further relevant information available.

(Contd. of page 3)

SECTION 8: Exposure controls/personal protection

· 8.1 Control parameters

· Components with critical values that require monitoring at the workplace:			
94-36-0 dibenzoyl peroxi	94-36-0 dibenzoyl peroxide		
WEL (Great Britain)	Long-term value: 5 mg/m³		
71-43-2 benzene			
WEL (Great Britain)	Long-term value: 3.25 mg/m³, 1 ppm Carc; Sk		
BOELV (European Union)	Long-term value: 3.25 mg/m³, 1 ppm Skin		
124-38-9 carbon dioxide			
WEL (Great Britain)	Short-term value: 27400 mg/m³, 15000 ppm Long-term value: 9150 mg/m³, 5000 ppm		
IOELV (European Union)	Long-term value: 9000 mg/m³, 5000 ppm		
· DNFI s			

DNELS

94-36-0 dibenzoyl peroxide

Oral	general population, long term, systemic	2 mg/Kg (not defined)
Dermal	worker industrial, long term, systemic	13.3 mg/Kg/d (not defined)
Inhalative	worker industrial, long term, systemic	39 mg/m3 (not defined)

· PNECs

94-36-0 dibenzoyl peroxide

freshwater	0.00002 mg/l (not defined)
	0.000002 mg/l (not defined)
	0.35 mg/l (not defined)
	0.013 mg/Kg (not defined)
sediment, dry weight, marine water	0.001 mg/Kg (not defined)
soil, dry weight	0.003 mg/Kg (not defined)

[·] Additional information: The lists that were valid during the compilation were used as basis.

· 8.2 Exposure controls

Individual protection measures, such as personal protective equipment

General protective and hygienic measures

Do not eat or drink while working.

The usual precautionary measures should be adhered to in handling the chemicals.

Instantly remove any soiled and impregnated garments.

Wash hands during breaks and at the end of the work.

Avoid contact with the eyes and skin.

· Breathing equipment:

Use a mask with particle filter in case of dust generation. Filter P2.

· Hand protection

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

(Contd. on page 5)



Printing date 07.04.2022

Version number 2 (replaces version 1)

Revision: 07.04.2022

Trade name: Technovit 8100 Hardener new

(Contd. of page 4)

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Check protective gloves prior to each use for their proper condition.

Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Chloroprene rubber, CR NBR: acrylonitrile-butadiene rubber

Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye/face protection Safety glasses

· Body protection: Light weight protective clothing

Environmental exposure controls

Do not allow to enter drainage system, surface or ground water.

SECTION 9: Physical and chemical properties

· 9.1 Information on basic physical and chemical properties

General Information

Physical state Solid. · Colour: White

· Smell: Weak, characteristic Odour threshold: Not determined. · Melting point/freezing point: Not determined

Boiling point or initial boiling point and

365 °C (94-36-0 dibenzoyl peroxide) boiling range · Flammability May cause fire.

· Lower and upper explosion limit

Not determined. · Lower: Upper: Not determined. Flash point: Not applicable Decomposition temperature: 55 °C (SADT)

SADT

Not applicable.

Viscosity:

Kinematic viscosity Not applicable. dynamic: Not applicable. Solubility

Water:

Insoluble

Partition coefficient n-octanol/water (log Not determined. value) Not applicable.

· Steam pressure: Density and/or relative density

· Density Not determined Relative density Not determined. · Vapour density Not applicable.

· 9.2 Other information No further relevant information available.

Appearance:

Form: Powder

(Contd. on page 6)



Printing date 07.04.2022

Version number 2 (replaces version 1)

Revision: 07.04.2022

Trade name: Technovit 8100 Hardener new

(Contd.	of	page	5)
---------	----	------	----

	(Contd. of page 5)
Important information on protection of health and environment, and on safety. Self-inflammability:	Product is not selfigniting.
· Explosive properties:	Extreme risk of explosion by shock, friction, fire or other sources of ignition.
Change in condition Evaporation rate	Not applicable.
Information with regard to physical hazard classes	
Explosives	Void Void
· Flammable gases	Void Void
· Aerosols	Void Void
· Oxidising gases	Void Void
Gases under pressure	Void Void
· Flammable liquids	Void Void
Flammable solids	Void Void
· Self-reactive substances and mixtures	Void Void
Pyrophoric liquids	Void Void
Pyrophoric solids	Void Void Void
Substances and mixtures	Void
Substances and mixtures, which emit flammable gases in contact with water	Void Void
· Oxidising liquids	Void Void
Oxidising solids	Void Void
Organic peroxides	Heating may cause a fire. Void
· Corrosive to metals	Void Void
Desensitised explosives	Void Void

SECTION 10: Stability and reactivity

- · 10.1 Reactivity No further relevant information available. · 10.2 Chemical stability
- - Conditions to be avoided:

Auto-catalytic thermal decomposition
Visible decomposition with spontaneous ignition on heating
Protect from heat and direct sunlight.

(Contd. on page 7)



Revision: 07.04.2022

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 07.04.2022

Version number 2 (replaces version 1)

11-------

Trade name: Technovit 8100 Hardener new

(Contd. of page 6)

Keep ignition sources away - Do not smoke.

· 10.3 Possibility of hazardous reactions

Risk of dust explosion if enriched with fine dust in presence of air Toxic fumes may be released if heated above the decomposition point Can react violently with oxygen rich (oxidizing) material. Explosive. Explosive when dry

Self igniting at raised temperature

- · 10.4 Conditions to avoid Heat, flames and sparks.
- · 10.5 Incompatible materials:

metals

reducing agent

Strong acids

· 10.6 Hazardous decomposition products:

Benzol

Carbon dioxide

· Additional information: -

SECTION 11: Toxicological information

- · 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008
 - Acute toxicity Based on available data, the classification criteria are not met.
 - · LD/LC50 values that are relevant for classification:

94-36-0 dibenzoyl peroxide

Oral LD0 >2,000 mg/kg (mouse) (OECD 401)

Inhalative LC0/4h 24.3 ppm (rat) (OECD 403)

- Skin corrosion/irritation Based on available data, the classification criteria are not met.
- · Serious eye damage/irritation Causes serious eye irritation.
- · Respiratory or skin sensitisation May cause an allergic skin reaction.
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- Carcinogenicity Based on available data, the classification criteria are not met.
- Reproductive toxicity Based on available data, the classification criteria are not met.
- · STOT-single exposure Based on available data, the classification criteria are not met.
- STOT-repeated exposure Based on available data, the classification criteria are not met.
- Aspiration hazard Based on available data, the classification criteria are not met.
- 11.2 Information on other hazards
 - Endocrine disrupting properties

None of the ingredients is listed.

SECTION 12: Ecological information

· 12.1 Toxicity

· Aquatic toxicity:

94-36-0 dibenzoyl peroxide

EC50/72h 0.042 mg/l (algae) (OECD 201) EC50/48h 0.11 mg/l (daphnia) (OECD 202)

LC50/96h 0.06 mg/l (fish) (OECD 203)

ErC50 / 72 h | 0.071 mg/l (algae) (OECD 201) NOEC / 72h | 0.02 mg/l (algae) (OECD 201)

NOEC / 96h | 0.032 mg/l (fish) (OECD 203)

(Contd. on page 8)



Printing date 07.04.2022

Version number 2 (replaces version 1)

Revision: 07.04.2022

Trade name: Technovit 8100 Hardener new

(Contd. of page 7)

NOEC / 48h | 0.076 mg/l (daphnia) (OECD 202) ErC10 | 0.001 mg/L /21d (daphnia) (OECD 211)

12.2 Persistence and degradability

94-36-0 dibenzoyl peroxide

Biodegradation 71 % /28d (not defined) (OECD 301D)

- · 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- · 12.5 Results of PBT and vPvB assessment
 - · PBT: Not applicable.
 - · vPvB: Not applicable.
- 12.6 Endocrine disrupting properties

For information on endocrine disrupting properties see section 11.

- · 12.7 Other adverse effects
 - · Remark: Very toxic for fish
 - Additional ecological information:
 - · General notes:

Also poisonous for fish and plankton in water bodies.

Very toxic for aquatic organisms

Do not allow product to reach ground water, water bodies or sewage system.

Danger to drinking water if even small quantities leak into soil.

SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

Recommendation

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

Disposal must be made according to official regulations.

- · Uncleaned packagings:
 - Recommendation:

Disposal must be made according to official regulations.

Non contaminated packagings can be used for recycling.

SECTION 14: Transport information

· 14.1 UN number of ID number · ADR, IMDG, IATA	UN3106
· 14.2 UN proper shipping name · ADR	3106 ORGANIC PEROXIDE TYPE D, SOLID (dibenzoyl peroxide)
· IMDG	ORGANIC PEROXIDE TYPE D, SOLID (dibenzoyl peroxide), MARINE POLLUTANT
·IATA	ORGAŇÍC PERÓXIDE TYPE D, SOLID (dibenzoyl peroxide)

(Contd. on page 9)



Printing date 07.04.2022

Version number 2 (replaces version 1)

Revision: 07.04.2022

Trade name: Technovit 8100 Hardener new

(Contd. of page 8)

· 14.3 Transport hazard class(es)

· ADR



· Class

· Label

5.2 (P1) Organic peroxides.

·IMDG





· Class

· Label

5.2 Organic peroxides.

·IATA



· Class · Label 5.2 Organic peroxides.

14.4 Packing group ADR, IMDG, IATA

Void

· 14.5 Environmental hazards: Marine pollutant:

· Special marking (ADR):

Symbol (fish and tree) Symbol (fish and tree)

· 14.6 Special precautions for user

Kemler Number:

· EMS Number:

· Stowage Category

· Stowage Code · Segregation Code Warning: Organic peroxides.

F-J,S-R

SW1 Protected from sources of heat.

SG35 Stow "separated from" SGG1-acids SG36 Stow "separated from" SGG18-alkalis. SG72 See 7.2.6.3.2.

· 14.7 Maritime transport in bulk according to **IMO** instruments

Not applicable.

Transport/Additional information:

Limited quantities (LQ)

Excepted quantities (ÉQ)

500 g Code: E0

Not permitted as Excepted Quantity

· Transport category Tunnel restriction code D

(Contd. on page 10)



Printing date 07.04.2022

Version number 2 (replaces version 1)

Revision: 07.04.2022

Trade name: Technovit 8100 Hardener new

(Contd. of page 9)

·IMDG

500 g Limited quantities (LQ) Excepted quantities (EQ) Code: E0

Not permitted as Excepted Quantity

UN 3106 ORGANIC PEROXIDE TYPE D, SOLID UN "Model Regulation":

(DIBENZOYL PEROXIDE), 5.2

SECTION 15: Regulatory information

- · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
 - · Directive 2012/18/EU
 - · Named dangerous substances ANNEX I None of the ingredients is listed.

Seveso category
P6b SELF-REACTIVE SUBSTANCES AND MIXTURES and ORGANIC PEROXIDES E1 Hazardous to the Aquatic Environment

- Qualifying quantity (tonnes) for the application of lower-tier requirements 50 t
- Qualifying quantity (tonnes) for the application of upper-tier requirements 200 t
- · Information about limitation of use:

Employment restrictions concerning young persons must be observed.

15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Relevant phrases

H241 Heating may cause a fire or explosion.

H317 May cause an allergic skin reaction.

H319 Causes serious eye irritation.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

H411 Toxic to aquatic life with long lasting effects.

Abbreviations and acronyms:

SADT: Self Accelerating Decomposition Temperature

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement

Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)
DNEL: Derived No-Effect Level (GB REACH)

PNEC: Predicted No-Effect Concentration (GB REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

PB1. Persistent, Bloaccumulative and Toxic
vPvB: very Persistent and very Bioaccumulative
Self-react. B: Self-reactive substances and mixtures – Type B
Org. Perox. B: Organic peroxides – Type B
Org. Perox. D: Organic peroxides – Type C/D
Eye Irrit. 2: Serious eye damage/eye irritation – Category 2
Skin Sens. 1: Skin sensitisation – Category 1
Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1

(Contd. on page 11)



Printing date 07.04.2022

Version number 2 (replaces version 1)

Revision: 07.04.2022

Trade name: Technovit 8100 Hardener new

(Contd. of page 10)

Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 1 Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard – Category 2

Sources

(EC) 1272/2008: classification, labelling and packaging of substances and mixtures (EC) 1907/2006: GB REACH

ADR/RID/ADN - IDMG - IATA: transport of dangerous goods by road, rail, inland waterway, with maritime vessels and for the air transport

* Data compared to the previous version altered.

GB -