

## Safety Data Sheet

according to UK REACH Regulation

### Caustic potash solution / potassium hydroxide / KOH 1 mol/l

Revision date: 24.05.2024

Product code: 11250.xxxxx

Page 1 of 13

#### SECTION 1: Identification of the substance/mixture and of the company/undertaking

##### 1.1. Product identifier

Caustic potash solution / potassium hydroxide / KOH 1 mol/l

UFI: RV40-61T9-Q00R-KVXV

##### 1.2. Relevant identified uses of the substance or mixture and uses advised against

###### Use of the substance/mixture

laboratory reagent

###### Uses advised against

Any non-intended use.

##### 1.3. Details of the supplier of the safety data sheet

|                 |                                    |                                   |
|-----------------|------------------------------------|-----------------------------------|
| Company name:   | MORPHISTO GmbH                     |                                   |
| Street:         | Schumannstr. 142/144               |                                   |
| Place:          | D-63069 Offenbach                  |                                   |
| Telephone:      | +49 (0) 69 / 400 3019-60           | Telefax: +49 (0) 69 / 400 3019-64 |
| E-mail:         | info@morphisto.de                  |                                   |
| Contact person: | Morphisto GmbH                     |                                   |
| E-mail:         | gefahrstoffmanagement@morphisto.de |                                   |
| Internet:       | http://www.morphisto.de            |                                   |

##### 1.4. Emergency telephone number:

Poison Information Center Mainz, Germany, Tel: +49(0)6131/19240

#### SECTION 2: Hazards identification

##### 2.1. Classification of the substance or mixture

###### GB CLP Regulation

Met. Corr. 1; H290  
Skin Corr. 1A; H314  
Eye Dam. 1; H318

Full text of hazard statements: see SECTION 16.

##### 2.2. Label elements

###### GB CLP Regulation

###### Hazard components for labelling

potassium hydroxide

Signal word: Danger

###### Pictograms:



###### Hazard statements

H290 May be corrosive to metals.  
H314 Causes severe skin burns and eye damage.

###### Precautionary statements

P260 Do not breathe mist/vapours/spray.  
P280 Wear protective gloves/protective clothing and eye protection/face protection.  
P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.  
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

## Safety Data Sheet

according to UK REACH Regulation

### Caustic potash solution / potassium hydroxide / KOH 1 mol/l

Revision date: 24.05.2024

Product code: 11250.xxxxx

Page 2 of 13

P310

present and easy to do. Continue rinsing.

Immediately call a POISON CENTER/doctor.

**Labelling of packages where the contents do not exceed 125 ml**

**Signal word:**

Danger

**Pictograms:**



#### Hazard statements

H314

#### Precautionary statements

P260-P280-P303+P361+P353-P305+P351+P338-P310

#### 2.3. Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulating and toxic (PBT) or very persistent and very bioaccumulating (vPvB) at levels of 0.1% or higher. Ecological information: The substance/mixture does not contain any components that are considered to be hazardous according to REACH Article 57(f) or Commission Delegated Regulation (EU) 2017/2100 or Commission Delegated Regulation (EU) 2018/605 in amounts of 0.1 % or more have endocrine disrupting properties. Toxicological information: The substance/mixture does not contain any components that are to be classified according to REACH Article 57(f) or Commission Delegated Regulation (EU) 2017/2100 or Commission Delegated Regulation (EU) 2018/605 in quantities of 0.1 % or more have endocrine disrupting properties.

### SECTION 3: Composition/information on ingredients

#### 3.2. Mixtures

##### Relevant ingredients

| CAS No    | Chemical name                                                              |              |                  | Quantity   |
|-----------|----------------------------------------------------------------------------|--------------|------------------|------------|
|           | EC No                                                                      | Index No     | REACH No         |            |
|           | Classification (GB CLP Regulation)                                         |              |                  |            |
| 1310-58-3 | potassium hydroxide                                                        |              |                  | 5 - < 10 % |
|           | 215-181-3                                                                  | 019-002-00-8 | 01-2119487136-33 |            |
|           | Met. Corr. 1, Acute Tox. 4, Skin Corr. 1A, Eye Dam. 1; H290 H302 H314 H318 |              |                  |            |

Full text of H and EUH statements: see section 16.

##### Specific Conc. Limits, M-factors and ATE

| CAS No    | EC No     | Chemical name                                                                                                                                                | Quantity   |
|-----------|-----------|--------------------------------------------------------------------------------------------------------------------------------------------------------------|------------|
|           |           | Specific Conc. Limits, M-factors and ATE                                                                                                                     |            |
| 1310-58-3 | 215-181-3 | potassium hydroxide                                                                                                                                          | 5 - < 10 % |
|           |           | oral: LD50 = 333 mg/kg Skin Corr. 1A; H314: >= 5 - 100 Skin Corr. 1B; H314: >= 2 - < 5<br>Skin Irrit. 2; H315: >= 0,5 - < 2 Eye Irrit. 2; H319: >= 0,5 - < 2 |            |

#### Further Information

This product contains no substances of very high concern (SVHC) (>0,1%) which are included in the Candidate List according to Article 59 of REACH.

### SECTION 4: First aid measures

#### 4.1. Description of first aid measures

##### General information

First aider: Pay attention to self-protection! Remove affected person from the danger area and lay down. In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

**Safety Data Sheet**

according to UK REACH Regulation

**Caustic potash solution / potassium hydroxide / KOH 1 mol/l**

Revision date: 24.05.2024

Product code: 11250.xxxxx

Page 3 of 13

**After inhalation**

Provide fresh air. Medical treatment necessary. In case of accident by inhalation: remove casualty to fresh air and keep at rest. In case of respiratory tract irritation, consult a physician.

**After contact with skin**

After contact with skin, wash immediately with plenty of water and soap. Take off immediately all contaminated clothing and wash it before reuse. If skin irritation occurs: Get medical advice/attention.

**After contact with eyes**

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist. Danger of blindness!

**After ingestion**

Rinse mouth immediately and drink 1 glass of water. Adverse human health effects and symptoms: Gastric perforation. Call a physician immediately. Do not allow a neutralisation agent to be drunk. Do NOT induce vomiting. Rinse mouth thoroughly with water. Let water be drunk in little sips (dilution effect). Observe risk of aspiration if vomiting occurs. Never give anything by mouth to an unconscious person or a person with cramps. When in doubt or if symptoms are observed, get medical advice.

**4.2. Most important symptoms and effects, both acute and delayed**

If swallowed danger of perforation of the esophagus and the stomach (strong corrosive effects).

**4.3. Indication of any immediate medical attention and special treatment needed**

Treat symptomatically.

**SECTION 5: Firefighting measures****5.1. Extinguishing media****Suitable extinguishing media**

Co-ordinate fire-fighting measures to the fire surroundings. Sand. Foam. Carbon dioxide (CO<sub>2</sub>). Extinguishing powder.

In case of major fire and large quantities: Water spray jet. Water mist.

**Unsuitable extinguishing media**

Full water jet

**5.2. Special hazards arising from the substance or mixture**

Non-flammable. In case of fire may be liberated: Carbon monoxide Carbon dioxide (CO<sub>2</sub>)

**5.3. Advice for firefighters**

Wear a self-contained breathing apparatus and chemical protective clothing. Full protection suit. In case of fire and/or explosion do not breathe fumes.

**Additional information**

Suppress gases/vapours/mists with water spray jet. Collect contaminated fire extinguishing water separately.

Do not allow entering drains or surface water. Co-ordinate fire-fighting measures to the fire surroundings.

Slowly corrodes aluminium and zinc under hydrogen evolution. Explosion hazard.

**SECTION 6: Accidental release measures****6.1. Personal precautions, protective equipment and emergency procedures****General advice**

Provide adequate ventilation. Do not breathe gas/fumes/vapour/spray. Avoid contact with skin, eyes and clothes. Use personal protection equipment.

Special danger of slipping by leaking/spilling product.

**6.2. Environmental precautions**

Do not allow to enter into surface water or drains. Prevent spread over a wide area (e.g. by containment or oil barriers). Do not allow to enter into soil/subsoil.

**6.3. Methods and material for containment and cleaning up**

**Safety Data Sheet**

according to UK REACH Regulation

**Caustic potash solution / potassium hydroxide / KOH 1 mol/l**

Revision date: 24.05.2024

Product code: 11250.xxxxx

Page 4 of 13

**For cleaning up**

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

**Other information**

Clean contaminated objects and areas thoroughly observing environmental regulations.

**6.4. Reference to other sections**

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

**SECTION 7: Handling and storage****7.1. Precautions for safe handling****Advice on safe handling**

If handled uncovered, arrangements with local exhaust ventilation have to be used. Do not breathe gas/fumes/vapour/spray. Wear suitable protective clothing. ( See section 8. )

Conditions to avoid: aerosol or mist formation

Avoid contact with skin, eyes and clothes.

**Advice on protection against fire and explosion**

Usual measures for fire prevention.

**Advice on general occupational hygiene**

Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme.

Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat, drink, smoke, sniff.

**Further information on handling**

Advices on general occupational hygiene: See section 8.

**7.2. Conditions for safe storage, including any incompatibilities****Requirements for storage rooms and vessels**

Keep container tightly closed. Keep locked up. Store in a place accessible by authorized persons only. Provide adequate ventilation as well as local exhaustion at critical locations. Unsuitable container/equipment material:

Metal. Only use containers specifically approved for the substance/product.

Make sure spills can be contained (e.g. sump pallets or kerbed areas).

**Hints on joint storage**

Do not store together with: Explosives. Oxidizing solids. Oxidizing liquids. Organic peroxides. Self-reactive substances and mixtures. Radioactive substances. Infectious substances.

**Further information on storage conditions**

Recommended storage temperature: 15-25 °C

Protect against: frost. UV-radiation/sunlight. heat. Humidity

**7.3. Specific end use(s)**

See section 1.

**SECTION 8: Exposure controls/personal protection****8.1. Control parameters****Exposure limits (EH40)**

| CAS No    | Substance           | ppm | mg/m <sup>3</sup> | fibres/ml | Category      | Origin |
|-----------|---------------------|-----|-------------------|-----------|---------------|--------|
| 1310-58-3 | Potassium hydroxide | -   | 2                 |           | STEL (15 min) | WEL    |

## Safety Data Sheet

according to UK REACH Regulation

### Caustic potash solution / potassium hydroxide / KOH 1 mol/l

Revision date: 24.05.2024

Product code: 11250.xxxxx

Page 5 of 13

#### DNEL/DMEL values

| CAS No                   | Substance           | Exposure route | Effect | Value               |
|--------------------------|---------------------|----------------|--------|---------------------|
| 1310-58-3                | potassium hydroxide |                |        |                     |
| Worker DNEL, long-term   |                     | inhalation     | local  | 1 mg/m <sup>3</sup> |
| Consumer DNEL, long-term |                     | inhalation     | local  | 1 mg/m <sup>3</sup> |

#### 8.2. Exposure controls



##### Appropriate engineering controls

If handled uncovered, arrangements with local exhaust ventilation have to be used. Do not breathe gas/fumes/vapour/spray. Provide adequate ventilation.

##### Individual protection measures, such as personal protective equipment

##### Eye/face protection

Suitable eye protection: goggles. Wear eye/face protection. EN 166

##### Hand protection

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. Wear suitable gloves.

Suitable material:

FKM (fluororubber). - Thickness of glove material: 0,4 mm

Breakthrough time  $\geq$  8 h

Butyl rubber. - Thickness of glove material: 0,5 mm

Breakthrough time  $\geq$  8 h

CR (polychloroprenes, Chloroprene rubber). - Thickness of glove material: 0,5 mm

Breakthrough time  $\geq$  8 h

NBR (Nitrile rubber). - Thickness of glove material: 0,35 mm

Breakthrough time  $\geq$  8 h

PVC (Polyvinyl chloride). - Thickness of glove material: 0,5 mm

Breakthrough time  $\geq$  8 h

The selected protective gloves have to satisfy the specifications of EU Directive 89/686/EEC and the standard EN 374 derived from it.

Before using check leak tightness / impermeability. In the case of wanting to use the gloves again, clean them before taking off and air them well.

##### Skin protection

Use of protective clothing. Suitable protective clothing: Lab apron.

Minimum standard for preventive measures while handling with working materials are specified in the TRGS 500 (D).

##### Respiratory protection

In case of inadequate ventilation wear respiratory protection. With correct and proper use, and under normal conditions, breathing protection is not required.

Respiratory protection necessary at:

-exceeding exposure limit values

-insufficient ventilation and aerosol or mist formation

Suitable respiratory protective equipment: particulates filter device (DIN EN 143). Type: P1-3

The filter class must be suitable for the maximum contaminant concentration (gas/vapour/aerosol/particulates) that may arise when handling the product. If the concentration is exceeded, self-contained breathing apparatus

## Safety Data Sheet

according to UK REACH Regulation

### Caustic potash solution / potassium hydroxide / KOH 1 mol/l

Revision date: 24.05.2024

Product code: 11250.xxxxx

Page 6 of 13

must be used. The wearing time limitations according to GefStoffV in conjunction with the rules for the use of respiratory protective devices (BGR 190) must be observed.

#### Environmental exposure controls

No information available.

### SECTION 9: Physical and chemical properties

#### 9.1. Information on basic physical and chemical properties

|                                                           |                           |
|-----------------------------------------------------------|---------------------------|
| Physical state:                                           | Liquid                    |
| Colour:                                                   | colourless                |
| Odour:                                                    | odourless                 |
| Melting point/freezing point:                             | No information available. |
| Boiling point or initial boiling point and boiling range: | >100 °C                   |
| Flammability:                                             | No information available. |
| Lower explosion limits:                                   | No information available. |
| Upper explosion limits:                                   | No information available. |
| Flash point:                                              | No information available. |
| Auto-ignition temperature:                                | No information available. |
| Decomposition temperature:                                | No information available. |
| pH-Value (at 20 °C):                                      | 12,5-13,5                 |
| Viscosity / kinematic:                                    | No information available. |
| Water solubility:                                         | No information available. |
| Solubility in other solvents                              | No information available. |
| Partition coefficient n-octanol/water:                    | No information available. |
| Vapour pressure:                                          | 23 hPa                    |
| (at 20 °C)                                                |                           |
| Vapour pressure:                                          | No information available. |
| (at 50 °C)                                                |                           |
| Density (at 20 °C):                                       | 1,03 g/cm³                |
| Bulk density:                                             | No information available. |
| Relative vapour density:                                  | No information available. |
| Particle characteristics:                                 | not applicable            |

#### 9.2. Other information

##### Information with regard to physical hazard classes

##### Explosive properties

The product is not: Explosive. none

##### Sustaining combustion:

Not sustaining combustion

##### Self-ignition temperature

Solid:

No information available.

Gas:

No information available.

##### Oxidizing properties

none

##### Other safety characteristics

##### Evaporation rate:

No information available.

##### Solvent separation test:

No information available.

##### Solvent content:

No information available.

##### Solid content:

No information available.

##### Sublimation point:

No information available.

##### Softening point:

No information available.

##### Pour point:

No information available.

##### Viscosity / dynamic:

No information available.

**Safety Data Sheet**

according to UK REACH Regulation

**Caustic potash solution / potassium hydroxide / KOH 1 mol/l**

Revision date: 24.05.2024

Product code: 11250.xxxxx

Page 7 of 13

Flow time:

No information available.

**SECTION 10: Stability and reactivity****10.1. Reactivity**

Corrosive to metals.

**10.2. Chemical stability**

The product is chemically stable under recommended conditions of storage, use and temperature.

**10.3. Possibility of hazardous reactions**

Exothermic reaction with: Acid, Peroxides, Oxidizing agent. Refer to section 10.5.

**10.4. Conditions to avoid**

Protect against: UV-radiation/sunlight. heat.

**10.5. Incompatible materials**

Metal. Keep away from: Acid, Oxidizing agent, Peroxides. Materials to avoid: Oxidizing agents, strong.

Reducing agents, strong.

Possibly extensive generation of hydrogen on contact with amphoteric metals (e.g. aluminium, lead, zinc) (explosive hazard!).

**10.6. Hazardous decomposition products**In case of fire may be liberated: Carbon monoxide Carbon dioxide (CO<sub>2</sub>)**SECTION 11: Toxicological information****11.1. Information on hazard classes as defined in GB CLP Regulation****Acute toxicity**

Based on available data, the classification criteria are not met.

**ATEmix calculated**

ATE (oral) 6271 mg/kg; ATE (dermal) &gt; 2000 mg/kg; ATE (inhalation vapour) &gt; 20 mg/l; ATE (inhalation dust/mist) &gt; 5 mg/l

| CAS No    | Chemical name       |                |         |        |        |
|-----------|---------------------|----------------|---------|--------|--------|
|           | Exposure route      | Dose           | Species | Source | Method |
| 1310-58-3 | potassium hydroxide |                |         |        |        |
|           | oral                | LD50 333 mg/kg | Rat     | ECHA   |        |

**Irritation and corrosivity**

Skin corrosion/irritation: Causes severe skin burns and eye damage.

Serious eye damage/eye irritation: Causes serious eye damage.

**Sensitising effects**

Based on available data, the classification criteria are not met.

**Carcinogenic/mutagenic/toxic effects for reproduction**

Germ cell mutagenicity: Based on available data, the classification criteria are not met.

Carcinogenicity: Based on available data, the classification criteria are not met.

Reproductive toxicity: Based on available data, the classification criteria are not met.

**STOT-single exposure**

Based on available data, the classification criteria are not met.

**STOT-repeated exposure**

Based on available data, the classification criteria are not met.

**Aspiration hazard**

Based on available data, the classification criteria are not met.

**11.2. Information on other hazards**

**Safety Data Sheet**

according to UK REACH Regulation

**Caustic potash solution / potassium hydroxide / KOH 1 mol/l**

Revision date: 24.05.2024

Product code: 11250.xxxxx

Page 8 of 13

**Endocrine disrupting properties**

This product does not contain any substance that has endocrine disrupting properties in humans as no ingredient meets the criteria.

**Other information**

The mixture is classified as hazardous according to regulation (EC) No 1272/2008 [CLP].

**SECTION 12: Ecological information****12.1. Toxicity**

Based on available data, the classification criteria are not met.

**12.2. Persistence and degradability**

The product has not been tested.

**12.3. Bioaccumulative potential**

No indication of bioaccumulation potential.

**12.4. Mobility in soil**

No information available.

**12.5. Results of PBT and vPvB assessment**

The substances in the mixture do not meet the PBT/vPvB criteria according to UK REACH.

**12.6. Endocrine disrupting properties**

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

**12.7. Other adverse effects**

No information available.

**Further information**

Avoid release to the environment.

**SECTION 13: Disposal considerations****13.1. Waste treatment methods****Disposal recommendations**

Do not allow to enter into surface water or drains. Dispose of waste according to applicable legislation. Consult the local waste disposal expert about waste disposal. Non-contaminated packages may be recycled. The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

Control report for waste code/ waste marking according to (EWC) European Waste Catalogue:

**List of Wastes Code - residues/unused products**

060204 WASTES FROM INORGANIC CHEMICAL PROCESSES; wastes from the MFSU of bases; sodium and potassium hydroxide; hazardous waste

**List of Wastes Code - used product**

060204 WASTES FROM INORGANIC CHEMICAL PROCESSES; wastes from the MFSU of bases; sodium and potassium hydroxide; hazardous waste

**List of Wastes Code - contaminated packaging**

150110 WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED; packaging (including separately collected municipal packaging waste); packaging containing residues of or contaminated by hazardous substances; hazardous waste

**Contaminated packaging**

Wash with plenty of water. Completely emptied packages can be recycled. Handle contaminated packages in the same way as the substance itself.

**SECTION 14: Transport information**

## Safety Data Sheet

according to UK REACH Regulation

### Caustic potash solution / potassium hydroxide / KOH 1 mol/l

Revision date: 24.05.2024

Product code: 11250.xxxxx

Page 9 of 13

#### Land transport (ADR/RID)

**14.1. UN number or ID number:**  
**14.2. UN proper shipping name:**  
**14.3. Transport hazard class(es):**  
**14.4. Packing group:**  
Hazard label:

UN 1814  
POTASSIUM HYDROXIDE SOLUTION  
8  
II  
8



Classification code: C5  
Limited quantity: 1 L  
Excepted quantity: E2  
Transport category: 2  
Hazard No: 80  
Tunnel restriction code: E

#### Inland waterways transport (ADN)

**14.1. UN number or ID number:**  
**14.2. UN proper shipping name:**  
**14.3. Transport hazard class(es):**  
**14.4. Packing group:**  
Hazard label:

UN 1814  
POTASSIUM HYDROXIDE SOLUTION  
8  
II  
8



Classification code: C5  
Limited quantity: 1 L  
Excepted quantity: E2

#### Marine transport (IMDG)

**14.1. UN number or ID number:**  
**14.2. UN proper shipping name:**  
**14.3. Transport hazard class(es):**  
**14.4. Packing group:**  
Hazard label:

UN 1814  
POTASSIUM HYDROXIDE SOLUTION  
8  
II  
8



Special Provisions: -  
Limited quantity: 1 L  
Excepted quantity: E2  
EmS: F-A, S-B  
Segregation group: 18 - alkalis

#### Air transport (ICAO-TI/IATA-DGR)

**14.1. UN number or ID number:**  
**14.2. UN proper shipping name:**  
**14.3. Transport hazard class(es):**  
**14.4. Packing group:**  
Hazard label:

UN 1814  
POTASSIUM HYDROXIDE SOLUTION  
8  
II  
8



**Safety Data Sheet**

according to UK REACH Regulation

**Caustic potash solution / potassium hydroxide / KOH 1 mol/l**

Revision date: 24.05.2024

Product code: 11250.xxxxx

Page 10 of 13

|                                        |         |      |
|----------------------------------------|---------|------|
| Special Provisions:                    | A3 A803 |      |
| Limited quantity Passenger:            | 0.5 L   |      |
| Passenger LQ:                          | Y840    |      |
| Excepted quantity:                     | E2      |      |
| IATA-packing instructions - Passenger: |         | 851  |
| IATA-max. quantity - Passenger:        |         | 1 L  |
| IATA-packing instructions - Cargo:     |         | 855  |
| IATA-max. quantity - Cargo:            |         | 30 L |

**14.5. Environmental hazards**

ENVIRONMENTALLY HAZARDOUS: No

**14.6. Special precautions for user**

Warning: strongly corrosive. Safe handling: see section 7

Personal protection equipment: see section 8

**14.7. Maritime transport in bulk according to IMO instruments**

not relevant

**SECTION 15: Regulatory information****15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture****EU regulatory information**

Restrictions on use (REACH, annex XVII):

Entry 3, Entry 75

Directive 2010/75/EU on industrial emissions: No information available.

Directive 2004/42/EC on VOC in paints and varnishes: No information available.

Information according to Directive 2012/18/EU (SEVESO III): Not subject to 2012/18/EU (SEVESO III)

**Additional information**

The mixture is classified as hazardous according to regulation (EC) No 1272/2008 [CLP].

**National regulatory information**

Employment restrictions: Observe restrictions to employment for juveniles according to the 'juvenile work protection guideline' (94/33/EC).

Water hazard class (D): 1 - slightly hazardous to water

**15.2. Chemical safety assessment**For the following substances of this mixture a chemical safety assessment has been carried out:  
potassium hydroxide**SECTION 16: Other information****Changes**

Rev. : 1,0 -

**Safety Data Sheet**

according to UK REACH Regulation

**Caustic potash solution / potassium hydroxide / KOH 1 mol/l**

Revision date: 24.05.2024

Product code: 11250.xxxxx

Page 11 of 13

**Abbreviations and acronyms**

Met. Corr: Corrosive to metals  
Acute Tox: Acute toxicity  
Skin Corr: Skin corrosion  
Eye Dam: Eye damage  
ADR: Accord européen sur le transport des marchandises dangereuses par Route  
AwSV: Verordnung über Anlagen zum Umgang mit wassergefährdenden Stoffen  
AGW: Arbeitsplatzgrenzwert  
AVV: Abfallverzeichnisverordnung  
CAS: Chemical Abstracts Service  
CLP: Classification, Labelling and Packaging of substances and mixtures  
DNEL: Derived No Effect Level  
d: day(s)  
EAKV: Europäisches Abfallverzeichnis gemäß Entwurf Abfallverzeichnisverordnung  
EINECS: European INventory of Existing Commercial chemical Substances  
ELINCS: European List of Notified Chemical Substances  
ECHA: European Chemicals Agency  
EWC: European Waste Catalogue  
IARC: INTERNATIONAL AGENCY FOR RESEARCH ON CANCER  
IMDG: International Maritime Code for Dangerous Goods  
IATA: International Air Transport Association  
IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)  
ICAO: International Civil Aviation Organization  
ICAO-TI: Technical Instructions by the "International Civil Aviation Organization" (ICAO)  
GHS: Globally Harmonized System of Classification and Labelling of Chemicals  
GefStoffV: Gefahrstoffverordnung (Ordinance on Hazardous Substances, Germany)  
h: hour  
LOAEL: Lowest observed adverse effect level  
LOAEC: Lowest observed adverse effect concentration  
LC50: Lethal concentration, 50 percent  
LD50: Lethal dose, 50 percent  
NOAEL: No observed adverse effect level  
NOAEC: No observed adverse effect level  
NLP: No-Longer Polymers  
N/A: not applicable  
OECD: Organisation for Economic Co-operation and Development  
PNEC: predicted no effect concentration  
PBT: Persistent bioaccumulative toxic  
RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail )  
REACH: Registration, Evaluation, Authorisation of Chemicals  
SVHC: substance of very high concern  
TRGS Technische Regeln fuer Gefahrstoffe  
UN: United Nations  
VOC: Volatile Organic Compounds  
VwVwS: Verwaltungsvorschrift wassergefährdender Stoffe  
WGK: Wassergefährdungsklasse  
CLP: Classification, labelling and Packaging  
REACH: Registration, Evaluation and Authorization of Chemicals  
GHS: Globally Harmonised System of Classification, Labelling and Packaging of Chemicals  
UN: United Nations  
CAS: Chemical Abstracts Service  
DNEL: Derived No Effect Level  
DMEL: Derived Minimal Effect Level  
PNEC: Predicted No Effect Concentration  
ATE: Acute toxicity estimate

## Safety Data Sheet

according to UK REACH Regulation

### Caustic potash solution / potassium hydroxide / KOH 1 mol/l

Revision date: 24.05.2024

Product code: 11250.xxxxx

Page 12 of 13

LL50: Lethal loading, 50%  
 EL50: Effect loading, 50%  
 EC50: Effective Concentration 50%  
 ErC50: Effective Concentration 50%, growth rate  
 NOEC: No Observed Effect Concentration  
 BCF: Bio-concentration factor  
 PBT: persistent, bioaccumulative, toxic  
 vPvB: very persistent, very bioaccumulative  
 ADR: Accord européen sur le transport des marchandises dangereuses par Route  
 (European Agreement concerning the International Carriage of Dangerous Goods by Road)  
 RID: Regulations concerning the international carriage of dangerous goods by rail  
 ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways  
 (Accord européen relatif au transport international des marchandises dangereuses par voies de navigation  
 intérieures)  
 EmS: Emergency Schedules  
 MFAG: Medical First Aid Guide  
 MARPOL: International Convention for the Prevention of Marine Pollution from Ships  
 IBC: Intermediate Bulk Container  
 For abbreviations and acronyms, see: ECHA Guidance on information requirements and chemical safety  
 assessment, chapter R.20 (Table of terms and abbreviations).  
 EC/EEC: European Community/European Economic Community  
 EU: European Union  
 M-factor: Multiplying factor  
 IATA: International Air Transport Association  
 DGR: Dangerous Goods Regulations  
 ICAO: International Civil Aviation Organization  
 TI: Technical Instructions  
 VOC: volatile organic compound

#### Classification for mixtures and used evaluation method according to GB CLP Regulation

| Classification      | Classification procedure |
|---------------------|--------------------------|
| Met. Corr. 1; H290  | On basis of test data    |
| Skin Corr. 1A; H314 | Calculation method       |
| Eye Dam. 1; H318    | Calculation method       |

#### Relevant H and EUH statements (number and full text)

H290 May be corrosive to metals.  
 H302 Harmful if swallowed.  
 H314 Causes severe skin burns and eye damage.  
 H318 Causes serious eye damage.

#### Further Information

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights. The receiver of our product is singularly responsible for adhering to existing laws and regulations. Classification according to Regulation (EC) No 1272/2008 [CLP] - Classification procedure:

Health hazards: Calculation method.

Environmental hazards: Calculation method.

Physical hazards: On basis of test data and / or calculated and / or estimated.

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

**Safety Data Sheet**

according to UK REACH Regulation

**Caustic potash solution / potassium hydroxide / KOH 1 mol/l**

Revision date: 24.05.2024

Product code: 11250.xxxxx

Page 13 of 13

*(The data for the relevant ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)*