

Acetic Acid Red 249

Revision date: 17.01.2024

Product code: 18113.xxxxx

Page 1 of 11

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Acetic Acid Red 249

UFI:

V35M-T1TR-S004-CS6N

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

laboratory reagent

Uses advised against

Any non-intended use.

1.3. Details of the supplier of the safety data sheet

| Company name: | MORPHISTO GmbH | |
|--------------------------|-------------------------------------|-----------------------------------|
| Street: | Schumannstr. 144 | |
| Place: | D-63069 Offenbach | |
| Telephone: | +49 (0) 69 / 400 3019-60 | Telefax: +49 (0) 69 / 400 3019-64 |
| E-mail: | info@morphisto.de | |
| Contact person: | Morphisto GmbH | |
| E-mail: | gefahrstoffmanagement@morphisto.c | de |
| Internet: | http://www.morphisto.de | |
| 1.4. Emergency telephone | Morphisto GmbH, Tel: +49(0)69 400 3 | 3019-60, Mo-Fr.: 09-16 Uhr |
| | | |

number:

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

GB CLP Regulation

This mixture is not classified as hazardous in accordance with GB CLP Regulation.

2.2. Label elements

GB CLP Regulation

Special labelling of certain mixtures

EUH210

Safety data sheet available on request.

2.3. Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulating and toxic (PBT) or very persistent and very bioaccumulating (vPvB) at levels of 0.1% or higher. Ecological information: The substance/mixture does not contain any components that are considered to be hazardous according to REACH Article 57(f) or Commission Delegated Regulation (EU) 2017/2100 or Commission Delegated Regulation (EU) 2018/605 in amounts of 0.1 % or more have endocrine disrupting properties. Toxicological information: The substance/mixture does not contain any components that are to be classified according to REACH Article 57(f) or Commission Delegated Regulation (EU) 2017/2100 or Commission Delegated Regulation (EU) 2018/605 in quantities of 0.1 % or more have endocrine disrupting properties.

SECTION 3: Composition/information on ingredients

3.2. Mixtures



according to UK REACH Regulation

Acetic Acid Red 249

Revision date: 17.01.2024

Product code: 18113.xxxxx

Page 2 of 11

Relevant ingredients

| CAS No | Chemical name | Chemical name | | | | |
|---------|----------------------------------------|---------------|------------------|--|--|--|
| | EC No | Index No | REACH No | | | |
| | Classification (GB CLP Regulation) | | | | | |
| 64-19-7 | Acetic acid% | Acetic acid% | | | | |
| | 200-580-7 | 607-002-00-6 | 01-2119475328-30 | | | |
| | Flam. Liq. 3, Skin Corr. 1A; H226 H314 | | | | | |

Full text of H and EUH statements: see section 16.

| Specific Co | Specific Conc. Limits, M-factors and ATE | | | | | |
|-------------|------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------|--|--|--|
| CAS No | EC No Chemical name | | | | | |
| | Specific Conc | . Limits, M-factors and ATE | | | | |
| 64-19-7 | 200-580-7 | Acetic acid% | 1 - < 5 % | | | |
| | | 250 = >40 mg/l (vapours); oral: LD50 = 3530 mg/kg Skin Corr. 1A; H314: >= 90 - rr. 1B; H314: >= 25 - < 90 Skin Irrit. 2; H315: >= 10 - < 25 Eye Irrit. 2; H319: >= | | | | |

Further Information

This product contains no substances of very high concern (SVHC) (>0,1%) which are included in the Candidate List according to Article 59 of REACH.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

After inhalation

Provide fresh air. In case of accident by inhalation: remove casualty to fresh air and keep at rest. In case of respiratory tract irritation, consult a physician.

After contact with skin

Take off contaminated clothing and wash it before reuse. Gently wash with plenty of soap and water. In case of skin irritation, seek medical treatment.

After contact with eyes

Rinse immediately carefully and thoroughly with eye-bath or water. Rinse cautiously with water for several minutes. In case of troubles or persistent symptoms, consult an ophthalmologist.

After ingestion

Observe risk of aspiration if vomiting occurs. Rinse mouth thoroughly with water. Let water be drunken in little sips (dilution effect). Do NOT induce vomiting. In all cases of doubt, or when symptoms persist, seek medical advice.

4.2. Most important symptoms and effects, both acute and delayed

No information available.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings. Carbon dioxide (CO2). Dry extinguishing powder. alcohol resistant foam. Atomized water.



Acetic Acid Red 249

Revision date: 17.01.2024

Product code: 18113.xxxxx

Page 3 of 11

Unsuitable extinguishing media

High power water jet.

5.2. Special hazards arising from the substance or mixture

Non-flammable. In case of fire may be liberated: Carbon monoxide. Carbon dioxide (CO2).

5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus.

Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water. Co-ordinate fire-fighting measures to the fire surroundings.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General advice

Safe handling: see section 7 Personal protection equipment: see section 8

6.2. Environmental precautions

Discharge into the environment must be avoided.

6.3. Methods and material for containment and cleaning up

For cleaning up

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

Other information

Clean contaminated objects and areas thoroughly observing environmental regulations.

6.4. Reference to other sections

Safe handling: see section 7 Personal protection equipment: see section 8 Disposal: see section 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Wear suitable protective clothing. (See section 8.)

Advice on protection against fire and explosion

Usual measures for fire prevention.

Advice on general occupational hygiene

Take off contaminated clothing. Wash hands before breaks and after work. When using do not eat, drink, smoke, sniff. Always close containers tightly after the removal of product.

Further information on handling

General protection and hygiene measures: refer to chapter 8

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep container tightly closed in a cool, well-ventilated place.

Hints on joint storage

Do not store together with: Explosives. Oxidizing solids. Oxidizing liquids. Radioactive substances. Infectious substances. Food and animal feedingstuff

Further information on storage conditions

Keep the packing dry and well sealed to prevent contamination and absorbtion of humidity. Recommended storage temperature:15-25°C



according to UK REACH Regulation

Acetic Acid Red 249

Revision date: 17.01.2024

Product code: 18113.xxxxx

Page 4 of 11

Protect against: frost. UV-radiation/sunlight. heat. Humidity

7.3. Specific end use(s)

See section 1.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure limits (EH40)

| CAS No | Substance | ppm | mg/m³ | fibres/ml | Category | Origin |
|---------|-------------|-----|-------|-----------|---------------|--------|
| 64-19-7 | Acetic acid | 10 | 25 | | TWA (8 h) | WEL |
| | | 20 | 50 | | STEL (15 min) | WEL |

DNEL/DMEL values

| CAS No | Substance | | | | | |
|--------------------------|-----------|----------------|--------|----------|--|--|
| DNEL type | | Exposure route | Effect | Value | | |
| 64-19-7 Acetic acid% | | | - | | | |
| Worker DNEL, long-term | | inhalation | local | 25 mg/m³ | | |
| Worker DNEL, acute | | inhalation | local | 25 mg/m³ | | |
| Consumer DNEL, long-term | | inhalation | local | 25 mg/m³ | | |
| Consumer DNEL, acute | | inhalation | local | 25 mg/m³ | | |

PNEC values

| CAS No | Substance | | | | |
|---------------------------------------|--------------------------------------|-------------|--|--|--|
| Environmenta | al compartment | Value | | | |
| 64-19-7 | 7 Acetic acid% | | | | |
| Freshwater | 3,058 mg/l | | | | |
| Freshwater (intermittent releases) 30 | | | | | |
| Marine water | | 0,306 mg/l | | | |
| Freshwater sediment | | 11,36 mg/kg | | | |
| Marine sedim | nent | 1,136 mg/kg | | | |
| Micro-organis | sms in sewage treatment plants (STP) | 85 mg/l | | | |
| Soil | | 0,47 mg/kg | | | |

8.2. Exposure controls

Appropriate engineering controls

Provide adequate ventilation.

Individual protection measures, such as personal protective equipment

Eye/face protection

Wear eye/face protection. Wear safety glasses; chemical goggles (if splashing is possible). EN 166

Hand protection

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. In case of prolonged or frequently repeated skin contact: Wear suitable gloves. Suitable material:

FKM (fluororubber). - Thickness of glove material: 0,4 mm



Acetic Acid Red 249

Revision date: 17.01.2024

Product code: 18113.xxxxx

Page 5 of 11

Breakthrough time >= 8 h Butyl rubber. - Thickness of glove material: 0,5 mm Breakthrough time >= 8 h CR (polychloroprenes, Chloroprene rubber). - Thickness of glove material: 0,5 mm Breakthrough time >= 8 h NBR (Nitrile rubber). - Thickness of glove material: 0,35 mm Breakthrough time >= 4 h PVC (Polyvinyl chloride). - Thickness of glove material: 0,5 mm Breakthrough time >= 8 h The selected protective gloves have to satisfy the specifications of EU Directive 89/686/EEC and the standard EN 374 derived from it. Before using check leak tightness / impermeability. In the case of wanting to use the gloves again, clean them before taking off and air them well.

Skin protection

Use of protective clothing. Suitable protective clothing: Lab apron. Minimum standard for preventive measures while handling with working materials are specified in the TRGS 500 (D).

Respiratory protection

In case of inadequate ventilation wear respiratory protection. With correct and proper use, and under normal conditions, breathing protection is not required.

Environmental exposure controls

No special precautionary measures are necessary.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

| Physical state: | liquid | |
|--------------------------------------------|---------------|----------------|
| Colour: | red | |
| Odour: | stinging | |
| Melting point/freezing point: | | not determined |
| Boiling point or initial boiling point and | | not determined |
| boiling range: | | |
| Flammability: | | not determined |
| Lower explosion limits: | | not determined |
| Upper explosion limits: | | not determined |
| Flash point: | | >100 °C |
| Auto-ignition temperature: | | not determined |
| Decomposition temperature: | | not determined |
| pH-Value (at 20 °C): | | 2-3 |
| Viscosity / kinematic: | | not determined |
| Water solubility: | | miscible. |
| (at 20 °C) | | |
| Solubility in other solvents | | |
| not determined | | |
| Partition coefficient n-octanol/water: | | not determined |
| Vapour pressure: | | not determined |
| Density (at 20 °C): | | 1,00 g/cm³ |
| Relative vapour density: | | not determined |
| Particle characteristics: | | not applicable |
| 9.2. Other information | | |
| Information with regard to physical he | arard alaaaaa | |

Information with regard to physical hazard classes

Explosive properties The product is not: Explosive. none



according to UK REACH Regulation

| | Acetic Acid Red 249 | |
|------------------------------|---------------------------|--------------|
| Revision date: 17.01.2024 | Product code: 18113.xxxxx | Page 6 of 11 |
| Sustaining combustion: | Not sustaining combustion | |
| Self-ignition temperature | | |
| Gas: | not determined | |
| Oxidizing properties | | |
| none | | |
| Other safety characteristics | | |
| Evaporation rate: | not determined | |
| Solvent separation test: | not determined | |
| Solvent content: | not determined | |
| Solid content: | not determined | |
| Sublimation point: | not determined | |
| Softening point: | not determined | |
| Pour point: | not determined | |
| Viscosity / dynamic: | not determined | |
| Flow time: | not determined | |

SECTION 10: Stability and reactivity

10.1. Reactivity

No information available.

10.2. Chemical stability

The product is chemically stable under recommended conditions of storage, use and temperature.

10.3. Possibility of hazardous reactions

Reacts with : Substances that form flammable gases when in contact with water. Oxidizing agents, strong. peroxides. Hydrogenium peroxide. Nitric acid. Perchlorsäure. Kaliumperoxid.

10.4. Conditions to avoid

heat.

10.5. Incompatible materials

Substances that form flammable gases when in contact with water. Oxidizing agents, strong. peroxides. Hydrogenium peroxide. Nitric acid. Perchlorsäure. Kaliumperoxid.

10.6. Hazardous decomposition products

In case of fire may be liberated: Carbon monoxide. Carbon dioxide (CO2).

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in GB CLP Regulation

Acute toxicity

Based on available data, the classification criteria are not met.

ATEmix calculated

ATE (oral) > 2000 mg/kg; ATE (dermal) > 2000 mg/kg; ATE (inhalation vapour) > 20 mg/l; ATE (inhalation dust/mist) > 5 mg/l

| CAS No | Chemical name | | | | | | | |
|---------|-------------------------|---------------|----------|---------|----------------|--------|--|--|
| | Exposure route | Dose | | Species | Source | Method | | |
| 64-19-7 | Acetic acid% | Acetic acid% | | | | | | |
| | oral | LD50 mg/kg | 3530 | Rat | GESTIS | | | |
| | inhalation (4 h) vapour | LC50 | >40 mg/l | Rat | suppliers SDS. | | | |

Irritation and corrosivity

Based on available data, the classification criteria are not met.



Acetic Acid Red 249

Revision date: 17.01.2024

Product code: 18113.xxxxx

Page 7 of 11

Sensitising effects

Based on available data, the classification criteria are not met.

Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

11.2. Information on other hazards

Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to humans as no components meets the criteria.

Other information

The mixture is classified as not hazardous according to regulation (EC) No 1272/2008 [CLP].

SECTION 12: Ecological information

12.1. Toxicity

Based on available data, the classification criteria are not met.

| CAS No | Chemical name | | | | | | |
|---------|--------------------------|---------------|------|-----------|-------------------------|--------------|--------|
| | Aquatic toxicity | Dose | | [h] [d] | Species | Source | Method |
| 64-19-7 | Acetic acid% | | | | | | |
| | Acute fish toxicity | LC50 mg/l | >300 | 96 h | Oncorhynchus mykiss | ECHA Dossier | |
| | Acute algae toxicity | ErC50 mg/l | >300 | | Skeletonema costatum | ECHA Dossier | |
| | Acute crustacea toxicity | EC50 mg/l | >300 | 48 h | Daphnia magna | ECHA Dossier | |

12.2. Persistence and degradability

| Proc | duct is biodegradable. | | | | | | |
|---------|---------------------------------------------------------------|------|----|---|----------------|--|--|
| CAS No | Chemical name | | | | | | |
| | Method | Valu | ie | d | Source | | |
| | Evaluation | | | | | | |
| 64-19-7 | Acetic acid% | | | | | | |
| | Other guideline | 95% | | 5 | suppliers SDS. | | |
| | Easily biodegradable (concerning to the criteria of the OECD) | | | | | | |

12.3. Bioaccumulative potential

No information available.

Partition coefficient n-octanol/water

| CAS No Chemical name | | | | | |
|----------------------|----------------|------|---------|--------|--|
| 64-19-7 | 7 Acetic acid% | | | | |
| BCF | | | | | |
| CAS No | Chemical name | BCF | Species | Source | |
| 64-19-7 | Acetic acid% | 3,16 | | | |

12.4. Mobility in soil

No information available.



Acetic Acid Red 249

Revision date: 17.01.2024

Product code: 18113.xxxxx

Page 8 of 11

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to UK REACH.

12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

12.7. Other adverse effects

No information available.

Further information

Avoid release to the environment. Do not allow to enter into surface water or drains.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

Dispose of waste according to applicable legislation. Observe in addition any national regulations! Consult the local waste disposal expert about waste disposal. Non-contaminated packages may be recycled. According to (EWC) European Waste Catalogue, allocation of waste identity numbers/waste descriptions must be carried out in a specific way for every industry and process.

Control report for waste code/ waste marking according to (EWC) European Waste Catalogue:

List of Wastes Code - residues/unused products

160509 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and discarded chemicals; discarded chemicals other than those mentioned in 16 05 06, 16 05 07 or 16 05 08

List of Wastes Code - used product

160509 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and discarded chemicals; discarded chemicals other than those mentioned in 16 05 06, 16 05 07 or 16 05 08

List of Wastes Code - contaminated packaging

150106 WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED; packaging (including separately collected municipal packaging waste); mixed packaging

Contaminated packaging

Wash with plenty of water. Completely emptied packages can be recycled. Handle contaminated packages in the same way as the substance itself.

No dangerous good in sense of this transport regulation.

No dangerous good in sense of this transport regulation.

No dangerous good in sense of this transport regulation.

No dangerous good in sense of this transport regulation.

No dangerous good in sense of this transport regulation.

No dangerous good in sense of this transport regulation. No dangerous good in sense of this transport regulation.

No dangerous good in sense of this transport regulation.

No dangerous good in sense of this transport regulation. No dangerous good in sense of this transport regulation.

No dangerous good in sense of this transport regulation.

No dangerous good in sense of this transport regulation.

SECTION 14: Transport information

Land transport (ADR/RID)

 14.1. UN number or ID number:

 14.2. UN proper shipping name:

 14.3. Transport hazard class(es):

 14.4. Packing group:

 Inland waterways transport (ADN)

 14.1. UN number or ID number:

 14.2. UN proper shipping name:

 14.3. Transport hazard class(es):

 14.4. Packing group:

 Marine transport (IMDG)

 14.1. UN number or ID number:

 14.2. UN proper shipping name:

 14.2. UN proper shipping name:

 14.2. UN proper shipping name:

14.3. Transport hazard class(es):

14.4. Packing group:



according to UK REACH Regulation

| Revision date: 17.01.2024 | Acetic Acid Red 249 Product code: 18113.xxxxx | Page 9 of 11 |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------|
| Air transport (ICAO-TI/IATA-DGR) <u>14.1. UN number or ID number:</u> <u>14.2. UN proper shipping name:</u> <u>14.3. Transport hazard class(es):</u> <u>14.4. Packing group:</u> <u>14.5. Environmental hazards</u> | No dangerous good in sense of this transport regulation. No dangerous good in sense of this transport regulation. No dangerous good in sense of this transport regulation. No dangerous good in sense of this transport regulation. | |
| ENVIRONMENTALLY HAZARDOUS: <u>14.6. Special precautions for user</u> Refer to section 6-8 <u>14.7. Maritime transport in bulk according to</u> | No INO instruments | |
| not relevant | | |
| SECTION 15: Regulatory information | | |
| 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture | | |
| EU regulatory information Restrictions on use (REACH, annex XVII): Entry 40 | | |
| Directive 2010/75/EU on industrial emissions: | No information available. | |
| Directive 2004/42/EC on VOC in paints and varnishes: | No information available. | |
| Information according to Directive 2012/18/EU (SEVESO III): | Not subject to 2012/18/EU (SEVESO III) | |
| Additional information | | |
| The mixture is classified as not hazardo | ous according to regulation (EC) No 1272/2008 [CLP]. | |
| National regulatory information | | |
| Water hazard class (D): | non-hazardous to water | |
| 15.2. Chemical safety assessment For the following substances of this mix Acetic acid% | ture a chemical safety assessment has been carried out: | |
| SECTION 16: Other information | | |

Changes

Rev. 1,0; 17.01.2024; Recreation from collect_SDB



according to UK REACH Regulation

Acetic Acid Red 249

Revision date: 17.01.2024

Product code: 18113.xxxxx

Page 10 of 11

Abbreviations and acronyms

Flam. Liq: Flammable liquids Skin Corr: Skin corrosion ADR: Accord européen sur le transport des marchandises dangereuses par Route AwSV: Verordnung über Anlagen zum Umgang mit wassergefährdenden Stoffen AGW: Arbeitsplatzgrenzwert AVV: Abfallverzeichnisverordnung CAS Chemical Abstracts Service CLP: Classification, Labelling and Packaging of substances and mixtures DNEL: Derived No Effect Level d: day(s) EAKV: Europäisches Abfallverzeichnis gemäß Entwurf Abfallverzeichnisverordnung EINECS: European INventory of Existing Commercial chemical Substances ELINCS: European List of Notified Chemical Substances ECHA: European Chemicals Agency EWC: European Waste Catalogue IARC: INTERNATIONAL AGENCY FOR RESEARCH ON CANCER IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA) ICAO: International Civil Aviation Organization ICAO-TI: Technical Instructions by the "International Civil Aviation Organization" (ICAO) GHS: Globally Harmonized System of Classification and Labelling of Chemicals GefStoffV: Gefahrstoffverordnung (Ordinance on Hazardous Substances, Germany) h: hour LOAEL: Lowest observed adverse effect level LOAEC: Lowest observed adverse effect concentration LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent NOAEL: No observed adverse effect level NOAEC: No observed adverse effect level NLP: No-Longer Polymers N/A: not applicable OECD: Organisation for Economic Co-operation and Development PNEC: predicted no effect concentration PBT: Persistent bioaccumulative toxic RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail) REACH: Registration, Evaluation, Authorisation of Chemicals SVHC: substance of very high concern TRGS Technische Regeln fuer Gefahrstoffe UN: United Nations VOC: Volatile Organic Compounds VwVwS: Verwaltungsvorschrift wassergefaehrdender Stoffe WGK: Wassergefaehrdungsklasse CLP: Classification, labelling and Packaging REACH: Registration. Evaluation and Authorization of Chemicals GHS: Globally Harmonised System of Classification, Labelling and Packaging of Chemicals UN: United Nations CAS: Chemical Abstracts Service DNEL: Derived No Effect Level DMEL: Derived Minimal Effect Level PNEC: Predicted No Effect Concentration ATE: Acute toxicity estimate LL50: Lethal loading, 50% EL50: Effect loading, 50%



according to UK REACH Regulation

Acetic Acid Red 249

Revision date: 17.01.2024

Product code: 18113.xxxxx

Page 11 of 11

EC50: Effective Concentration 50% ErC50: Effective Concentration 50%, growth rate NOEC: No Observed Effect Concentration BCF: Bio-concentration factor PBT: persistent, bioaccumulative, toxic vPvB: very persistent, very bioaccumulative ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) RID: Regulations concerning the international carriage of dangerous goods by rail ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways (Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures) EmS: Emergency Schedules MFAG: Medical First Aid Guide MARPOL: International Convention for the Prevention of Marine Pollution from Ships IBC: Intermediate Bulk Container For abbreviations and acronyms, see: ECHA Guidance on information requirements and chemical safety assessment, chapter R.20 (Table of terms and abbreviations). EC/EEC: European Community/European Economic Community EU: European Union M-factor: Multiplying factor IATA: International Air Transport Association DGR: Dangerous Goods Regulations ICAO: International Civil Aviation Organization **TI: Technical Instructions** VOC: volatile organic compound

Relevant H and EUH statements (number and full text)

| H226 | Flammable liquid and vapour. |
|--------|------------------------------------------|
| H314 | Causes severe skin burns and eye damage. |
| EUH210 | Safety data sheet available on request. |

Further Information

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights. The receiver of our product is singularly responsible for adhering to existing laws and regulations. The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

(The data for the relevant ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)