

according to UK REACH Regulation

Sodium Disulfite 10 %

Revision date: 18.07.2023

Product code: 13108.xxxxx

Page 1 of 11

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Sodium Disulfite 10 %

UFI:

SD95-M17V-T008-M5NR

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Use as laboratory reagent.

The product is intended for research, analysis and scientific education.

Uses advised against

Any non-intended use.

1.3. Details of the supplier of the safety data sheet

Company name:	MORPHISTO GmbH	
Street:	Schumannstr. 142/144	
Place:	D-63069 Offenbach	
Telephone:	+49 (0) 69 / 400 3019-60	Telefax: +49 (0) 69 / 400 3019-64
E-mail:	info@morphisto.de	
Contact person:	Morphisto GmbH	
E-mail:	gefahrstoffmanagement@morphisto.c	de
Internet:	http://www.morphisto.de	
1.4. Emergency telephone	Poison Information Center Mainz, Ge	rmany, Tel: +49(0)6131/19240
number:		

number:

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

GB CLP Regulation

Eye Dam. 1; H318

Full text of hazard statements: see SECTION 16.

2.2. Label elements

GB CLP Regulation

Hazard components for labelling

Disodium disulphite

Danger

Signal word: Pictograms:



Hazard statements

H318

Causes serious eye damage.

Precautionary statements

P280	Wear protective gloves/protective clothing/eye protection/face protection.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if
	present and easy to do. Continue rinsing.
P310	Immediately call a POISON CENTER/doctor.

Special labelling of certain mixtures

EUH031 Contact with acids liberates toxic gas.



according to UK REACH Regulation

Sodium Disulfite 10 %

Revision date: 18.07.2023

Product code: 13108.xxxxx

Page 2 of 11

2.3. Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulating and toxic (PBT) or very persistent and very bioaccumulating (vPvB) at levels of 0.1% or higher. Ecological information: The substance/mixture does not contain any components that are considered to be hazardous according to REACH Article 57(f) or Commission Delegated Regulation (EU) 2017/2100 or Commission Delegated Regulation (EU) 2018/605 in amounts of 0.1 % or more have endocrine disrupting properties. Toxicological information: The substance/mixture does not contain any components that are to be classified according to REACH Article 57(f) or Commission Delegated Regulation (EU) 2017/2100 or Commission Delegated Regulation (EU) 2018/605 in guantities of 0.1 % or more have endocrine disrupting properties.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Chemical characterization

aqueous solution

Hazardous components

CAS No	Chemical name			Quantity
	EC No	Index No	REACH No	
	Classification (GB CLP Re	egulation)		
7681-57-4	Disodium disulphite			10 - < 15 %
	231-673-0	016-063-00-2	01-2119531326-45	
	Acute Tox. 4, Eye Dam. 1	; H302 H318 EUH031		

Full text of H and EUH statements: see section 16.

Specific Conc	. Limits, M-fac	tors and ATE	
CAS No	EC No	Chemical name	Quantity
	Specific Conc. I	imits, M-factors and ATE	
7681-57-4	231-673-0	Disodium disulphite	10 - < 15 %
	inhalation: LC5 mg/kg	0 = >5,5 mg/l (dusts or mists); dermal: LD50 = >2000 mg/kg; oral: LD50 = 1540	

Further Information

This product contains no substances of very high concern (SVHC) (>0.1%) which are included in the Candidate List according to Article 59 of REACH.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

After inhalation

Provide fresh air. If breathing is irregular or stopped, administer artificial respiration. No mouth-to-mouth or mouth-to-nose resuscitation. Use Ambu bag or ventilator. Call a physician immediately. In case of accident by inhalation: remove casualty to fresh air and keep at rest. In case of respiratory tract irritation, consult a physician.

After contact with skin

Wash with plenty of water. Take off contaminated clothing and wash it before reuse. Gently wash with plenty of soap and water. In case of skin irritation, seek medical treatment.

After contact with eves

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist. Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Consult an ophthalmologist.



according to UK REACH Regulation

Sodium Disulfite 10 %

Revision date: 18.07.2023

Product code: 13108.xxxxx

Page 3 of 11

After ingestion

Observe risk of aspiration if vomiting occurs. Rinse mouth thoroughly with water. Let water be drunken in little sips (dilution effect). Do NOT induce vomiting. In all cases of doubt, or when symptoms persist, seek medical advice.

4.2. Most important symptoms and effects, both acute and delayed

No information available.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings. Carbon dioxide (CO2). Dry extinguishing powder. alcohol resistant foam. Atomized water.

Unsuitable extinguishing media

High power water jet.

5.2. Special hazards arising from the substance or mixture

Non-flammable. In case of fire may be liberated: Sulfur oxides.

5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus.

Additional information

Suppress gases/vapours/mists with water spray jet. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water. Co-ordinate fire-fighting measures to the fire surroundings.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General advice

Provide adequate ventilation. Do not breathe gas/fumes/vapour/spray. Avoid contact with skin, eyes and clothes. Use personal protection equipment. Safe handling: see section 7 Personal protection equipment: see section 8

6.2. Environmental precautions

Do not allow to enter into surface water or drains. Discharge into the environment must be avoided.

6.3. Methods and material for containment and cleaning up

For cleaning up

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

Other information

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal. Clean contaminated objects and areas thoroughly observing environmental regulations.

6.4. Reference to other sections

Safe handling: see section 7 Personal protection equipment: see section 8 Disposal: see section 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

If handled uncovered, arrangements with local exhaust ventilation have to be used. Do not breathe



according to UK REACH Regulation

Sodium Disulfite 10 %

Revision date: 18.07.2023

Product code: 13108.xxxxx

Page 4 of 11

gas/fumes/vapour/spray. Wear suitable protective clothing. See section 8.

Advice on protection against fire and explosion

Usual measures for fire prevention.

Advice on general occupational hygiene

Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat, drink, smoke, sniff. Always close containers tightly after the removal of product.

Further information on handling

Avoid contact with skin, eyes and clothes. General protection and hygiene measures: refer to chapter 8

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep container tightly closed in a cool, well-ventilated place.

Hints on joint storage

Do not store together with: Acid. Do not store together with: Explosives. Oxidizing solids. Oxidizing liquids. Radioactive substances. Infectious substances. Food and animal feedingstuff.

Further information on storage conditions

Keep the packing dry and well sealed to prevent contamination and absorbtion of humidity. Recommended storage temperature: 15-25 °C Protect against: frost. UV-radiation/sunlight. heat. Humidity

7.3. Specific end use(s)

See section 1.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure limits (EH40)

CAS No	Substance	ppm	mg/m³	fibres/ml	Category	Origin
7681-57-4	Disodium disulphite	-	5		TWA (8 h)	WEL

DNEL/DMEL values

CAS No	Substance	_		
DNEL type		Exposure route	Effect	Value
7681-57-4	Disodium disulphite			
Worker DNEL,	long-term	inhalation	systemic	225 mg/m³
DNEO				

PNEC values

CAS No	Substance	
Environmental	compartment	Value
7681-57-4	Disodium disulphite	
Freshwater		1 mg/l
Marine water		0,1 mg/l
Micro-organism	s in sewage treatment plants (STP)	75,4 mg/l

Additional advice on limit values

To date, no national critical limit values exist.

8.2. Exposure controls



according to UK REACH Regulation

Sodium Disulfite 10 %

Revision date: 18.07.2023

Product code: 13108.xxxxx

Page 5 of 11



Appropriate engineering controls

If handled uncovered, arrangements with local exhaust ventilation have to be used. Do not breathe gas/fumes/vapour/spray. Use extractor hood (laboratory).

Individual protection measures, such as personal protective equipment

Eye/face protection

Suitable eye protection: goggles. Wear safety glasses; chemical goggles (if splashing is possible). EN 166

Hand protection

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

Suitable material:

FKM (fluororubber). - Thickness of glove material: 0,4 mm

Breakthrough time >= 8 h

Butyl rubber. - Thickness of glove material: 0,5 mm

Breakthrough time >= 8 h

CR (polychloroprenes, Chloroprene rubber). - Thickness of glove material: 0,5 mm

Breakthrough time >= 8 h

NBR (Nitrile rubber). - Thickness of glove material: 0,35 mm

Breakthrough time >= 8 h

PVC (Polyvinyl chloride). - Thickness of glove material: 0,5 mm

Breakthrough time >= 8 h

The selected protective gloves have to satisfy the specifications of EU Directive 89/686/EEC and the standard EN 374 derived from it.

Check leak tightness/impermeability prior to use. In the case of wanting to use the gloves again, clean them before taking off and air them well.

Skin protection

Use of protective clothing. Suitable protective clothing: Lab apron.

Minimum standard for preventive measures while handling with working materials are specified in the TRGS 500 (D).

Respiratory protection

In case of inadequate ventilation wear respiratory protection. With correct and proper use, and under normal conditions, breathing protection is not required.

Respiratory protection necessary at:

-exceeding exposure limit values

-insufficient ventilation and aerosol or mist formation

Suitable respiratory protective equipment: particulates filter device (DIN EN 143). Type: P1-3

The filter class must be suitable for the maximum contaminant concentration (gas/vapour/aerosol/particulates) that may arise when handling the product. If the concentration is exceeded, self-contained breathing apparatus must be used.

Environmental exposure controls

No special precautionary measures are necessary.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state:	liquid
Colour:	colourless



	Sodium Disulfite 10 %	
Revision date: 18.07.2023	Product code: 13108.xxxxx	Page 6 of 11
Odour:	characteristic	
Melting point/freezing point:	~0 °C	
Boiling point or initial boiling point and	~100 °C	
boiling range:		
Flammability:	not determined	
Lower explosion limits:	not determined	
Upper explosion limits:	not determined	
Flash point:	not determined	
Auto-ignition temperature:	not determined	
Decomposition temperature:	not determined	
pH-Value (at 20 °C):	3-4	
Viscosity / kinematic:	not determined	
Water solubility:	completely miscible	
Solubility in other solvents	·····, ····,	
not determined		
Partition coefficient n-octanol/water:	not determined	
Vapour pressure:	not determined	
Density (at 20 °C):	1,06 g/cm³	
Relative vapour density:	not determined	
Particle characteristics:	not applicable	
9.2. Other information		
Information with regard to physical haza	ard classes	
Explosive properties		
The product is not: Explosive. none		
Sustaining combustion:	Not sustaining combustion	
Self-ignition temperature		
Gas:	not determined	
Oxidizing properties		
none		
Other safety characteristics		
Evaporation rate:	not determined	
Solvent separation test:	not determined	
Solvent content:	not determined	
Solid content:	not determined	
Sublimation point:	not determined	
Softening point:	not determined	
Pour point:	not determined	
Viscosity / dynamic:	not determined	
Flow time:	not determined	

SECTION 10: Stability and reactivity

10.1. Reactivity

Reaction with: Acid. No information available.

10.2. Chemical stability

The product is chemically stable under recommended conditions of storage, use and temperature. Temperature of decomposition in $^{\circ}C$: > 100

10.3. Possibility of hazardous reactions

Reacts with : Acid - Release of: Sulphur dioxide (SO2)

10.4. Conditions to avoid

Protect against: UV-radiation/sunlight. heat.



according to UK REACH Regulation

Sodium Disulfite 10 %

Revision date: 18.07.2023

Product code: 13108.xxxxx

Page 7 of 11

10.5. Incompatible materials

Materials to avoid: Strong acid; Oxidising agent

10.6. Hazardous decomposition products

Contact with acids liberates toxic gas. In case of fire may be liberated: Sulfur oxides. Sulphur dioxide (SO2)

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in GB CLP Regulation

Toxicocinetics, metabolism and distribution

Acute toxicity

Based on available data, the classification criteria are not met.

ATEmix calculated

ATE (oral) 15400 mg/kg; ATE (dermal) > 2000 mg/kg; ATE (inhalation vapour) > 20 mg/l; ATE (inhalation dust/mist) > 5 mg/l

CAS No	Chemical name					
	Exposure route	Dose		Species	Source	Method
7681-57-4	Disodium disulphite			-		
	oral	LD50 mg/kg	1540	Rat	ECHA	
	dermal	LD50 mg/kg	>2000	Rat	ECHA	
	inhalation (4 h) dust/mist	LC50	>5,5 mg/l	Rat	ECHA	

Irritation and corrosivity

Causes serious eye damage.

Skin corrosion/irritation: Based on available data, the classification criteria are not met.

Sensitising effects

Based on available data, the classification criteria are not met.

Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

11.2. Information on other hazards

Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to humans as no components meets the criteria.

Other information

The mixture is classified as hazardous according to regulation (EC) No 1272/2008 [CLP].

SECTION 12: Ecological information

12.1. Toxicity

Based on available data, the classification criteria are not met.



according to UK REACH Regulation

Sodium Disulfite 10 %

Revision date: 18.07.2023

Product code: 13108.xxxxx

Page 8 of 11

CAS No	Chemical name						
	Aquatic toxicity	Dose		[h] [d]	Species	Source	Method
7681-57-4	Disodium disulphite						
	Acute fish toxicity	LC50 mg/l	<464		Onchorhynchus mykiss	suppliers SDS.	
	Acute algae toxicity	ErC50 mg/l	43,8	72 h		suppliers SDS.	
	Acute crustacea toxicity	EC50	89 mg/l	48 h	Daphnia magna	suppliers SDS.	
	Acute bacteria toxicity	(EC50 mg/l)	>1000	3 h	Activated sludge	suppliers SDS.	

12.2. Persistence and degradability

The product has not been tested.

12.3. Bioaccumulative potential

No indication of bioaccumulation potential.

12.4. Mobility in soil

The product has not been tested.

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to UK REACH.

12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

12.7. Other adverse effects

No information available.

Further information

Avoid release to the environment.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

Do not allow to enter into surface water or drains. Dispose of waste according to applicable legislation. Observe in addition any national regulations! Consult the local waste disposal expert about waste disposal. Non-contaminated packages may be recycled.

According to (EWC) European Waste Catalogue, allocation of waste identity numbers/waste descriptions must be carried out in a specific way for every industry and process.

Control report for waste code/ waste marking according to (EWC) European Waste Catalogue:

List of Wastes Code - residues/unused products

160506 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and discarded chemicals; laboratory chemicals, consisting of or containing hazardous substances, including mixtures of laboratory chemicals; hazardous waste

List of Wastes Code - used product

160506 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and discarded chemicals; laboratory chemicals, consisting of or containing hazardous substances, including mixtures of laboratory chemicals; hazardous waste

List of Wastes Code - contaminated packaging

150110 WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED; packaging (including separately collected municipal packaging waste); packaging containing residues of or contaminated by hazardous substances; hazardous waste



according to UK REACH Regulation

Sodium Disulfite 10 %

Revision date: 18.07.2023

Product code: 13108.xxxxx

Page 9 of 11

Contaminated packaging

Wash with plenty of water. Completely emptied packages can be recycled. Handle contaminated packages in the same way as the substance itself.

SECTION 14: Transport information

Land transport (ADR/RID)

Land transport (ADR/RID)	
14.1. UN number or ID number:	No dangerous good in sense of this transport regulation.
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.
14.4. Packing group:	No dangerous good in sense of this transport regulation.
Inland waterways transport (ADN)	
14.1. UN number or ID number:	No dangerous good in sense of this transport regulation.
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.
14.4. Packing group:	No dangerous good in sense of this transport regulation.
Marine transport (IMDG)	
14.1. UN number or ID number:	No dangerous good in sense of this transport regulation.
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.
14.4. Packing group:	No dangerous good in sense of this transport regulation.
Air transport (ICAO-TI/IATA-DGR)	
14.1. UN number or ID number:	No dangerous good in sense of this transport regulation.
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.
14.4. Packing group:	No dangerous good in sense of this transport regulation.
14.5. Environmental hazards	
	No
ENVIRONMENTALLY HAZARDOUS:	No
14.6. Special precautions for user	NO
14.6. Special precautions for user	
14.6. Special precautions for user Not restricted	
14.6. Special precautions for userNot restricted14.7. Maritime transport in bulk according to	
14.6. Special precautions for user Not restricted 14.7. Maritime transport in bulk according to Not restricted SECTION 15: Regulatory information	
14.6. Special precautions for user Not restricted 14.7. Maritime transport in bulk according to Not restricted SECTION 15: Regulatory information 15.1. Safety, health and environmental regulatory	o IMO instruments
14.6. Special precautions for user Not restricted 14.7. Maritime transport in bulk according to Not restricted SECTION 15: Regulatory information 15.1. Safety, health and environmental regulatory information EU regulatory information	o IMO instruments
14.6. Special precautions for user Not restricted 14.7. Maritime transport in bulk according to Not restricted SECTION 15: Regulatory information 15.1. Safety, health and environmental regulatory information Restrictions on use (REACH, annex XVII):	o IMO instruments
14.6. Special precautions for user Not restricted 14.7. Maritime transport in bulk according to Not restricted SECTION 15: Regulatory information 15.1. Safety, health and environmental regulatory information Restrictions on use (REACH, annex XVII): Entry 3, Entry 75	o IMO instruments
14.6. Special precautions for user Not restricted 14.7. Maritime transport in bulk according to Not restricted SECTION 15: Regulatory information 15.1. Safety, health and environmental regulatory information Restrictions on use (REACH, annex XVII): Entry 3, Entry 75 2010/75/EU (VOC):	o IMO instruments
14.6. Special precautions for user Not restricted 14.7. Maritime transport in bulk according to Not restricted SECTION 15: Regulatory information 15.1. Safety, health and environmental regulatory information Restrictions on use (REACH, annex XVII): Entry 3, Entry 75 2010/75/EU (VOC): 2004/42/EC (VOC):	o IMO instruments
14.6. Special precautions for user Not restricted 14.7. Maritime transport in bulk according to Not restricted SECTION 15: Regulatory information 15.1. Safety, health and environmental regulatory information Restrictions on use (REACH, annex XVII): Entry 3, Entry 75 2010/75/EU (VOC):	o IMO instruments
14.6. Special precautions for user Not restricted 14.7. Maritime transport in bulk according to Not restricted SECTION 15: Regulatory information 15.1. Safety, health and environmental regulatory information Restrictions on use (REACH, annex XVII): Entry 3, Entry 75 2010/75/EU (VOC): 2004/42/EC (VOC): Information according to 2012/18/EU	o IMO instruments
14.6. Special precautions for user Not restricted 14.7. Maritime transport in bulk according to Not restricted SECTION 15: Regulatory information 15.1. Safety, health and environmental regulatory information EU regulatory information Restrictions on use (REACH, annex XVII): Entry 3, Entry 75 2010/75/EU (VOC): 2004/42/EC (VOC): Information according to 2012/18/EU (SEVESO III): Additional information	o IMO instruments
14.6. Special precautions for user Not restricted 14.7. Maritime transport in bulk according to Not restricted SECTION 15: Regulatory information 15.1. Safety, health and environmental regulatory information EU regulatory information Restrictions on use (REACH, annex XVII): Entry 3, Entry 75 2010/75/EU (VOC): 2004/42/EC (VOC): Information according to 2012/18/EU (SEVESO III): Additional information	o IMO instruments
14.6. Special precautions for user Not restricted 14.7. Maritime transport in bulk according to Not restricted SECTION 15: Regulatory information 15.1. Safety, health and environmental regulatory information EU regulatory information Restrictions on use (REACH, annex XVII): Entry 3, Entry 75 2010/75/EU (VOC): 2004/42/EC (VOC): Information according to 2012/18/EU (SEVESO III): Additional information The mixture is classified as hazardous	o IMO instruments Ilations/legislation specific for the substance or mixture No information available. No information available. Not subject to 2012/18/EU (SEVESO III) according to regulation (EC) No 1272/2008 [CLP]. Observe restrictions to employment for juveniles according to the 'juvenile
 14.6. Special precautions for user Not restricted 14.7. Maritime transport in bulk according to Not restricted SECTION 15: Regulatory information 15.1. Safety, health and environmental regulatory information Restrictions on use (REACH, annex XVII): Entry 3, Entry 75 2010/75/EU (VOC): 2004/42/EC (VOC): Information according to 2012/18/EU (SEVESO III): Additional information The mixture is classified as hazardous National regulatory information 	o IMO instruments



according to UK REACH Regulation

Sodium Disulfite 10 %

Revision date: 18.07.2023

Product code: 13108.xxxxx

Page 10 of 11

15.2. Chemical safety assessment

For the following substances of this mixture a chemical safety assessment has been carried out: Disodium disulphite

SECTION 16: Other information

Changes

This data sheet contains changes from the previous version in section(s): 1,2,3,4,5,6,7,8,9,10,11,12,13,14,15,16. Rev. 1,0; 17.07.2013, Initial release Rev. 1,1; 21.07.2016, Changes in chapter: 1-16 Rev. 2,0: 17.10.2018, Changes in chapter: 1-16 Rev. 3,0; 18.07.2023; general adjustment(s)

Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route CAS Chemical Abstracts Service DNEL: Derived No Effect Level IARC: INTERNATIONAL AGENCY FOR RESEARCH ON CANCER IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA) ICAO: International Civil Aviation Organization ICAO-TI: Technical Instructions by the "International Civil Aviation Organization" (ICAO) GHS: Globally Harmonized System of Classification and Labelling of Chemicals GefStoffV: Gefahrstoffverordnung (Ordinance on Hazardous Substances, Germany) LOAEL: Lowest observed adverse effect level LOAEC: Lowest observed adverse effect concentration LC50: Lethal concentration. 50 percent LD50: Lethal dose, 50 percent NOAEL: No observed adverse effect level NOAEC: No observed adverse effect level NTP: National Toxicology Program N/A: not applicable OSHA: Occupational Safety and Health Administration PNEC: predicted no effect concentration PBT: Persistent bioaccumulative toxic RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail) SARA: Superfund Amendments and Reauthorization Act SVHC: substance of very high concern TRGS Technische Regeln fuerGefahrstoffe TSCA: Toxic Substances Control Act VOC: Volatile Organic Compounds VwVwS: Verwaltungsvorschrift wassergefaehrdender Stoffe WGK: Wassergefaehrdungsklasse CLP: Classification, labelling and Packaging REACH: Registration, Evaluation and Authorization of Chemicals GHS: Globally Harmonised System of Classification, Labelling and Packaging of Chemicals **UN: United Nations** CAS: Chemical Abstracts Service DNEL: Derived No Effect Level DMEL: Derived Minimal Effect Level PNEC: Predicted No Effect Concentration ATE: Acute toxicity estimate LL50: Lethal loading, 50%



according to UK REACH Regulation

Sodium Disulfite 10 %

Revision date: 18.07.2023

Product code: 13108.xxxxx

Page 11 of 11

EL50: Effect loading, 50%

EC50: Effective Concentration 50%

ErC50: Effective Concentration 50%, growth rate

NOEC: No Observed Effect Concentration

BCF: Bio-concentration factor

PBT: persistent, bioaccumulative, toxic

vPvB: very persistent, very bioaccumulative

ADR: Accord européen sur le transport des marchandises dangereuses par Route

(European Agreement concerning the International Carriage of Dangerous Goods by Road)

RID: Regulations concerning the international carriage of dangerous goods by rail

ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways

(Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures)

EmS: Emergency Schedules

MFAG: Medical First Aid Guide

MARPOL: International Convention for the Prevention of Marine Pollution from Ships

IBC: Intermediate Bulk Container

For abbreviations and acronyms, see: ECHA Guidance on information requirements and chemical safety assessment, chapter R.20 (Table of terms and abbreviations).

Classification for mixtures and used evaluation method according to GB CLP Regulation

Classification	Classification procedure
Eye Dam. 1; H318	Calculation method

Relevant H and EUH statements (number and full text)

H302	Harmful if swallowed.
H318	Causes serious eye damage.
EUH031	Contact with acids liberates toxic gas.

Further Information

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights. The receiver of our product is singularly responsible for adhering to existing laws and regulations. Classification according to Regulation (EC) No 1272/2008 [CLP] - Classification procedure:

Health hazards: Calculation method.

Environmental hazards: Calculation method.

Physical hazards: On basis of test data and / or calculated and / or estimated.

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)