

Safety Data Sheet

according to Regulation (EC) No 1907/2006 and (EU) No
2020/878

Sodium Hypochlorite 5 %

Revision date: 29.01.2025

Product code: 12874.xxxxx

Page 1 of 13

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Sodium Hypochlorite 5 %

UFI: J9N4-51R0-400F-U99N

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Use as laboratory reagent. Intended for scientific research and development.

Uses advised against

Any non-intended use.

1.3. Details of the supplier of the safety data sheet

Company name:	MORPHISTO GmbH	
Street:	Schumannstr. 142/144	
Place:	D-63069 Offenbach	
Telephone:	+49 (0) 69 / 400 3019-60	Telefax: +49 (0) 69 / 400 3019-64
E-mail:	info@morphisto.de	
Contact person:	Morphisto GmbH	
E-mail:	gefahrstoffmanagement@morphisto.de	
Internet:	http://www.morphisto.de	

1.4. Emergency telephone number:

Poison Information Center Mainz, Germany, Tel: +49(0)6131/19240

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No 1272/2008

Met. Corr. 1; H290
Skin Corr. 1; H314
Eye Dam. 1; H318
Aquatic Acute 1; H400
Aquatic Chronic 2; H411

Full text of hazard statements: see SECTION 16.

2.2. Label elements

Regulation (EC) No 1272/2008

Hazard components for labelling
sodium hypochlorite

Signal word: Danger

Pictograms:



Hazard statements

H290	May be corrosive to metals.
H314	Causes severe skin burns and eye damage.
H410	Very toxic to aquatic life with long lasting effects.

Precautionary statements

P260	Do not breathe mist/vapours/spray.
P273	Avoid release to the environment.

Safety Data Sheet

according to Regulation (EC) No 1907/2006 and (EU) No 2020/878

Sodium Hypochlorite 5 %

Revision date: 29.01.2025

Product code: 12874.xxxxx

Page 2 of 13

- P280 Wear protective gloves/protective clothing and eye protection/face protection.
P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310 Immediately call a POISON CENTER/doctor.

Special labelling of certain mixtures

EUH031 Contact with acids liberates toxic gas.

Labelling of packages where the contents do not exceed 125 ml

Signal word: Danger

Pictograms:



Hazard statements

H314

Precautionary statements

P260-P280-P303+P361+P353-P305+P351+P338-P310

2.3. Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulating and toxic (PBT) or very persistent and very bioaccumulating (vPvB) at levels of 0.1% or higher. Ecological information: The substance/mixture does not contain any components that are considered to be hazardous according to REACH Article 57(f) or Commission Delegated Regulation (EU) 2017/2100 or Commission Delegated Regulation (EU) 2018/605 in amounts of 0.1 % or more have endocrine disrupting properties. Toxicological information: The substance/mixture does not contain any components that are to be classified according to REACH Article 57(f) or Commission Delegated Regulation (EU) 2017/2100 or Commission Delegated Regulation (EU) 2018/605 in quantities of 0.1 % or more have endocrine disrupting properties.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Chemical characterization

aqueous solution

Relevant ingredients

CAS No	Chemical name			Quantity
	EC No	Index No	REACH No	
	Classification (Regulation (EC) No 1272/2008)			
7681-52-9	sodium hypochlorite			5 - < 10 %
	231-668-3	017-011-00-1	01-2119488154-34	
	Met. Corr. 1, Skin Corr. 1B, Eye Dam. 1, STOT SE 3, Aquatic Acute 1, Aquatic Chronic 1; H290 H314 H318 H335 H400 H410 EUH031			

Full text of H and EUH statements: see section 16.

Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity
		Specific Conc. Limits, M-factors and ATE	
7681-52-9	231-668-3	sodium hypochlorite	5 - < 10 %
		dermal: LD50 = 20000 mg/kg Aquatic Acute 1; H400: M=10 Aquatic Chronic 1; H410: M=1 EUH; EUH031: >= 5 - 100	

Further Information

This mixture contains no substances of very high concern (SVHC) (> 0,1%) which are included in the

Safety Data Sheetaccording to Regulation (EC) No 1907/2006 and (EU) No
2020/878**Sodium Hypochlorite 5 %**

Revision date: 29.01.2025

Product code: 12874.xxxxx

Page 3 of 13

Candidate List according to Article 59 of REACH.

SECTION 4: First aid measures**4.1. Description of first aid measures****General information**

Remove affected person from the danger area and lay down. Remove person to fresh air and keep comfortable for breathing. First aider: Pay attention to self-protection! Take off immediately all contaminated clothing. If unconscious but breathing normally, place in recovery position and seek medical advice. Do not leave affected person unattended.

After inhalation

Provide fresh air. Medical treatment necessary. IF INHALED: If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing. When in doubt or if symptoms are observed, get medical advice.

After contact with skin

If skin irritation occurs: Get medical advice/attention. After contact with skin, wash immediately with plenty of water and soap. Take off immediately all contaminated clothing and wash it before reuse. When in doubt or if symptoms are observed, get medical advice.

After contact with eyes

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist.

After ingestion

Observe risk of aspiration if vomiting occurs. Do NOT induce vomiting. Adverse human health effects and symptoms: Gastric perforation. Do not allow a neutralisation agent to be drunk. Rinse mouth immediately and drink plenty of water. Call a physician immediately.

4.2. Most important symptoms and effects, both acute and delayed

May cause irritation. Mucous membrane irritation after eye contact or inhalation. Irritation and etching. Frequently or prolonged contact with skin may cause dermal irritation.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures**5.1. Extinguishing media****Suitable extinguishing media**

Water spray jet, Carbon dioxide (CO₂), Foam, Extinguishing powder.
Co-ordinate fire-fighting measures to the fire surroundings.

Unsuitable extinguishing media

Strong water jet

5.2. Special hazards arising from the substance or mixture

In case of fire may be liberated: Chlorine (Cl₂). Hydrogen chloride (HCl).

5.3. Advice for firefighters

Wear a self-contained breathing apparatus and chemical protective clothing. Full protection suit. Move undamaged containers from immediate hazard area if it can be done safely.

Additional information

Suppress gases/vapours/mists with water spray jet. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water. Dispose of waste according to applicable legislation.

SECTION 6: Accidental release measures**6.1. Personal precautions, protective equipment and emergency procedures**

Safety Data Sheetaccording to Regulation (EC) No 1907/2006 and (EU) No
2020/878**Sodium Hypochlorite 5 %**

Revision date: 29.01.2025

Product code: 12874.xxxxx

Page 4 of 13

General advice

Provide adequate ventilation. Do not breathe gas/fumes/vapour/spray. Avoid contact with skin, eyes and clothes. Use personal protection equipment. Avoid all contact with the substance. Avoid: generation/formation of aerosols

For non-emergency personnel

Clear danger zone. Follow emergency plan. Consult an expert.

For emergency responders

Move undamaged containers from immediate hazard area if it can be done safely.

6.2. Environmental precautions

Do not allow uncontrolled discharge of product into the environment. Avoid release to the environment. Do not allow to enter into surface water or drains.

6.3. Methods and material for containment and cleaning up**For containment**

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

For cleaning up

Take up carefully when dry. Treat the recovered material as prescribed in the section on waste disposal.

Other information

Clear contaminated areas thoroughly.

6.4. Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

SECTION 7: Handling and storage**7.1. Precautions for safe handling****Advice on safe handling**

If handled uncovered, arrangements with local exhaust ventilation have to be used. Do not breathe gas/fumes/vapour/spray. Wear personal protection equipment (refer to section 8).

Advice on protection against fire and explosion

Usual measures for fire prevention.

Advice on general occupational hygiene

Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme.

Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat, drink, smoke, sniff.

Further information on handling

The usual precautions for handling chemicals should be considered. Avoid contact with skin, eyes and clothes.

Take off contaminated clothing and wash it before reuse. When using do not eat, drink, smoke, sniff. Wash hands before breaks and after work. Draw up and observe skin protection programme.

7.2. Conditions for safe storage, including any incompatibilities**Requirements for storage rooms and vessels**

Keep container tightly closed. Keep locked up. Store in a place accessible by authorized persons only. Provide adequate ventilation as well as local exhaust at critical locations. Keep cool. No metal containers.

Hints on joint storage

Do not store together with: Oxidizing agent. Pyrophoric or self-heating substances. Do not store together with: food and feed, pharmaceuticals. Infectious substances. Radioactive substances. Explosive substances.

Oxidizing substances. Oxidizing liquids. Organic peroxides. Self-reactive substances and mixtures. Pyrophoric solids. Substances which in contact with water form flammable gases. Ammonium nitrate and preparations containing ammonium nitrate.

Safety Data Sheet

according to Regulation (EC) No 1907/2006 and (EU) No 2020/878

Sodium Hypochlorite 5 %

Revision date: 29.01.2025

Product code: 12874.xxxxx

Page 5 of 13

Further information on storage conditions

Protect from light. Keep away from heat.
storage temperature 15-25 °C

7.3. Specific end use(s)

Use as laboratory reagent.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limit values

CAS No	Name of agent	ppm	mg/m ³	fib/cm ³	Category	Origin
7782-50-5	Chlorine	0.5	1.5		STEL (15 min)	

DNEL/DMEL values

CAS No	Name of agent	Exposure route	Effect	Value
7681-52-9	sodium hypochlorite			
Worker DNEL, long-term	inhalation	systemic	1,55 mg/m ³	
Worker DNEL, acute	inhalation	systemic	3,1 mg/m ³	
Worker DNEL, long-term	dermal	local	0,5 %	
Consumer DNEL, long-term	inhalation	local	1,55 mg/m ³	
Consumer DNEL, acute	inhalation	systemic	3,1 mg/m ³	
Consumer DNEL, long-term	oral	systemic	0,26 mg/kg bw/day	

PNEC values

CAS No	Name of agent	Value
7681-52-9	sodium hypochlorite	
Freshwater		0,00021 mg/l
Marine water		0,000042 mg/l
Secondary poisoning		11,1 mg/kg
Micro-organisms in sewage treatment plants (STP)		4,69 mg/l

8.2. Exposure controls



Appropriate engineering controls

If handled uncovered, arrangements with local exhaust ventilation have to be used. Do not breathe gas/fumes/vapour/spray. Provide adequate ventilation as well as local exhaustion at critical locations. Provide washing facilities at the workplace, provide an eye shower or eyewash bottle and mark them.

Individual protection measures, such as personal protective equipment

Eye/face protection

Suitable eye protection: goggles. Safety goggles with side protection. In case of increased risk add protective face shield. Safety glasses according to EN 166.

Safety Data Sheet

according to Regulation (EC) No 1907/2006 and (EU) No 2020/878

Sodium Hypochlorite 5 %

Revision date: 29.01.2025

Product code: 12874.xxxxx

Page 6 of 13

Hand protection

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. Protective gloves according to EN 374. Suitable glove material also for longer, direct contact:

PVC (Polyvinyl chloride). Layer thickness 0,7
 NBR (Nitrile rubber). Layer thickness 0,4
 CR (polychloroprenes, Chloroprene rubber). Layer thickness 0,5
 Butyl rubber. Layer thickness 0,7
 fluoroelastomer (FKM). Layer thickness 0,7
 Breakthrough time (maximum wearing time): >480 min.

Skin protection

Use of protective clothing. Personal protective equipment must be determined according to the quantity and concentration of hazardous substances at the workplace. Wear solvent-resistant protective clothing. Safety shoes according to EN 345-347.

Respiratory protection

In case of inadequate ventilation wear respiratory protection.
 Recommended material: Combination filtering device (EN 14387), Type: A/ABEK2-P2.

Environmental exposure controls

Do not allow uncontrolled discharge of product into the environment.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state:	Liquid	
Colour:	colourless, clear	
Odour:	weak nach Chlorine (Cl ₂).	
Melting point/freezing point:		not determined
Boiling point or initial boiling point and boiling range:		100 °C
Flammability:		not applicable
Lower explosion limits:		not determined
Upper explosion limits:		not determined
Flash point:		not determined
Auto-ignition temperature:		not determined
Decomposition temperature:		not determined
pH-Value (at 20 °C):		11-12
Viscosity / kinematic:		not determined
Water solubility: (at 20 °C)		easily soluble
Solubility in other solvents		not determined
Partition coefficient n-octanol/water:		not determined
Vapour pressure: (at 20 °C)		23 hPa
Density (at 20 °C):		1,01 g/cm ³
Relative vapour density:		not determined

9.2. Other information

Information with regard to physical hazard classes

Safety Data Sheet

according to Regulation (EC) No 1907/2006 and (EU) No 2020/878

Sodium Hypochlorite 5 %

Revision date: 29.01.2025

Product code: 12874.xxxxx

Page 7 of 13

Explosive properties

The product is not: Explosive.

Sustaining combustion:

Not sustaining combustion

Self-ignition temperature

Solid:

not applicable

Gas:

not applicable

Oxidizing properties

Not oxidising.

Other safety characteristics

Evaporation rate:

not determined

SECTION 10: Stability and reactivity

10.1. Reactivity

No hazardous reaction when handled and stored according to provisions.

Decomposes when heated, releasing oxygen, dichloroxide, chlorine or hydrogen chloride. Corrosive to metals.

10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

Decomposes when heated, releasing oxygen, dichloroxide, chlorine or hydrogen chloride.

10.3. Possibility of hazardous reactions

Exothermic reaction with: Acid, Peroxides, Oxidizing agent.

10.4. Conditions to avoid

Keep away from: Heat. UV-radiation/sunlight. Frost

10.5. Incompatible materials

Protect against: Contact with air/oxygen. Keep away from: Acid, Oxidizing agent, Peroxides.

10.6. Hazardous decomposition products

Resulting from the use of the product: Chlorine. Decomposes when heated, releasing oxygen, dichloroxide, chlorine or hydrogen chloride.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Based on available data, the classification criteria are not met.

Contact with acids liberates toxic gas.

ATEmix calculated

ATE (oral) > 2000 mg/kg; ATE (dermal) > 2000 mg/kg; ATE (inhalation vapour) > 20 mg/l; ATE (inhalation dust/mist) > 5 mg/l

CAS No	Chemical name				
	Exposure route	Dose	Species	Source	Method
7681-52-9	sodium hypochlorite				
	dermal	LD50 20000 mg/kg	Rabbit	suppliers SDS.	

Irritation and corrosivity

Skin corrosion/irritation: Causes severe skin burns and eye damage. (On basis of test data)

Serious eye damage/eye irritation: Causes serious eye damage. (On basis of test data)

Sensitising effects

Based on available data, the classification criteria are not met.

Carcinogenic/mutagenic/toxic effects for reproduction

Safety Data Sheet

according to Regulation (EC) No 1907/2006 and (EU) No 2020/878

Sodium Hypochlorite 5 %

Revision date: 29.01.2025

Product code: 12874.xxxxx

Page 8 of 13

Germ cell mutagenicity: Based on available data, the classification criteria are not met.

Carcinogenicity: Based on available data, the classification criteria are not met.

Reproductive toxicity: Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

11.2. Information on other hazards

Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to humans as no components meets the criteria.

Further information

The mixture is classified as hazardous according to regulation (EC) No 1272/2008 [CLP].

SECTION 12: Ecological information

12.1. Toxicity

Very toxic to aquatic life.

Toxic to aquatic life with long lasting effects.

CAS No	Chemical name					
	Aquatic toxicity	Dose	[h] [d]	Species	Source	Method
7681-52-9	sodium hypochlorite					
	Acute fish toxicity	LC50 mg/l	0,06	96 h	Oncorhynchus mykiss (Rainbow trout)	suppliers SDS.
	Acute algae toxicity	ErC50 mg/l	0,036	72 h		suppliers SDS.
	Acute crustacea toxicity	EC50 mg/l	0,141	48 h	Daphnia magna (Big water flea)	suppliers SDS.
	Fish toxicity	NOEC mg/l	0,04	28 d	Menidia peninsulae (tidal silverside)	suppliers SDS.
	Crustacea toxicity	NOEC mg/l	0,007	15 d	American oyster (Crassostrea virginica)	suppliers SDS.
	Acute bacteria toxicity	EC50)	>3 mg/l (	3 h	Activated sludge	suppliers SDS.

12.2. Persistence and degradability

The product has not been tested.

12.3. Bioaccumulative potential

The product has not been tested.

Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
7681-52-9	sodium hypochlorite	-3,42

12.4. Mobility in soil

The product has not been tested.

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

12.6. Endocrine disrupting properties

Safety Data Sheet

according to Regulation (EC) No 1907/2006 and (EU) No 2020/878

Sodium Hypochlorite 5 %

Revision date: 29.01.2025

Product code: 12874.xxxxx

Page 9 of 13

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

12.7. Other adverse effects

The product has not been tested.

Further information

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil. Dispose of waste according to applicable legislation. Consult the local waste disposal expert about waste disposal. The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

List of Wastes Code - residues/unused products

160506 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and discarded chemicals; laboratory chemicals, consisting of or containing hazardous substances, including mixtures of laboratory chemicals; hazardous waste

List of Wastes Code - used product

160506 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and discarded chemicals; laboratory chemicals, consisting of or containing hazardous substances, including mixtures of laboratory chemicals; hazardous waste

List of Wastes Code - contaminated packaging

150110 WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED; packaging (including separately collected municipal packaging waste); packaging containing residues of or contaminated by hazardous substances; hazardous waste

Contaminated packaging

Non-contaminated packages may be recycled. Handle contaminated packages in the same way as the substance itself.

SECTION 14: Transport information

Land transport (ADR/RID)

14.1. UN number or ID number: UN 1791
14.2. UN proper shipping name: HYPOCHLORITE SOLUTION
14.3. Transport hazard class(es): 8
14.4. Packing group: II
 Hazard label: 8



Classification code: C9
 Special Provisions: 521
 Limited quantity: 1 L
 Excepted quantity: E2
 Transport category: 2
 Hazard No: 80
 Tunnel restriction code: E

Inland waterways transport (ADN)

14.1. UN number or ID number: UN 1791

Safety Data Sheet

according to Regulation (EC) No 1907/2006 and (EU) No 2020/878

Sodium Hypochlorite 5 %

Revision date: 29.01.2025

Product code: 12874.xxxxx

Page 10 of 13

14.2. UN proper shipping name:

HYPOCHLORITE SOLUTION

14.3. Transport hazard class(es):

8

14.4. Packing group:

II

Hazard label:

8



Classification code:

C9

Special Provisions:

521

Limited quantity:

1 L

Excepted quantity:

E2

Marine transport (IMDG)

14.1. UN number or ID number:

UN 1791

14.2. UN proper shipping name:

HYPOCHLORITE SOLUTION

14.3. Transport hazard class(es):

8

14.4. Packing group:

II

Hazard label:

8



Marine pollutant:

P

Special Provisions:

274 900

Limited quantity:

1 L

Excepted quantity:

E2

EmS:

F-A, S-B

Segregation group:

8 - hypochlorites

Air transport (ICAO-TI/IATA-DGR)

14.1. UN number or ID number:

UN 1791

14.2. UN proper shipping name:

HYPOCHLORITE SOLUTION

14.3. Transport hazard class(es):

8

14.4. Packing group:

II

Hazard label:

8



Special Provisions:

A3 A803

Limited quantity Passenger:

0.5 L

Passenger LQ:

Y840

Excepted quantity:

E2

IATA-packing instructions - Passenger:

851

IATA-max. quantity - Passenger:

1 L

IATA-packing instructions - Cargo:

855

IATA-max. quantity - Cargo:

30 L

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS:

Yes



Danger releasing substance:

sodium hypochlorite

14.6. Special precautions for user

Warning: strongly corrosive.

Safety Data Sheetaccording to Regulation (EC) No 1907/2006 and (EU) No
2020/878**Sodium Hypochlorite 5 %**

Revision date: 29.01.2025

Product code: 12874.xxxxx

Page 11 of 13

14.7. Maritime transport in bulk according to IMO instruments

No information available.

SECTION 15: Regulatory information**15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture****EU regulatory information**

Restrictions on use (REACH, annex XVII):

Entry 3, Entry 75

Information according to Directive
2012/18/EU (SEVESO III):

E1 Hazardous to the Aquatic Environment

Additional information

This preparation is hazardous in the sense of regulation (EC) No 1272/2008 [GHS].

National regulatory information

Employment restrictions:

Observe restrictions to employment for juveniles according to the 'juvenile
work protection guideline' (94/33/EC).

Water hazard class (D):

2 - obviously hazardous to water

15.2. Chemical safety assessmentFor the following substances of this mixture a chemical safety assessment has been carried out:
sodium hypochlorite**SECTION 16: Other information****Changes**

This data sheet contains changes from the previous version in section(s): 4,9,11,12,13,14,15,16.

Rev. 2,0; 25.05.2023; Individual safety data sheet based on 14395_collect

Rev. 2,1; 01.06.2023; general revision / adjustment section 14

Rev. 2,2; 29.01.2025; general adjustment(s).

Safety Data Sheet

according to Regulation (EC) No 1907/2006 and (EU) No 2020/878

Sodium Hypochlorite 5 %

Revision date: 29.01.2025

Product code: 12874.xxxxx

Page 12 of 13

Abbreviations and acronyms

Met. Corr: Substance or mixture corrosive to metals
 Skin Corr: Skin corrosion
 Eye Dam: Eye damage
 STOT SE: Specific target organ toxicity - single exposure
 Aquatic Acute: Acute aquatic hazard
 Aquatic Chronic: Chronic aquatic hazard
 CLP: Classification, labelling and Packaging
 REACH: Registration, Evaluation and Authorization of Chemicals
 GHS: Globally Harmonised System of Classification, Labelling and Packaging of Chemicals
 UN: United Nations
 CAS: Chemical Abstracts Service
 DNEL: Derived No Effect Level
 DMEL: Derived Minimal Effect Level
 PNEC: Predicted No Effect Concentration
 ATE: Acute toxicity estimate
 LC50: Lethal concentration, 50%
 LD50: Lethal dose, 50%
 LL50: Lethal loading, 50%
 EL50: Effect loading, 50%
 EC50: Effective Concentration 50%
 ErC50: Effective Concentration 50%, growth rate
 NOEC: No Observed Effect Concentration
 BCF: Bio-concentration factor
 PBT: persistent, bioaccumulative, toxic
 vPvB: very persistent, very bioaccumulative
 ADR: Accord européen sur le transport des marchandises dangereuses par Route
 (European Agreement concerning the International Carriage of Dangerous Goods by Road)
 RID: Regulations concerning the international carriage of dangerous goods by rail
 ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
 (Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures)
 IMDG: International Maritime Code for Dangerous Goods
 EmS: Emergency Schedules
 MFAG: Medical First Aid Guide
 IATA: International Air Transport Association
 ICAO: International Civil Aviation Organization
 MARPOL: International Convention for the Prevention of Marine Pollution from Ships
 IBC: Intermediate Bulk Container
 SVHC: Substance of Very High Concern
 For abbreviations and acronyms, see table at <http://abbrev.esdscom.eu>
 For abbreviations and acronyms, see: ECHA Guidance on information requirements and chemical safety assessment, chapter R.20 (Table of terms and abbreviations).

Classification for mixtures and used evaluation method according to Regulation (EC) No 1272/2008 [CLP]

Classification	Classification procedure
Met. Corr. 1; H290	On basis of test data
Skin Corr. 1; H314	On basis of test data
Eye Dam. 1; H318	On basis of test data
Aquatic Acute 1; H400	Calculation method
Aquatic Chronic 2; H411	Calculation method

Relevant H and EUH statements (number and full text)

H290 May be corrosive to metals.
 H314 Causes severe skin burns and eye damage.

Safety Data Sheetaccording to Regulation (EC) No 1907/2006 and (EU) No
2020/878**Sodium Hypochlorite 5 %**

Revision date: 29.01.2025

Product code: 12874.xxxxx

Page 13 of 13

H318	Causes serious eye damage.
H335	May cause respiratory irritation.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
EUH031	Contact with acids liberates toxic gas.

Further Information

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights. The receiver of our product is singularly responsible for adhering to existing laws and regulations. The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights. The receiver of our product is singularly responsible for adhering to existing laws and regulations. The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights. The receiver of our product is singularly responsible for adhering to existing laws and regulations.

(The data for the relevant ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)