

according to UK REACH Regulation

# Sodium Hydroxide / Caustic Soda 0.2 mol/l (~ 0.8 %)

Revision date: 07.03.2024 Product code: 14128.xxxxx Page 1 of 12

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

Sodium Hydroxide / Caustic Soda 0.2 mol/l (~ 0.8 %)

UFI: DNK6-5A7H-R00V-6QTC

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### Use of the substance/mixture

Use as laboratory reagent.

The product is intended for research, analysis and scientific education.

#### Uses advised against

Any non-intended use.

### 1.3. Details of the supplier of the safety data sheet

Company name: MORPHISTO GmbH
Street: Schumannstr. 142/144
Place: D-63069 Offenbach

Telephone: +49 (0) 69 / 400 3019-60 Telefax: +49 (0) 69 / 400 3019-64

E-mail: info@morphisto.de
Contact person: Morphisto GmbH

E-mail: gefahrstoffmanagement@morphisto.de

Internet: http://www.morphisto.de

**1.4. Emergency telephone** Poison Information Center Mainz, Germany, Tel: +49(0)6131/19240

number:

### **SECTION 2: Hazards identification**

# 2.1. Classification of the substance or mixture

#### **GB CLP Regulation**

Met. Corr. 1; H290 Skin Irrit. 2; H315 Eye Irrit. 2; H319

Full text of hazard statements: see SECTION 16.

### 2.2. Label elements

### **GB CLP Regulation**

Signal word: Warning

Pictograms:



#### **Hazard statements**

H290 May be corrosive to metals.
H315 Causes skin irritation.
H319 Causes serious eye irritation.

# **Precautionary statements**

P234 Keep only in original packaging.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P332+P313 If skin irritation occurs: Get medical advice/attention.
P337+P313 If eye irritation persists: Get medical advice/attention.

P390 Absorb spillage to prevent material damage.



according to UK REACH Regulation

# Sodium Hydroxide / Caustic Soda 0.2 mol/l (~ 0.8 %)

Revision date: 07.03.2024 Product code: 14128.xxxxx Page 2 of 12

### Labelling of packages where the contents do not exceed 125 ml

Signal word: Warning

# 2.3. Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulating and toxic (PBT) or very persistent and very bioaccumulating (vPvB) at levels of 0.1% or higher. Ecological information: The substance/mixture does not contain any components that are considered to be hazardous according to REACH Article 57(f) or Commission Delegated Regulation (EU) 2017/2100 or Commission Delegated Regulation (EU) 2018/605 in amounts of 0.1 % or more have endocrine disrupting properties. Toxicological information: The substance/mixture does not contain any components that are to be classified according to REACH Article 57(f) or Commission Delegated Regulation (EU) 2017/2100 or Commission Delegated Regulation (EU) 2018/605 in quantities of 0.1 % or more have endocrine disrupting properties.

## **SECTION 3: Composition/information on ingredients**

#### 3.2. Mixtures

### Relevant ingredients

CAS No	Chemical name			Quantity
	EC No	REACH No		
	Classification (GB CLP Regulation)			
1310-73-2	Sodium hydroxide			< 1 %
	215-185-5	011-002-00-6	01-2119457892-27	
	Met. Corr. 1, Skin Corr. 1A, Eye Dam. 1; H290 H314 H318			

Full text of H and EUH statements: see section 16.

#### Specific Conc. Limits. M-factors and ATE

CAS No	EC No	Chemical name	Quantity
	Specific Conc.	Limits, M-factors and ATE	
1310-73-2	215-185-5	Sodium hydroxide	< 1 %
	· · · · · · · · · · · · · · · · · · ·	H314: >= 5 - 100 Skin Corr. 1B; H314: >= 2 - < 5 Skin Irrit. 2; H315: >= 0,5 - < ; H318: >= 2 - 100 Eye Irrit. 2; H319: >= 0,5 - < 2	

# **Further Information**

This product contains no substances of very high concern (SVHC) (>0,1%) which are included in the Candidate List according to Article 59 of REACH.

### **SECTION 4: First aid measures**

# 4.1. Description of first aid measures

### **General information**

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

Remove contaminated, saturated clothing immediately.

### After inhalation

Provide fresh air. Remove casualty to fresh air and keep warm and at rest. In case of respiratory tract irritation, consult a physician.

#### After contact with skin

After contact with skin, wash immediately with plenty of water and soap. Take off immediately all contaminated clothing and wash it before reuse. If skin irritation occurs: Get medical advice/attention.

# After contact with eyes

After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an ophthalmologist immediately. Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Consult an ophthalmologist. Danger of blindness!



according to UK REACH Regulation

# Sodium Hydroxide / Caustic Soda 0.2 mol/l (~ 0.8 %)

Revision date: 07.03.2024 Product code: 14128.xxxxx Page 3 of 12

#### After ingestion

Observe risk of aspiration if vomiting occurs. Call a physician immediately. Do NOT induce vomiting. Rinse mouth thoroughly with water. Let water be drunken in little sips (dilution effect). Never give anything by mouth to an unconscious person or a person with cramps.

#### 4.2. Most important symptoms and effects, both acute and delayed

If swallowed danger of perforation of the esophagus and the stomach (strong corrosive effects).

### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

# **SECTION 5: Firefighting measures**

### 5.1. Extinguishing media

#### Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings. Carbon dioxide (CO2). Dry extinguishing powder. alcohol resistant foam. Atomized water.

#### Unsuitable extinguishing media

High power water jet.

### 5.2. Special hazards arising from the substance or mixture

Non-flammable. The product itself does not burn.

### 5.3. Advice for firefighters

Wear a self-contained breathing apparatus and chemical protective clothing. Full protection suit.

#### **Additional information**

Suppress gases/vapours/mists with water spray jet. Collect contaminated fire extinguishing water separately.

Do not allow entering drains or surface water.

Co-ordinate fire-fighting measures to the fire surroundings.

### **SECTION 6: Accidental release measures**

### 6.1. Personal precautions, protective equipment and emergency procedures

#### General advice

Provide adequate ventilation. Do not breathe gas/fumes/vapour/spray. Avoid contact with skin, eyes and clothes. Use personal protection equipment.

### 6.2. Environmental precautions

Do not allow to enter into surface water or drains.

Discharge into the environment must be avoided.

### 6.3. Methods and material for containment and cleaning up

#### For cleaning up

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

### Other information

Clean contaminated objects and areas thoroughly observing environmental regulations.

# 6.4. Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

### **SECTION 7: Handling and storage**

#### 7.1. Precautions for safe handling

#### Advice on safe handling

If handled uncovered, arrangements with local exhaust ventilation have to be used. Do not breathe qas/fumes/vapour/spray. Personal protection equipment (See section 8.)



according to UK REACH Regulation

# Sodium Hydroxide / Caustic Soda 0.2 mol/l (~ 0.8 %)

Revision date: 07.03.2024 Product code: 14128.xxxxx Page 4 of 12

### Advice on protection against fire and explosion

Usual measures for fire prevention.

### Advice on general occupational hygiene

Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat, drink, smoke, sniff. Take off contaminated clothing and wash it before reuse. Always close containers tightly after the removal of product.

### Further information on handling

Conditions to avoid: generation/formation of aerosols

Avoid contact with skin, eyes and clothes.

General protection and hygiene measures: See section 8.

### 7.2. Conditions for safe storage, including any incompatibilities

### Requirements for storage rooms and vessels

Keep container tightly closed. Unsuitable container/equipment material: Metal. Keep only in the original container in a cool, well-ventilated place.

Make sure spills can be contained, e.g. in sump pallets or kerbed areas.

Suitable floor material: Alkali-resistant

#### Hints on joint storage

Do not store together with: Explosives. Oxidizing solids. Oxidizing liquids. Organic peroxides. Self-reactive substances and mixtures. Radioactive substances. Infectious substances. Food and fodder.

#### Further information on storage conditions

Keep the packing dry and well sealed to prevent contamination and absorbtion of humidity.

Recommended storage temperature: 15-25 °C

Protect against: frost. UV-radiation/sunlight. heat. Humidity

### 7.3. Specific end use(s)

Use as laboratory reagent.

### **SECTION 8: Exposure controls/personal protection**

### 8.1. Control parameters

### **Exposure limits (EH40)**

CAS No	Substance	ppm	mg/m³	fibres/ml	Category	Origin
1310-73-2	Sodium hydroxide	-	2		STEL (15 min)	WEL

# **DNEL/DMEL values**

CAS No	Substance				
DNEL type		Exposure route	Effect	Value	
1310-73-2	Sodium hydroxide				
Worker DNEL, long-term		inhalation	local	1 mg/m³	
Consumer DNEL, long-term		inhalation	local	1 mg/m³	

### Additional advice on limit values

To date, no national limits have been set.

#### 8.2. Exposure controls







according to UK REACH Regulation

# Sodium Hydroxide / Caustic Soda 0.2 mol/l (~ 0.8 %)

Revision date: 07.03.2024 Product code: 14128.xxxxx Page 5 of 12

### Appropriate engineering controls

If handled uncovered, arrangements with local exhaust ventilation have to be used. Do not breathe gas/fumes/vapour/spray. Use extractor hood (laboratory).

Provide adequate ventilation.

### Individual protection measures, such as personal protective equipment

#### Eye/face protection

Suitable eye protection: goggles. Tightly sealed safety glasses. EN 166

#### Hand protection

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. Pull-over gloves of rubber. EN ISO 374

Suitable material:

(penetration time (maximum wearing period): >= 8h)

Butyl rubber.

FKM (fluororubber).

(penetration time (maximum wearing period): >= 2h)

CR (polychloroprenes, Chloroprene rubber).

Before using check leak tightness / impermeability. In the case of wanting to use the gloves again, clean them before taking off and air them well.

#### Skin protection

Use of protective clothing. Suitable protective clothing: Lab apron.

Minimum standard for preventive measures while handling with working materials are specified in the TRGS 500 (D).

# **Respiratory protection**

In case of inadequate ventilation wear respiratory protection. With correct and proper use, and under normal conditions, breathing protection is not required.

Respiratory protection necessary at:

- generation/formation of aerosols
- insufficient ventilation
- exceeding exposure limit values

Suitable respiratory protective equipment: Particle filter device (EN 143) - Type P2/3

The filter class must be suitable for the maximum contaminant concentration (gas/vapour/aerosol/particulates) that may arise when handling the product. If the concentration is exceeded, self-contained breathing apparatus must be used. The wearing time limitations according to GefStoffV in conjunction with the rules for the use of respiratory protective devices (BGR 190) must be observed.

### **Environmental exposure controls**

Do not empty into drains.

### **SECTION 9: Physical and chemical properties**

### 9.1. Information on basic physical and chemical properties

Physical state: liquid
Colour: colourless
Odour: characteristic

Melting point/freezing point:

Boiling point or initial boiling point and

100 °C

boiling range:

Flammability: not determined Lower explosion limits: not determined Upper explosion limits: not determined Flash point: not determined



### according to UK REACH Regulation

# Sodium Hydroxide / Caustic Soda 0.2 mol/l (~ 0.8 %)

Revision date: 07.03.2024 Product code: 14128.xxxxx Page 6 of 12

Auto-ignition temperature: not determined Decomposition temperature: not determined pH-Value (at 20 °C): 12-13
Viscosity / kinematic: not determined Water solubility: completely miscible

(at 20 °C)

Solubility in other solvents

not determined

Partition coefficient n-octanol/water: not determined Vapour pressure: 23 hPa

(at 20 °C)

Vapour pressure: 123 hPa

(at 50 °C)

Density (at 20 °C): 1,00 g/cm³
Relative vapour density: not determined
Particle characteristics: not applicable

# 9.2. Other information

### Information with regard to physical hazard classes

Explosive properties

The product is not: Explosive.

Sustaining combustion: Not sustaining combustion

Oxidizing properties

none

### Other safety characteristics

Evaporation rate:

Sublimation point:

Softening point:

Pour point:

Viscosity / dynamic:

Flow time:

not determined
not determined
not determined
not determined
not determined
not determined

### **SECTION 10: Stability and reactivity**

# 10.1. Reactivity

Corrosive to metals.

### 10.2. Chemical stability

The product is chemically stable under recommended conditions of storage, use and temperature.

#### 10.3. Possibility of hazardous reactions

Exothermic reaction with: Acid, Peroxides, Oxidizing agent. Possibly extensive generation of hydrogen on contact with amphoteric metals (e.g. aluminium, lead, zinc) (explosive hazard!).

Violent reaction with: Acid

#### 10.4. Conditions to avoid

heat. UV-radiation/sunlight. frost.

### 10.5. Incompatible materials

Metal. Keep away from: Acid, Oxidizing agent, Peroxides. Materials to avoid: Substances that form flammable gases when in contact with water. Organic peroxides. Inflammatory substances. Alkali metals. Oxidizing agents. Strong acid. Nitrile. light metals. Phenols. Metal.

# 10.6. Hazardous decomposition products

No known hazardous decomposition products.

### **SECTION 11: Toxicological information**

Print date: 07.03.2024



## **Safety Data Sheet**

according to UK REACH Regulation

# Sodium Hydroxide / Caustic Soda 0.2 mol/l (~ 0.8 %)

Revision date: 07.03.2024 Product code: 14128.xxxxx Page 7 of 12

### 11.1. Information on hazard classes as defined in GB CLP Regulation

#### Acute toxicity

Based on available data, the classification criteria are not met.

#### **ATEmix** calculated

ATE (oral) > 2000 mg/kg; ATE (dermal) > 2000 mg/kg; ATE (inhalation vapour) > 20 mg/l; ATE (inhalation dust/mist) > 5 mg/l

### Irritation and corrosivity

Causes skin irritation.

Causes serious eye irritation.

#### Sensitising effects

Based on available data, the classification criteria are not met.

### Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

#### STOT-single exposure

Based on available data, the classification criteria are not met.

### STOT-repeated exposure

Based on available data, the classification criteria are not met.

#### Aspiration hazard

Based on available data, the classification criteria are not met.

### 11.2. Information on other hazards

### **Endocrine disrupting properties**

This product does not contain a substance that has endocrine disrupting properties with respect to humans as no components meets the criteria.

#### Other information

The mixture is classified as hazardous according to regulation (EC) No 1272/2008 [CLP].

# **SECTION 12: Ecological information**

# 12.1. Toxicity

Based on available data, the classification criteria are not met.

CAS No	Chemical name						
	Aquatic toxicity	Dose		[h]   [d]	Species	Source	Method
1310-73-2	Sodium hydroxide						
	Acute fish toxicity	LC50 mg/l	35-189	96 h	fish	ECHA	
	Acute crustacea toxicity	EC50 mg/l	30-1000	48 h	Ceriodaphnia sp.	ECHA	

### 12.2. Persistence and degradability

The methods for determining the biological degradability are not applicable to inorganic substances.

## 12.3. Bioaccumulative potential

No indication of bioaccumulation potential.

### 12.4. Mobility in soil

No information available.

### 12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to UK REACH.

# 12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

#### 12.7. Other adverse effects



according to UK REACH Regulation

# Sodium Hydroxide / Caustic Soda 0.2 mol/l (~ 0.8 %)

Revision date: 07.03.2024 Product code: 14128.xxxxx Page 8 of 12

No information available.

#### **Further information**

Avoid release to the environment.

### **SECTION 13: Disposal considerations**

### 13.1. Waste treatment methods

#### **Disposal recommendations**

Do not allow to enter into surface water or drains. Dispose of waste according to applicable legislation.

Observe in addition any national regulations! Consult the local waste disposal expert about waste disposal.

Non-contaminated packages may be recycled.

According to (EWC) European Waste Catalogue, allocation of waste identity numbers/waste descriptions must be carried out in a specific way for every industry and process.

Control report for waste code/ waste marking according to (EWC) European Waste Catalogue:

### List of Wastes Code - residues/unused products

160507 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and

discarded chemicals; discarded inorganic chemicals consisting of or containing hazardous

substances; hazardous waste

#### List of Wastes Code - used product

160507 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and

discarded chemicals; discarded inorganic chemicals consisting of or containing hazardous

substances; hazardous waste

### List of Wastes Code - contaminated packaging

150110 WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND

PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED; packaging (including separately collected municipal packaging waste); packaging containing residues of or contaminated by

hazardous substances; hazardous waste

### Contaminated packaging

Wash with plenty of water. Completely emptied packages can be recycled.

Handle contaminated packages in the same way as the substance itself.

### **SECTION 14: Transport information**

### Land transport (ADR/RID)

14.1. UN number or ID number: UN 1824

14.2. UN proper shipping name: SODIUM HYDROXIDE SOLUTION

14.3. Transport hazard class(es):814.4. Packing group:IIIHazard label:8



Classification code: C5
Limited quantity: 5 L
Excepted quantity: E1
Transport category: 3
Hazard No: 80
Tunnel restriction code: E

Inland waterways transport (ADN)

14.1. UN number or ID number: UN 1824

14.2. UN proper shipping name: SODIUM HYDROXIDE SOLUTION

14.3. Transport hazard class(es):814.4. Packing group:III



according to UK REACH Regulation

# Sodium Hydroxide / Caustic Soda 0.2 mol/l (~ 0.8 %)

Revision date: 07.03.2024 Product code: 14128.xxxxx Page 9 of 12

Hazard label:

8

Classification code: C5
Limited quantity: 5 L
Excepted quantity: E1

Marine transport (IMDG)

14.1. UN number or ID number: UN 1824

14.2. UN proper shipping name: SODIUM HYDROXIDE SOLUTION

14.3. Transport hazard class(es):814.4. Packing group:IIIHazard label:8



Special Provisions: 223
Limited quantity: 5 L
Excepted quantity: E1
EmS: F-A, S-B
Segregation group: 18 - alkalis

Air transport (ICAO-TI/IATA-DGR)

14.1. UN number or ID number: UN 1824

14.2. UN proper shipping name: SODIUM HYDROXIDE SOLUTION

14.3. Transport hazard class(es):814.4. Packing group:IIIHazard label:8



Special Provisions:

Limited quantity Passenger:

Passenger LQ:

Excepted quantity:

A3 A803

1 L

Y841

Excepted quantity:

E1

IATA-packing instructions - Passenger:852IATA-max. quantity - Passenger:5 LIATA-packing instructions - Cargo:856IATA-max. quantity - Cargo:60 L

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: No

14.6. Special precautions for user

Warning: strongly corrosive. Refer to section 6-8

14.7. Maritime transport in bulk according to IMO instruments

not relevant

## **SECTION 15: Regulatory information**

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

**EU** regulatory information

Print date: 07.03.2024



# **Safety Data Sheet**

according to UK REACH Regulation

# Sodium Hydroxide / Caustic Soda 0.2 mol/l (~ 0.8 %)

Revision date: 07.03.2024 Product code: 14128.xxxxx Page 10 of 12

Restrictions on use (REACH, annex XVII):

Entry 3, Entry 75

Information according to Directive

Not subject to 2012/18/EU (SEVESO III)

2012/18/EU (SEVESO III):

### **Additional information**

The mixture is classified as hazardous according to regulation (EC) No 1272/2008 [CLP].

## National regulatory information

Employment restrictions: Observe restrictions to employment for juveniles according to the 'juvenile

work protection guideline' (94/33/EC).

Water hazard class (D): - - non-hazardous to water

### 15.2. Chemical safety assessment

For the following substances of this mixture a chemical safety assessment has been carried out:

Sodium hydroxide

### **SECTION 16: Other information**

### Changes

This data sheet contains changes from the previous version in section(s): 1,2,3,4,5,6,7,8,9,10,11,12,13,14,15,16.

Rev. 1,0, 15.11.2022, Individual safety data sheet based on 12190 collect

Rev. 2,0; 07.03.2024 general adjustment(s)



### according to UK REACH Regulation

# Sodium Hydroxide / Caustic Soda 0.2 mol/l (~ 0.8 %)

Revision date: 07.03.2024 Product code: 14128.xxxxx Page 11 of 12

### Abbreviations and acronyms

Met. Corr: Corrosive to metals Skin Corr: Skin corrosion Skin Irrit: Skin irritation Eye Dam: Eye damage Eye Irrit: Eye irritation

ADR: Accord européen sur le transport des marchandises dangereuses par Route

CAS Chemical Abstracts Service DNEL: Derived No Effect Level

IARC: INTERNATIONAL AGENCY FOR RESEARCH ON CANCER

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)

ICAO: International Civil Aviation Organization

ICAO-TI: Technical Instructions by the "International Civil Aviation Organization" (ICAO)

GHS: Globally Harmonized System of Classification and Labelling of Chemicals GefStoffV: Gefahrstoffverordnung (Ordinance on Hazardous Substances, Germany)

LOAEL: Lowest observed adverse effect level

LOAEC: Lowest observed adverse effect concentration

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

NOAEL: No observed adverse effect level NOAEC: No observed adverse effect level

NTP: National Toxicology Program

N/A: not applicable

OSHA: Occupational Safety and Health Administration

PNEC: predicted no effect concentration PBT: Persistent bioaccumulative toxic

RID: Rèalement international concernant le transport des marchandises dangereuses par chemin de

fer (Regulations Concerning the International Transport of Dangerous Goods by Rail )

SARA: Superfund Amendments and Reauthorization Act

SVHC: substance of very high concern TRGS Technische Regeln fuerGefahrstoffe TSCA: Toxic Substances Control Act VOC: Volatile Organic Compounds

VwVwS: Verwaltungsvorschrift wassergefaehrdender Stoffe

WGK: Wassergefaehrdungsklasse

CLP: Classification, labelling and Packaging

REACH: Registration, Evaluation and Authorization of Chemicals

GHS: Globally Harmonised System of Classification, Labelling and Packaging of Chemicals

**UN: United Nations** 

CAS: Chemical Abstracts Service
DNEL: Derived No Effect Level
DMEL: Derived Minimal Effect Level
PNEC: Predicted No Effect Concentration

ATE: Acute toxicity estimate LL50: Lethal loading, 50% EL50: Effect loading, 50%

EC50: Effective Concentration 50%

ErC50: Effective Concentration 50%, growth rate NOEC: No Observed Effect Concentration

BCF: Bio-concentration factor

PBT: persistent, bioaccumulative, toxic vPvB: very persistent, very bioaccumulative

ADR: Accord européen sur le transport des marchandises dangereuses par Route



according to UK REACH Regulation

# Sodium Hydroxide / Caustic Soda 0.2 mol/l (~ 0.8 %)

Revision date: 07.03.2024 Product code: 14128.xxxxx Page 12 of 12

(European Agreement concerning the International Carriage of Dangerous Goods by Road)

RID: Regulations concerning the international carriage of dangerous goods by rail

ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways (Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures)

EmS: Emergency Schedules MFAG: Medical First Aid Guide

MARPOL: International Convention for the Prevention of Marine Pollution from Ships

IBC: Intermediate Bulk Container

For abbreviations and acronyms, see: ECHA Guidance on information requirements and chemical safety

assessment, chapter R.20 (Table of terms and abbreviations). EC/EEC: European Community/European Economic Community

EU: European Union M-factor: Multiplying factor

IATA: International Air Transport Association

DGR: Dangerous Goods Regulations

ICAO: International Civil Aviation Organization

TI: Technical Instructions

### Classification for mixtures and used evaluation method according to GB CLP Regulation

Classification	Classification procedure
Met. Corr. 1; H290	On basis of test data
Skin Irrit. 2; H315	Calculation method
Eye Irrit. 2; H319	Calculation method

### Relevant H and EUH statements (number and full text)

H290	May be corrosive to metals.
H314	Causes severe skin burns and eye damag

H315 Causes skin irritation.
H318 Causes serious eye damage.

#### **Further Information**

H319

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights. The receiver of our product is singularly responsible for adhering to existing laws and regulations. Classification according EC regulation 1272/2008 (CLP): - Classification procedure:

Health hazards: Calculation method. Environmental hazards: Calculation method.

Physical hazards: On basis of test data and / or calculated and / or estimated.

Causes serious eye irritation.

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

(The data for the relevant ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)