

according to UK REACH Regulation Oxalic Acid 1 %

Revision date: 21.03.2023

Product code: 18640.xxxxx

Page 1 of 10

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Oxalic Acid 1 %

Further trade names

This MSDS covers this product in all container sizes. 0AMN-J1JY-500X-YP9N

UFI:

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Use as laboratory reagent. The product is intended for research, analysis and scientific education.

Uses advised against

Not known

1.3. Details of the supplier of the safety data sheet

Company name:	MORPHISTO GmbH	
Street:	Schumannstr. 142/144	
Place:	D-63069 Offenbach	
Telephone:	+49 (0) 69 / 400 3019-60	Telefax: +49 (0) 69 / 400 3019-64
e-mail:	info@morphisto.de	
Contact person:	Morphisto GmbH	
e-mail:	info@morphisto.de	
Internet:	http://www.morphisto.de	
I.4. Emergency telephone	Poison Information Center Mainz, Ge	ermany, Tel: +49(0)6131/19240
e e construir de la construir d		

number:

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

GB CLP Regulation

Skin Corr. 1; H314 Eye Dam. 1; H318

Full text of hazard statements: see SECTION 16.

Danger

2.2. Label elements

GB CLP Regulation

Signal word:

Pictograms:



Hazard statements

H314

Causes severe skin burns and eye damage.

Precautionary statements

Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.
IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.
IF INHALED: Remove person to fresh air and keep comfortable for breathing.
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if



Oxalic Acid 1 %

according to UK REACH Regulation

Revision date: 21.03.2023

Product code: 18640.xxxxx

Page 2 of 10

P310

present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor.

2.3. Other hazards

No information available.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Hazardous components

CAS No	Chemical name			Quantity
	EC No	Index No	REACH No	
	Classification (GB CLP Regulation)			
144-62-7	oxalic acid			1 - < 5 %
	205-634-3	607-006-00-8		
Acute Tox. 4, Acute Tox. 4; H312 H302				

Full text of H and EUH statements: see section 16.

Specific Conc. Limits, M-factors and ATE

CAS No	EC No Chemical name		Quantity
	Specific Conc. Limits, M-factors and ATE		
144-62-7	205-634-3 oxalic acid 1		1 - < 5 %
	dermal: ATE = 1100 mg/kg; oral: LD50 = 375-475 mg/kg		

Further Information

Product does not contain listed SVHC substances > 0,1 % according to Regulation (EC) No. 1907/2006 Article 59 (REACH)

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

First aider: Pay attention to self-protection! Remove affected person from the danger area and lay down. In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

After inhalation

Provide fresh air. Medical treatment necessary. @1501.B015819

After contact with skin

After contact with skin, wash immediately with plenty of water and soap. Take off immediately all contaminated clothing and wash it before reuse. If skin irritation occurs: Get medical advice/attention. Remove contaminated, saturated clothing immediately. After contact with skin, wash immediately with: Water. In case of skin irritation, seek medical treatment.

After contact with eyes

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist. In case of contact with eyes, rinse immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart. Subsequently consult an ophthalmologist.

After ingestion

Observe risk of aspiration if vomiting occurs. Rinse mouth immediately and drink 1 glass of of water. Adverse human health effects and symptoms: Gastric perforation. Do not allow a neutralisation agent to be drunk. Rinse mouth thoroughly with water. Call a physician immediately. Let water be drunken in little sips (dilution effect). Do NOT induce vomiting.

4.2. Most important symptoms and effects, both acute and delayed

No information available.

according to UK REACH Regulation

Oxalic Acid 1 %

Revision date: 21.03.2023

Product code: 18640.xxxxx

Page 3 of 10

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically. Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings. The product itself does not burn. Co-ordinate fire-fighting measures to the fire surroundings.

Unsuitable extinguishing media

High power water jet.

5.2. Special hazards arising from the substance or mixture

Non-flammable. Vapours can form explosive mixtures with air. In case of fire may be liberated: Carbon monoxide Carbon dioxide (CO2).

5.3. Advice for firefighters

Wear a self-contained breathing apparatus and chemical protective clothing. Full protection suit. In case of fire: Wear self-contained breathing apparatus.

Additional information

Use water spray jet to protect personnel and to cool endangered containers. Suppress gases/vapours/mists with water spray jet. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General advice

Provide adequate ventilation. Do not breathe gas/fumes/vapour/spray. Avoid contact with skin, eyes and clothes. Use personal protection equipment. Provide adequate ventilation. @1501.B150087

Wear personal protection equipment. (See section 8.)

6.2. Environmental precautions

Discharge into the environment must be avoided.

6.3. Methods and material for containment and cleaning up

For cleaning up

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

Other information

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal. Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

Treat the recovered material as prescribed in the section on waste disposal.

6.4. Reference to other sections

Safe handling: see section 7 Personal protection equipment: see section 8 Disposal: see section 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

If handled uncovered, arrangements with local exhaust ventilation have to be used. Do not breathe gas/fumes/vapour/spray. Wear suitable protective clothing. (See section 8.)



according to UK REACH Regulation

Oxalic Acid 1 %

Revision date: 21.03.2023

Product code: 18640.xxxxx

Page 4 of 10

Use extractor hood (laboratory).

Advice on protection against fire and explosion

Usual measures for fire prevention.

Advice on general occupational hygiene

Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat, drink, smoke, sniff. Take off contaminated clothing. Wash hands before breaks and after work. When using do not eat, drink, smoke, sniff. Always close containers tightly after the removal of product. When using do not eat, drink, smoke, sniff. Wash hands before breaks and after work.

Further information on handling

Avoid contact with skin, eyes and clothes.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep container tightly closed. Keep locked up. Store in a place accessible by authorized persons only. Provide adequate ventilation as well as local exhaustion at critical locations. @1501.B015823

Hints on joint storage

Do not store together with: Explosives. Oxidizing solids. Oxidizing liquids. Radioactive substances. Infectious substances.

Further information on storage conditions

Keep container tightly closed in a cool, well-ventilated place. Protect against: UV-radiation/sunlight. @1501.B015825

7.3. Specific end use(s)

Use as laboratory reagent. The product is intended for research, analysis and scientific education.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure limits (EH40)

CAS No	Substance	ppm	mg/m³	fibres/ml	Category	Origin
144-62-7	Oxalic acid	-	1		TWA (8 h)	WEL
		-	2		STEL (15 min)	WEL

8.2. Exposure controls





Appropriate engineering controls

If handled uncovered, arrangements with local exhaust ventilation have to be used. Do not breathe gas/fumes/vapour/spray. Use extractor hood (laboratory).

Individual protection measures, such as personal protective equipment

Eye/face protection

Suitable eye protection: goggles. Wear safety glasses; chemical goggles (if splashing is possible).

Hand protection

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. In case of prolonged or frequently repeated skin contact:

according to UK REACH Regulation

Oxalic Acid 1 %

Revision date: 21.03.2023

Product code: 18640.xxxxx

Page 5 of 10

Pull-over gloves of rubber. EN ISO 374 PVC (Polyvinyl chloride). (0,5 mm) Butyl rubber. (0,5 mm) Before using check leak tightness / impe

Before using check leak tightness / impermeability. In the case of wanting to use the gloves again, clean them before taking off and air them well.

Skin protection

Use of protective clothing. Lab apron. Protective apron.

Respiratory protection

In case of inadequate ventilation wear respiratory protection. With correct and proper use, and under normal conditions, breathing protection is not required. Respiratory protection necessary at: exceeding exposure limit values Suitable respiratory protective equipment: particulates filter device (DIN EN 143). Type : P2/P3

Environmental exposure controls

No special measures are necessary.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state:	liquid			
Colour:	not determined			
Odour:	characteristic			
Melting point/freezing point:		not determined		
Boiling point or initial boiling point and		~100 °C		
boiling range:				
Flammability:		not determined		
Lower explosion limits:		not determined		
Upper explosion limits:		not determined		
Flash point:		>100 °C		
Auto-ignition temperature:		not determined		
Decomposition temperature:		not determined		
pH-Value:		not determined		
Water solubility:		easily soluble		
Solubility in other solvents				
not determined				
Partition coefficient n-octanol/water:		not determined		
Vapour pressure:		not determined		
Density:		~1 g/cm ³		
Relative vapour density:		not determined		
9.2. Other information				
Information with regard to physical haza	ard classes			
Explosive properties				
The product is not: Explosive. No info	rmation available.			
Oxidizing properties				
No information available.				
Other safety characteristics				
Evaporation rate:		not determined		
Solid content:		not determined		
SECTION 10: Stability and reactivity				



according to UK REACH Regulation

Oxalic Acid 1 %

Revision date: 21.03.2023

Product code: 18640.xxxxx

Page 6 of 10

10.1. Reactivity

Possibility of hazardous reactions. Stable under normal storage and handling conditions.

10.2. Chemical stability

No information available.

10.3. Possibility of hazardous reactions

Exothermic reaction with: Base, Peroxides, Oxidizing agent. No information available.

10.4. Conditions to avoid

Keep away from heat. Protect from moisture.

10.5. Incompatible materials

Keep away from: Base, Oxidizing agent, Peroxides. Reducing agents, strong. Oxidizing agents, strong.

10.6. Hazardous decomposition products

In case of fire may be liberated: Carbon monoxide Carbon dioxide (CO2).

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in GB CLP Regulation

Toxicocinetics, metabolism and distribution

No information available.

Acute toxicity

Based on available data, the classification criteria are not met.

ATEmix calculated

ATE (oral) 34090,9 mg/kg; ATE (dermal) 100000,0 mg/kg

CAS No Chemical nar

CAS NO	Chemical name			-		
	Exposure route	Dose		Species	Source	Method
144-62-7	oxalic acid					
	oral	LD50 3 mg/kg	375-475	Rat.	ECHA dossier	
	dermal	ATE 1 mg/kg	1100			

Irritation and corrosivity

Causes severe skin burns and eye damage. (On basis of test data) Causes serious eye damage. (On basis of test data) Irritant effect on the eye: non-irritant. Irritant effect on the skin: non-irritant.

Sensitising effects

Based on available data, the classification criteria are not met. no danger of sensitization.

The statement is derived form the properties of the components.

Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met. No experimental indications of mutagenicity in-vitro exist. The statement is derived form the properties of the components.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met. No information available.



according to UK REACH Regulation

Oxalic Acid 1 % Product code: 18640.xxxxx

Revision date: 21.03.2023

Page 7 of 10

Aspiration hazard

Based on available data, the classification criteria are not met.

Specific effects in experiment on an animal

No information available.

11.2. Information on other hazards

Further information

The mixture is classified as hazardous according to regulation (EC) No 1272/2008 [CLP].

SECTION 12: Ecological information

12.1. Toxicity

The product is not: Ecotoxic.

CAS No	Chemical name						
	Aquatic toxicity	Dose		[h] [d]	Species	Source	Method
144-62-7	oxalic acid						
	Acute crustacea toxicity	EC50 1 mg/l	162,2	48 h	daphnia magna	ECHA dossier	

12.2. Persistence and degradability

Product is biodegradable.

12.3. Bioaccumulative potential

No indication of bioaccumulation potential.

12.4. Mobility in soil

No information available.

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to UK REACH. No information available.

12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

12.7. Other adverse effects

No information available.

Further information

Avoid release to the environment.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

Do not allow to enter into surface water or drains. Dispose of waste according to applicable legislation. Dispose of waste according to applicable legislation. Consult the local waste disposal expert about waste disposal.

List of Wastes Code - residues/unused products

160509 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and discarded chemicals; discarded chemicals other than those mentioned in 16 05 06, 16 05 07 or 16 05 08

List of Wastes Code - used product

160509 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and discarded chemicals; discarded chemicals other than those mentioned in 16 05 06, 16 05 07 or 16 05 08

List of Wastes Code - contaminated packaging



according to UK REACH Regulation

	Oxalic Acid 1 %	
Revision date: 21.03.2023	Product code: 18640.xxxxx	Page 8 of 10
PROTECTIVE CLOTHING	SORBENTS, WIPING CLOTHS, FILTER MATERIALS AND NOT OTHERWISE SPECIFIED; absorbents, filter materials, wiping ng; absorbents, filter materials, wiping cloths and protective clothing other 5 02 02	
Contaminated packaging Wash with plenty of water. Completely be recycled.	emptied packages can be recycled. Non-contaminated packages may	
SECTION 14: Transport information		
Land transport (ADR/RID)		
14.1. UN number or ID number:	Not restricted	
14.2. UN proper shipping name:	Not restricted	
Inland waterways transport (ADN)		
14.1. UN number or ID number:	Not restricted	
14.2. UN proper shipping name:	Not restricted	
Marine transport (IMDG)		
14.1. UN number or ID number:	Not restricted	
14.2. UN proper shipping name:	Not restricted	
Air transport (ICAO-TI/IATA-DGR)		
14.1. UN number or ID number:	Not restricted	
14.2. UN proper shipping name:	Not restricted	
14.5. Environmental hazards		
ENVIRONMENTALLY HAZARDOUS:	No	
14.6. Special precautions for user No information available.		
14.7. Maritime transport in bulk according to	MO instruments	
No information available.		
SECTION 15: Regulatory information		
15.1. Safety, health and environmental regul	ations/legislation specific for the substance or mixture	
EU regulatory information		
Restrictions on use (REACH, annex XVII):		
Entry 3		
Information according to 2012/18/EU (SEVESO III):	Not subject to 2012/18/EU (SEVESO III)	
National regulatory information		
Employment restrictions:	Observe restrictions to employment for juveniles according to the 'juven' work protection guideline' (94/33/EC).	ile
Water hazard class (D):	non-hazardous to water	
15.2. Chemical safety assessment		
	tances in this mixture were not carried out.	
SECTION 16: Other information		

Changes

Rev. 2,00, 21.03.2023; Individual safety data sheet based on 12704_collect

Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the



according to UK REACH Regulation

Oxalic Acid 1 %

Revision date: 21.03.2023

Product code: 18640.xxxxx

Page 9 of 10

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA) ICAO: International Civil Aviation Organization ICAO-TI: Technical Instructions by the "International Civil Aviation Organization" (ICAO) GHS: Globally Harmonized System of Classification and Labelling of Chemicals OSHA: Occupational Safety and Health Administration LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent NOAEL: No observed adverse effect level I OAFL: Lowest observed adverse effect level NOAEC: No observed adverse effect level LOAEC: Lowest observed adverse effect concentration DNEL: Derived No Effect Level PNEC: predicted no effect concentration TSCA: Toxic Substances Control Act IARC: INTERNATIONAL AGENCY FOR RESEARCH ON CANCER NTP: National Toxicology Program SARA: Superfund Amendments and Reauthorization Act GefStoffV: Gefahrstoffverordnung (Ordinance on Hazardous Substances, Germany) PBT: Persistent bioaccumulative toxic SVHC: substance of very high concern CLP: Classification, labelling and Packaging REACH: Registration, Evaluation and Authorization of Chemicals GHS: Globally Harmonised System of Classification, Labelling and Packaging of Chemicals UN: United Nations CAS: Chemical Abstracts Service DNEL: Derived No Effect Level DMEL: Derived Minimal Effect Level PNEC: Predicted No Effect Concentration ATE: Acute toxicity estimate LL50: Lethal loading, 50% EL50: Effect loading, 50% EC50: Effective Concentration 50% ErC50: Effective Concentration 50%, growth rate NOEC: No Observed Effect Concentration BCF: Bio-concentration factor PBT: persistent, bioaccumulative, toxic vPvB: very persistent, very bioaccumulative ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) RID: Regulations concerning the international carriage of dangerous goods by rail ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways (Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures) EmS: Emergency Schedules MFAG: Medical First Aid Guide MARPOL: International Convention for the Prevention of Marine Pollution from Ships IBC: Intermediate Bulk Container For abbreviations and acronyms, see table at http://abbrev.esdscom.eu



according to UK REACH Regulation

Oxalic Acid 1 %

Revision date: 21.03.2023

Product code: 18640.xxxxx

Page 10 of 10

For abbreviations and acronyms, see: ECHA Guidance on information requirements and chemical safety assessment, chapter R.20 (Table of terms and abbreviations).

Classification for mixtures and used evaluation method according to GB CLP Regulation

Classification	Classification procedure			
Skin Corr. 1; H314	On basis of test data			
Eye Dam. 1; H318	On basis of test data			

Relevant H and EUH statements (number and full text)

H302	Harmful if swallowed.
H312	Harmful in contact with skin.
H314	Causes severe skin burns and eye damage.
H318	Causes serious eye damage.

Further Information

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights. The receiver of our product is singularly responsible for adhering to existing laws and regulations. The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)