

according to UK REACH Regulation

## Picric Acid 0,1 % in Acetone

Revision date: 30.08.2023 Product code: 15336.xxxxx Page 1 of 12

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

Picric Acid 0,1 % in Acetone

UFI: 1PFC-912C-600U-ERYG

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

### Use of the substance/mixture

Use as laboratory reagent.

### Uses advised against

Any non-intended use.

## 1.3. Details of the supplier of the safety data sheet

Company name: MORPHISTO GmbH
Street: Schumannstr. 142/144
Place: D-63069 Offenbach

Telephone: +49 (0) 69 / 400 3019-60 Telefax: +49 (0) 69 / 400 3019-64

E-mail: info@morphisto.de
Contact person: Morphisto GmbH

E-mail: qefahrstoffmanagement@morphisto.de

Internet: http://www.morphisto.de

**1.4. Emergency telephone** Poison Information Center Mainz, Germany, Tel: +49(0)6131/19240

number:

### **SECTION 2: Hazards identification**

# 2.1. Classification of the substance or mixture

### **GB CLP Regulation**

Flam. Liq. 2; H225 Eye Irrit. 2; H319 STOT SE 3; H336

Full text of hazard statements: see SECTION 16.

# 2.2. Label elements

# **GB CLP Regulation**

# Hazard components for labelling

Acetone

Signal word: Danger

Pictograms:





### **Hazard statements**

H225 Highly flammable liquid and vapour.
 H319 Causes serious eye irritation.
 H336 May cause drowsiness or dizziness.

## **Precautionary statements**

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No

smoking.

P233 Keep container tightly closed. P261 Avoid breathing Vapour.



# **Safety Data Sheet**

according to UK REACH Regulation

Picric Acid 0,1 % in Acetone

Revision date: 30.08.2023 Product code: 15336.xxxxx Page 2 of 12

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P312 Call a POISON CENTER/doctor if you feel unwell.
P337+P313 If eye irritation persists: Get medical advice/attention.

Special labelling of certain mixtures

EUH066 Repeated exposure may cause skin dryness or cracking.

Labelling of packages where the contents do not exceed 125 ml

Signal word: Danger

Pictograms:





### 2.3. Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulating and toxic (PBT) or very persistent and very bioaccumulating (vPvB) at levels of 0.1% or higher. Ecological information: The substance/mixture does not contain any components that are considered to be hazardous according to REACH Article 57(f) or Commission Delegated Regulation (EU) 2017/2100 or Commission Delegated Regulation (EU) 2018/605 in amounts of 0.1 % or more have endocrine disrupting properties. Toxicological information: The substance/mixture does not contain any components that are to be classified according to REACH Article 57(f) or Commission Delegated Regulation (EU) 2017/2100 or Commission Delegated Regulation (EU) 2018/605 in quantities of 0.1 % or more have endocrine disrupting properties.

### **SECTION 3: Composition/information on ingredients**

### 3.2. Mixtures

# **Hazardous components**

CAS No	Chemical name	Chemical name		
	EC No	Index No	REACH No	
	Classification (GB CLF	Regulation)	•	
67-64-1	Acetone			95 - < 100 %
	200-662-2	606-001-00-8	01-2119471330-49	
	Flam. Liq. 2, Eye Irrit.			
88-89-1	picric acid			< 1 %
	201-865-9	609-009-00-X		
	Expl. 1.1, Acute Tox. 3, Acute Tox. 3, Acute Tox. 3; H201 H331 H311 H301			

Full text of H and EUH statements: see section 16.

Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity
	Specific Conc. L	imits, M-factors and ATE	
67-64-1	200-662-2	Acetone	95 - < 100 %
	inhalation: LC50 = 76 mg/l (vapours); dermal: LD50 = 20000 mg/kg; oral: LD50 = 5800 mg/kg		
88-89-1	201-865-9	picric acid	< 1 %
	inhalation: ATE = 3 mg/l (vapours); inhalation: LC50 = 0,51 mg/l (dusts or mists); dermal: LD50 = 300,1 mg/kg; oral: LD50 = 200 mg/kg		

### **Further Information**

This product contains no substances of very high concern (SVHC) (>0,1%) which are included in the Candidate List according to Article 59 of REACH.

### **SECTION 4: First aid measures**



# **Safety Data Sheet**

according to UK REACH Regulation

## Picric Acid 0,1 % in Acetone

Revision date: 30.08.2023 Product code: 15336.xxxxx Page 3 of 12

### 4.1. Description of first aid measures

### General information

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

### After inhalation

Provide fresh air. In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible). In case of accident by inhalation: remove casualty to fresh air and keep at rest. In all cases of doubt, or when symptoms persist, seek medical advice.

### After contact with skin

After contact with skin, wash immediately with plenty of water and soap. Take off immediately all contaminated clothing and wash it before reuse. If skin irritation occurs: Get medical advice/attention.

### After contact with eyes

After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an ophthalmologist immediately. In case of troubles or persistent symptoms, consult an ophthalmologist.

### After ingestion

Observe risk of aspiration if vomiting occurs. Rinse mouth thoroughly with water. Let water be drunken in little sips (dilution effect). In all cases of doubt, or when symptoms persist, seek medical advice.

## 4.2. Most important symptoms and effects, both acute and delayed

Handling larger quantities.: Inhalation causes narcotic effects/intoxication.

### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

## **SECTION 5: Firefighting measures**

## 5.1. Extinguishing media

### Suitable extinguishing media

Water spray jet, Carbon dioxide (CO2), Foam, Extinguishing powder

### Unsuitable extinguishing media

High power water jet.

### 5.2. Special hazards arising from the substance or mixture

Highly flammable. Vapours can form explosive mixtures with air. In case of fire may be liberated: Carbon monoxide Carbon dioxide (CO2).

# 5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus.

# Additional information

Use water spray jet to protect personnel and to cool endangered containers. Suppress gases/vapours/mists with water spray jet. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water. In case of fire and/or explosion do not breathe fumes.

### **SECTION 6: Accidental release measures**

### 6.1. Personal precautions, protective equipment and emergency procedures

### General advice

Remove all sources of ignition. Do not breathe gas/fumes/vapour/spray. Avoid contact with skin, eyes and clothes. Use personal protection equipment. Remove persons to safety. Vapours are heavier than air and will spread at floor level.

# 6.2. Environmental precautions

Do not allow uncontrolled discharge of product into the environment. Explosion risk. Cover drains. Prevent spread over a wide area (e.g. by containment or oil barriers). Do not allow to enter into surface water or drains.

### 6.3. Methods and material for containment and cleaning up



# **Safety Data Sheet**

according to UK REACH Regulation

## Picric Acid 0,1 % in Acetone

Revision date: 30.08.2023 Product code: 15336.xxxxx Page 4 of 12

### For cleaning up

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

### Other information

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

Treat the recovered material as prescribed in the section on waste disposal.

Ventilate affected area.

### 6.4. Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

# **SECTION 7: Handling and storage**

## 7.1. Precautions for safe handling

### Advice on safe handling

If handled uncovered, arrangements with local exhaust ventilation have to be used. Do not breathe gas/fumes/vapour/spray. Take precautionary measures against static discharges. Due to danger of explosion, prevent leakage of vapours into cellars, flues and ditches.

## Advice on protection against fire and explosion

Keep away from sources of ignition - No smoking. Take precautionary measures against static discharges. Vapours can form explosive mixtures with air. Heating causes rise in pressure with risk of bursting.

### Advice on general occupational hygiene

Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat, drink, smoke, sniff. Always close containers tightly after the removal of product.

# Further information on handling

Keep container tightly closed in a cool, well-ventilated place. Protect against: UV-radiation/sunlight. Flammable vapours can accumulate in head space of closed systems.

### 7.2. Conditions for safe storage, including any incompatibilities

## Requirements for storage rooms and vessels

Keep container tightly closed. Keep locked up. Store in a place accessible by authorized persons only. Provide adequate ventilation as well as local exhaustion at critical locations. Keep in a cool, well-ventilated place. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Keep container tightly closed in a cool, well-ventilated place.

# Hints on joint storage

Do not store together with: Oxidizing agent. Pyrophoric or self-heating substances. Do not store together with: Oxidizing substances. Alkali metals. Infectious substances. Explosives. Non-combustible toxic substances. Pyrophoric substances. Flammable solids. Gases under presussure.ammonium nitrate.

### Further information on storage conditions

Recommended storage temperature: 15-25 °C Protect against: frost. heat. Cold. Humidity

### 7.3. Specific end use(s)

Use as laboratory reagent.

# **SECTION 8: Exposure controls/personal protection**

### 8.1. Control parameters



according to UK REACH Regulation

# Picric Acid 0,1 % in Acetone

Revision date: 30.08.2023 Product code: 15336.xxxxx Page 5 of 12

### **Exposure limits (EH40)**

CAS No	Substance	ppm	mg/m³	fibres/ml	Category	Origin
67-64-1	Acetone	500	1210		TWA (8 h)	WEL
		1500	3620		STEL (15 min)	WEL
88-89-1	Picric acid	-	0.1		TWA (8 h)	WEL
		-	0.3		STEL (15 min)	WEL

### **DNEL/DMEL values**

CAS No	Substance					
DNEL type		Exposure route	Effect	Value		
67-64-1	Acetone					
Worker DNEL,	Worker DNEL, long-term		systemic	1210 mg/m³		
Worker DNEL, acute		inhalation	local	2420 mg/m³		
Worker DNEL, long-term		dermal	systemic	186 mg/kg bw/day		

### **PNEC values**

CAS No	Substance		
Environmen	Environmental compartment V		
67-64-1	Acetone		
Freshwater		10,6 mg/l	
Freshwater (intermittent releases)		21 mg/l	
Marine water	г	1,06 mg/l	
Marine water (intermittent releases)		21 mg/l	
Freshwater	Freshwater sediment		
Marine sediment		3,04 mg/kg	
Micro-organ	Micro-organisms in sewage treatment plants (STP)		
Soil	Soil 2		

### 8.2. Exposure controls









# Appropriate engineering controls

If handled uncovered, arrangements with local exhaust ventilation have to be used. Do not breathe gas/fumes/vapour/spray. Use extractor hood (laboratory).

### Individual protection measures, such as personal protective equipment

# Eye/face protection

Suitable eye protection: goggles. Tightly sealed safety glasses. EN 166

## **Hand protection**

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. Pull-over gloves of rubber. EN ISO 374 Suitable material:

(penetration time (maximum wearing period): >= 4 h ):



## **Safety Data Sheet**

according to UK REACH Regulation

## Picric Acid 0,1 % in Acetone

Revision date: 30.08.2023 Product code: 15336.xxxxx Page 6 of 12

Butyl rubber. (0,5 mm)

In the case of wanting to use the gloves again, clean them before taking off and air them well.

### Skin protection

Minimum standard for preventive measures while handling with working materials are specified in the TRGS 500 (D).

### Respiratory protection

In case of inadequate ventilation wear respiratory protection. With correct and proper use, and under normal conditions, breathing protection is not required.

Respiratory protection necessary at:

exceeding exposure limit values

Insufficient ventilation.

Suitable respiratory protective equipment: gas filtering equipment (EN 141).

### Thermal hazards

Flame-retardant protective clothing. Wear anti-static footwear and clothing

### **Environmental exposure controls**

No information available.

# SECTION 9: Physical and chemical properties

## 9.1. Information on basic physical and chemical properties

Physical state: liquid
Colour: yellowish
Odour: characteristic

Melting point/freezing point:

-94,8 °C

Boiling point or initial boiling point and

56 °C

boiling range:

Flammability: not determined Lower explosion limits: 2,5 vol. % Upper explosion limits: 14,3 vol. % Flash point: -17 °C Auto-ignition temperature: 465 °C Decomposition temperature: not determined pH-Value: not determined Viscosity / kinematic: 1,937 mm<sup>2</sup>/s Water solubility: completely miscible

(at 20 °C)

Solubility in other solvents

not determined

Partition coefficient n-octanol/water: not determined Vapour pressure: 240 hPa

(at 20 °C)

Density (at 20 °C): 0,79 g/cm³
Relative vapour density: not determined
Particle characteristics: not applicable

# 9.2. Other information

# Information with regard to physical hazard classes

Explosive properties

The product is not: Explosive.

Oxidizing properties

none

### **SECTION 10: Stability and reactivity**



# **Safety Data Sheet**

according to UK REACH Regulation

## Picric Acid 0,1 % in Acetone

Revision date: 30.08.2023 Product code: 15336.xxxxx Page 7 of 12

### 10.1. Reactivity

Highly flammable. No information available.

### 10.2. Chemical stability

Stable under normal storage and handling conditions.

## 10.3. Possibility of hazardous reactions

No information available.

## 10.4. Conditions to avoid

Keep away from sources of heat (e.g. hot surfaces), sparks and open flames. Vapours can form explosive mixtures with air. Ignition hazard. Keep away from heat.

## 10.5. Incompatible materials

Reacts with: Hydrogen peroxide, bromine trifluoride, Difluordioxid, 2-methyl-1,3-butadiene, nitromethane, nitrosyl chloride (catalyst), Nitrosyl perchlorate, alkali hydroxide, bromine, fluorine, sodium, strong reducing agents, nitric acid, chromic acid, chromium trioxide, chromyl chloride, ethanolamine, Potassium tert-butoxide. Oxidizing agents, strong.

### 10.6. Hazardous decomposition products

In case of fire may be liberated: Carbon monoxide Carbon dioxide (CO2).

## **SECTION 11: Toxicological information**

## 11.1. Information on hazard classes as defined in GB CLP Regulation

### **Acute toxicity**

Based on available data, the classification criteria are not met.

### **ATEmix calculated**

ATE (oral) 200000 mg/kg; ATE (dermal) 300100 mg/kg; ATE (inhalation vapour) > 20 mg/l; ATE (inhalation dust/mist) 510,0 mg/l

CAS No	Chemical name	Chemical name							
	Exposure route	Dose		Species	Source	Method			
67-64-1	Acetone								
	oral	LD50 mg/kg	5800	Rat	RTECS				
	dermal	LD50 mg/kg	20000	Rabbit	IUCLID				
	inhalation (4 h) vapour	LC50	76 mg/l	Rat					
88-89-1	picric acid								
	oral	LD50 mg/kg	200	Rat	RTECS				
	dermal	LD50 mg/kg	300,1						
	inhalation vapour	ATE	3 mg/l						
	inhalation (4 h) dust/mist	LC50	0,51 mg/l						

# Irritation and corrosivity

Causes serious eye irritation.

Skin corrosion/irritation: Based on available data, the classification criteria are not met.

### Sensitising effects

Based on available data, the classification criteria are not met.

### Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.



according to UK REACH Regulation

# Picric Acid 0,1 % in Acetone

Revision date: 30.08.2023 Product code: 15336.xxxxx Page 8 of 12

### STOT-single exposure

May cause drowsiness or dizziness. (Acetone)

### STOT-repeated exposure

Repeated exposure may cause skin dryness or cracking.

### **Aspiration hazard**

Based on available data, the classification criteria are not met.

### 11.2. Information on other hazards

## **Endocrine disrupting properties**

This product does not contain a substance that has endocrine disrupting properties with respect to humans as no components meets the criteria.

### Other information

The mixture is classified as hazardous according to regulation (EC) No 1272/2008 [CLP].

# **SECTION 12: Ecological information**

### 12.1. Toxicity

Based on available data, the classification criteria are not met.

CAS No	Chemical name						
	Aquatic toxicity	Dose		[h]   [d]	Species	Source	Method
67-64-1	Acetone						
	Acute fish toxicity	LC50 mg/l	5540	96 h	Oncorhynchus mykiss	ECHA	
	Acute crustacea toxicity	EC50 mg/l	6100	48 h	Daphnia magna	ECHA	
	Acute bacteria toxicity	(EC50 mg/l)	61150	0,5 h		ECHA	

### 12.2. Persistence and degradability

No information available.

CAS No	Chemical name				
	Method	Value	d	Source	
	Evaluation	-	-		
67-64-1	Acetone				
	Formation of carbon dioxide	90,9 %	28		

# 12.3. Bioaccumulative potential

No indication of bioaccumulation potential.

# Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
67-64-1	Acetone	-0,24

### 12.4. Mobility in soil

No information available.

# 12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to UK REACH.

# 12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

### 12.7. Other adverse effects

No information available.



# **Safety Data Sheet**

according to UK REACH Regulation

## Picric Acid 0,1 % in Acetone

Revision date: 30.08.2023 Product code: 15336.xxxxx Page 9 of 12

### **Further information**

Avoid release to the environment.

### **SECTION 13: Disposal considerations**

### 13.1. Waste treatment methods

### **Disposal recommendations**

Do not allow to enter into surface water or drains. Dispose of waste according to applicable legislation. Observe in addition any national regulations! Consult the local waste disposal expert about waste disposal.

### List of Wastes Code - residues/unused products

160506 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and

discarded chemicals; laboratory chemicals, consisting of or containing hazardous substances,

including mixtures of laboratory chemicals; hazardous waste

### List of Wastes Code - used product

160506 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and

discarded chemicals; laboratory chemicals, consisting of or containing hazardous substances,

including mixtures of laboratory chemicals; hazardous waste

### List of Wastes Code - contaminated packaging

150110 WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND

PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED; packaging (including separately collected municipal packaging waste); packaging containing residues of or contaminated by

hazardous substances; hazardous waste

### Contaminated packaging

Wash with plenty of water. Completely emptied packages can be recycled. Non-contaminated packages may be recycled.

## **SECTION 14: Transport information**

# Land transport (ADR/RID)

14.1. UN number or ID number: UN 1090
14.2. UN proper shipping name: ACETONE

14.3. Transport hazard class(es):314.4. Packing group:IIHazard label:3



Classification code: F1
Limited quantity: 1 L
Excepted quantity: E2
Transport category: 2
Hazard No: 33
Tunnel restriction code: D/E

# Inland waterways transport (ADN)

**14.1. UN number or ID number:** UN 1090 **14.2. UN proper shipping name:** ACETONE

14.3. Transport hazard class(es):314.4. Packing group:IIHazard label:3





according to UK REACH Regulation

	Picric Acid 0,1 % in Acetone	
Revision date: 30.08.2023	Product code: 15336.xxxxx	Page 10 of 12
Classification code:	F1	

Limited quantity: 1 L Excepted quantity: E2

Marine transport (IMDG)

14.1. UN number or ID number: UN 1090 14.2. UN proper shipping name: **ACETONE** 14.3. Transport hazard class(es): Ш 14.4. Packing group: Hazard label: 3



**Special Provisions:** Limited quantity: 1 L Excepted quantity: F2 EmS: F-E, S-D

Air transport (ICAO-TI/IATA-DGR)

14.1. UN number or ID number: **UN 1090** 14.2. UN proper shipping name: **ACETONE** 

14.3. Transport hazard class(es): 3 Ш 14.4. Packing group: Hazard label: 3



Limited quantity Passenger: Passenger LQ: Y341 Excepted quantity: E2

IATA-packing instructions - Passenger: 353 IATA-max. quantity - Passenger: 5 L IATA-packing instructions - Cargo: 364 IATA-max. quantity - Cargo: 60 L

14.5. Environmental hazards

**ENVIRONMENTALLY HAZARDOUS:** Nο

14.6. Special precautions for user

Warning: Combustible liquid. No information available.

14.7. Maritime transport in bulk according to IMO instruments

No information available.

### **SECTION 15: Regulatory information**

# 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

# **EU** regulatory information

Restrictions on use (REACH, annex XVII):

Entry 3, Entry 40, Entry 75

Information according to 2012/18/EU

P5c FLAMMABLE LIQUIDS

(SEVESO III): **National regulatory information** 

**Employment restrictions:** Observe restrictions to employment for juveniles according to the 'juvenile

work protection guideline' (94/33/EC).

Water hazard class (D): 1 - slightly hazardous to water



according to UK REACH Regulation

## Picric Acid 0,1 % in Acetone

Revision date: 30.08.2023 Product code: 15336.xxxxx Page 11 of 12

### 15.2. Chemical safety assessment

For the following substances of this mixture a chemical safety assessment has been carried out: Acetone

### **SECTION 16: Other information**

### Changes

This data sheet contains changes from the previous version in section(s):

1,2,3,4,5,6,7,8,9,10,11,12,13,14,15,16.

Rev. 1.0 Initial release 11.07.13

Rev. 2,0; 30.08.2023; Change of classification/labeling

### Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations

Concerning the International Transport of Dangerous Goods by Rail)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)

ICAO: International Civil Aviation Organization

ICAO-TI: Technical Instructions by the "International Civil Aviation Organization" (ICAO)

GHS: Globally Harmonized System of Classification and Labelling of Chemicals

OSHA: Occupational Safety and Health Administration

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

NOAEL: No observed adverse effect level LOAEL: Lowest observed adverse effect level NOAEC: No observed adverse effect level

LOAEC: Lowest observed adverse effect concentration

DNEL: Derived No Effect Level

PNEC: predicted no effect concentration TSCA: Toxic Substances Control Act

IARC: INTERNATIONAL AGENCY FOR RESEARCH ON CANCER

NTP: National Toxicology Program

SARA: Superfund Amendments and Reauthorization Act

GefStoffV: Gefahrstoffverordnung (Ordinance on Hazardous Substances, Germany)

PBT: Persistent bioaccumulative toxic SVHC: substance of very high concern CLP: Classification, labelling and Packaging

REACH: Registration, Evaluation and Authorization of Chemicals

GHS: Globally Harmonised System of Classification, Labelling and Packaging of Chemicals

**UN: United Nations** 

CAS: Chemical Abstracts Service
DNEL: Derived No Effect Level
DMEL: Derived Minimal Effect Level
PNEC: Predicted No Effect Concentration

ATE: Acute toxicity estimate LL50: Lethal loading, 50% EL50: Effect loading, 50%

EC50: Effective Concentration 50%

ErC50: Effective Concentration 50%, growth rate NOEC: No Observed Effect Concentration

BCF: Bio-concentration factor



# **Safety Data Sheet**

according to UK REACH Regulation

## Picric Acid 0,1 % in Acetone

Revision date: 30.08.2023 Product code: 15336.xxxxx Page 12 of 12

PBT: persistent, bioaccumulative, toxic vPvB: very persistent, very bioaccumulative

ADR: Accord européen sur le transport des marchandises dangereuses par Route

(European Agreement concerning the International Carriage of Dangerous Goods by Road)

RID: Regulations concerning the international carriage of dangerous goods by rail

ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways (Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures)

EmS: Emergency Schedules MFAG: Medical First Aid Guide

MARPOL: International Convention for the Prevention of Marine Pollution from Ships

IBC: Intermediate Bulk Container VOC: Volatile Organic Compounds

For abbreviations and acronyms, see: ECHA Guidance on information requirements and chemical safety assessment, chapter R.20 (Table of terms and abbreviations).

### Classification for mixtures and used evaluation method according to GB CLP Regulation

Classification	Classification procedure	
Flam. Liq. 2; H225	On basis of test data	
Eye Irrit. 2; H319	Calculation method	
STOT SE 3; H336	Calculation method	

### Relevant H and EUH statements (number and full text)

H201	Explosive; mass explosion hazard.
H225	Highly flammable liquid and vapour.
H301	Toxic if swallowed.
H311	Toxic in contact with skin.
H319	Causes serious eye irritation.
H331	Toxic if inhaled.

H336 May cause drowsiness or dizziness.

EUH066 Repeated exposure may cause skin dryness or cracking.

### **Further Information**

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights. The receiver of our product is singularly responsible for adhering to existing laws and regulations. The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)