

Safety Data Sheet

according to UK REACH Regulation

Hydrochloric Acid 0.2 mol/l

Revision date: 26.02.2024 Product code: 12824.xxxxx Page 1 of 11

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Hydrochloric Acid 0.2 mol/l

UFI: 20H4-V174-T00Q-R75E

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

laboratory reagent. Intended for scientific research and development.

Uses advised against

Any non-intended use.

1.3. Details of the supplier of the safety data sheet

Company name: MORPHISTO GmbH Street: Schumannstr. 144 Place: D-63069 Offenbach

Telephone: +49 (0) 69 / 400 3019-60 Telefax: +49 (0) 69 / 400 3019-64

E-mail: info@morphisto.de Contact person: Morphisto GmbH

E-mail: gefahrstoffmanagement@morphisto.de

Internet: http://www.morphisto.de

1.4. Emergency telephone Morphisto GmbH, Tel: +49(0)69 400 3019-60, Mo-Fr.: 09-16 Uhr

number:

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

GB CLP Regulation

Met. Corr. 1; H290

Full text of hazard statements: see SECTION 16.

2.2. Label elements

GB CLP Regulation

Signal word: Warning

Pictograms:



Hazard statements

H290 May be corrosive to metals.

Precautionary statements

P234 Keep only in original packaging.

P390 Absorb spillage to prevent material damage.

P406 Store in a corrosion-resistant container with a resistant inner liner.

2.3. Other hazards



Safety Data Sheet

according to UK REACH Regulation

Hydrochloric Acid 0.2 mol/l

Revision date: 26.02.2024 Product code: 12824.xxxxx Page 2 of 11

This substance/mixture contains no components considered to be either persistent, bioaccumulating and toxic (PBT) or very persistent and very bioaccumulating (vPvB) at levels of 0.1% or higher. Ecological information: The substance/mixture does not contain any components that are considered to be hazardous according to REACH Article 57(f) or Commission Delegated Regulation (EU) 2017/2100 or Commission Delegated Regulation (EU) 2018/605 in amounts of 0.1 % or more have endocrine disrupting properties. Toxicological information: The substance/mixture does not contain any components that are to be classified according to REACH Article 57(f) or Commission Delegated Regulation (EU) 2017/2100 or Commission Delegated Regulation (EU) 2018/605 in quantities of 0.1 % or more have endocrine disrupting properties.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Relevant ingredients

| CAS No | Chemical name | | | Quantity |
|-----------|---|--------------|------------------|----------|
| | EC No | | | |
| | Classification (GB CLP Regulation) | | | |
| 7647-01-0 | hydrochloric acid % | | | < 1 % |
| | 231-595-7 | 017-002-01-X | 01-2119484862-27 | |
| | Met. Corr. 1, Skin Corr. 1B, Eye Dam. 1, STOT SE 3; H290 H314 H318 H335 | | | |

Full text of H and EUH statements: see section 16.

Specific Conc. Limits, M-factors and ATE

| CAS No | EC No | Chemical name | Quantity |
|-----------|---|---------------------------|----------|
| | Specific Conc. I | Limits, M-factors and ATE | |
| 7647-01-0 | 231-595-7 | hydrochloric acid % | < 1 % |
| | oral: LD50 = 2222 mg/kg Skin Corr. 1B; H314: >= 25 - 100 Skin Irrit. 2; H315: >= 10 - < 25 Eye Irrit. 2; H319: >= 10 - < 25 STOT SE 3; H335: >= 10 - 100 | | |

Further Information

This product contains no substances of very high concern (SVHC) (>0,1%) which are included in the Candidate List according to Article 59 of REACH.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible). Take off contaminated clothing and wash it before reuse.

After inhalation

Provide fresh air. In case of respiratory tract irritation, consult a physician.

After contact with skin

Wash with plenty of water. Take off contaminated clothing and wash it before reuse. In case of skin irritation, seek medical treatment.

After contact with eyes

In case of contact with eyes, rinse immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart. Subsequently consult an ophthalmologist.

After ingestion

Observe risk of aspiration if vomiting occurs. Rinse mouth immediately and drink plenty of water. Do NOT induce vomiting. Get medical advice/attention.

4.2. Most important symptoms and effects, both acute and delayed

May cause irritation.

4.3. Indication of any immediate medical attention and special treatment needed



according to UK REACH Regulation

Hydrochloric Acid 0.2 mol/l

Revision date: 26.02.2024 Product code: 12824.xxxxx Page 3 of 11

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings. Carbon dioxide (CO2). Dry extinguishing powder. alcohol resistant foam. Atomized water.

Unsuitable extinguishing media

High power water jet.

5.2. Special hazards arising from the substance or mixture

Non-flammable. In case of fire may be liberated: Hydrogen chloride (HCI). The product itself does not burn.

5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus.

Additional information

Suppress gases/vapours/mists with water spray jet.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General advice

Provide adequate ventilation. Do not breathe gas/fumes/vapour/spray. Avoid contact with skin, eyes and clothes. Use personal protection equipment. Ventilate affected area.

Use a positive-pressure air-supplied respirator if there is any potential for an uncontrolled release, exposure levels are not known, or any other circumstances where air-purifying respirators may not provide adequate protection.

For non-emergency personnel

Clear danger zone. Follow emergency plan. Consult an expert.

6.2. Environmental precautions

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

6.3. Methods and material for containment and cleaning up

For cleaning up

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

Suitable material for diluting or neutralizing: caustic soda, diluted.

Other information

Clear contaminated areas thoroughly.

6.4. Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

If handled uncovered, arrangements with local exhaust ventilation have to be used. Do not breathe gas/fumes/vapour/spray.

Avoid contact with skin, eyes and clothes. Use extractor hood (laboratory). Always close containers tightly after the removal of product.

Advice on protection against fire and explosion

The product is not: Combustible. Usual measures for fire prevention.



Safety Data Sheet

according to UK REACH Regulation

Hydrochloric Acid 0.2 mol/l

Revision date: 26.02.2024 Product code: 12824.xxxxx Page 4 of 11

Advice on general occupational hygiene

Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat, drink, smoke, sniff. Always close containers tightly after the removal of product.

Further information on handling

When using do not eat, drink, smoke, sniff. Wear suitable protective clothing. Take off contaminated clothing and wash it before reuse. Street clothing should be stored seperately from work clothing. Ensure cleanliness and dryness in the workplace.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep container tightly closed. Unsuitable container/equipment material: Metal. Suitable material for Container: polyethylene. Glass.

Hints on joint storage

Do not store together with: Peroxides. Radioactive substances. Infectious substances. Oxidizing solids. Oxidizing liquids. Food and fodder.

Further information on storage conditions

Protect from direct sunlight.Recommended storage temperature: 15-25°C.

7.3. Specific end use(s)

See section 1.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure limits (EH40)

| CAS No | Substance | ppm | mg/m³ | fibres/ml | Category | Origin |
|-----------|---|-----|-------|-----------|---------------|--------|
| 7647-01-0 | Hydrogen chloride (gas and aerosol mists) | 1 | 2 | | TWA (8 h) | WEL |
| | | 5 | 8 | | STEL (15 min) | WEL |

DNEL/DMEL values

| CAS No | Substance | | | | | |
|------------------------|---------------------|----------------|--------|----------|--|--|
| DNEL type | | Exposure route | Effect | Value | | |
| 7647-01-0 | hydrochloric acid % | | | | | |
| Worker DNEL, | acute | inhalation | local | 15 mg/m³ | | |
| Worker DNEL, long-term | | inhalation | local | 8 mg/m³ | | |

8.2. Exposure controls

Appropriate engineering controls

If handled uncovered, arrangements with local exhaust ventilation have to be used. Do not breathe gas/fumes/vapour/spray. Use extractor hood (laboratory). Provide washing facilities at the workplace, provide an eye shower or eyewash bottle and mark them.

Individual protection measures, such as personal protective equipment

Eye/face protection

Wear eye/face protection. Tightly sealed safety glasses. EN 166

Hand protection

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. Pull-over gloves of rubber. EN ISO 374



Safety Data Sheet

according to UK REACH Regulation

Hydrochloric Acid 0.2 mol/l

Revision date: 26.02.2024 Product code: 12824.xxxxx Page 5 of 11

Suitable material:

(penetration time (maximum wearing period): >= 8 h):

Butyl rubber. (0,5 mm)

NBR (Nitrile rubber). (0,35 mm)

Protective clothing should be selected, depending on concentration and quantity of the hazardous substance.

The chemical resistance of the products should be discussed with suppliers.

Before using check leak tightness / impermeability.

Skin protection

Use of protective clothing. Material, acid-resistant, Lab apron.

Respiratory protection

In case of inadequate ventilation wear respiratory protection. Respiratory protection necessary at:

exceeding exposure limit values

Insufficient ventilation.

Suitable respiratory protective equipment: Combination filtering device (EN 14387)

Type: E/P2 Identification color: yellow.

The filter class must be suitable for the maximum contaminant concentration (gas/yapour/aerosol/particulates)

that may arise when handling the product. If the concentration is exceeded, self-contained breathing apparatus must be used.

Details on the requirements for use and maximum concentrations can be found in the "Rules for the use of respiratory protective devices" (BGR 190).

Environmental exposure controls

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state: liquid Colour: colourless Odour. stinging

ca. 0 °C Melting point/freezing point: Boiling point or initial boiling point and ca. 100 °C

boiling range:

Flammability: not determined Lower explosion limits: not determined Upper explosion limits: not determined >100 °C Flash point: Auto-ignition temperature: not determined Decomposition temperature: not determined pH-Value (at 20 °C): 1-2

Viscosity / kinematic: not determined Water solubility: miscible.

(at 20 °C)

Solubility in other solvents

not determined

Partition coefficient n-octanol/water: not determined Vapour pressure: 23 hPa

(at 20 °C)

Density (at 20 °C): 1,00 g/cm³ Relative vapour density: not determined Particle characteristics: not applicable

9.2. Other information

Information with regard to physical hazard classes



according to UK REACH Regulation

Hydrochloric Acid 0.2 mol/l

Revision date: 26.02.2024 Product code: 12824.xxxxx Page 6 of 11

Explosive properties

The product is not: Explosive.

Sustaining combustion: Oxidizing properties

Not sustaining combustion

none

Other safety characteristics

Evaporation rate: not determined Solid content: 0 %

Further Information

No information available.

SECTION 10: Stability and reactivity

10.1. Reactivity

Corrosive to metals.

10.2. Chemical stability

Stable under normal storage and handling conditions.

10.3. Possibility of hazardous reactions

Exothermic reaction with: Base, Peroxides, Oxidizing agent. Reacts with metals: Formation of hydrogen

10.4. Conditions to avoid

heat. UV-radiation/sunlight.

10.5. Incompatible materials

Metal. Keep away from: Base, Oxidizing agent, Peroxides. Substances that form flammable gases when in contact with water.

Oxidizing agents, strong. Nitric acid. aldehydes. strong alkalis. Formaldehyde Aluminium. metal. Fluorine. Amines.

10.6. Hazardous decomposition products

In case of fire may be liberated: Hydrogen chloride (HCI).

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in GB CLP Regulation

Acute toxicity

Based on available data, the classification criteria are not met.

ATEmix calculated

ATE (oral) > 2000 mg/kg; ATE (dermal) > 2000 mg/kg; ATE (inhalation vapour) > 20 mg/l; ATE (inhalation dust/mist) > 5 mg/l

| CAS No | Chemical name | | | | | |
|-----------|---------------------|---------------|------|---------|----------------|--------|
| | Exposure route | Dose | | Species | Source | Method |
| 7647-01-0 | hydrochloric acid % | | | | | |
| | | LD50 mg/kg | 2222 | Rat | suppliers SDS. | |

Irritation and corrosivity

Based on available data, the classification criteria are not met.

Sensitising effects

Based on available data, the classification criteria are not met.

Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.



Safety Data Sheet

according to UK REACH Regulation

Hydrochloric Acid 0.2 mol/l

Revision date: 26.02.2024 Product code: 12824.xxxxx Page 7 of 11

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

11.2. Information on other hazards

Endocrine disrupting properties

This product does not contain any substance that has endocrine disrupting properties in humans as no ingredient meets the criteria.

Other information

This preparation is hazardous in the sense of regulation (EC) No 1272/2008 [GHS].

SECTION 12: Ecological information

12.1. Toxicity

Based on available data, the classification criteria are not met.

12.2. Persistence and degradability

The methods for determining the biological degradability are not applicable to inorganic substances.

12.3. Bioaccumulative potential

No information available.

12.4. Mobility in soil

No information available.

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to UK REACH.

12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

12.7. Other adverse effects

The Product is not acutely harmful with a high probability to aquatic organisms. At higher pH values, as they occur naturally in water, an increase in toxicity to aquatic organisms is expected.

Further information

Avoid release to the environment.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

Do not allow to enter into surface water or drains. Dispose of waste according to applicable legislation. Non-contaminated packages may be recycled. Hazardous waste according to Directive 2008/98/EC (waste framework directive). Consult the local waste disposal expert about waste disposal. Control report for waste code/ waste marking according to (EWC) European Waste Catalogue:

List of Wastes Code - residues/unused products

060102 WASTES FROM INORGANIC CHEMICAL PROCESSES; wastes from the manufacture, formulation, supply and use (MFSU) of acids; hydrochloric acid; hazardous waste

List of Wastes Code - used product

160506 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and discarded chemicals; laboratory chemicals, consisting of or containing hazardous substances,

including mixtures of laboratory chemicals; hazardous waste

List of Wastes Code - contaminated packaging



Safety Data Sheet

according to UK REACH Regulation

Hydrochloric Acid 0.2 mol/l

Revision date: 26.02.2024 Product code: 12824.xxxxx Page 8 of 11

150110 WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND

PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED; packaging (including separately collected municipal packaging waste); packaging containing residues of or contaminated by

hazardous substances; hazardous waste

Contaminated packaging

Wash with plenty of water. Completely emptied packages can be recycled.

SECTION 14: Transport information

Land transport (ADR/RID)

14.1. UN number or ID number: UN 1789

14.2. UN proper shipping name: HYDROCHLORIC ACID

14.3. Transport hazard class(es):814.4. Packing group:IIIHazard label:8



Classification code: C1
Special Provisions: 520
Limited quantity: 5 L
Excepted quantity: E1
Transport category: 3
Hazard No: 80
Tunnel restriction code: E

Inland waterways transport (ADN)

14.1. UN number or ID number: UN 1789

14.2. UN proper shipping name: HYDROCHLORIC ACID

14.3. Transport hazard class(es):814.4. Packing group:IIIHazard label:8



Classification code: C1
Special Provisions: 520
Limited quantity: 5 L
Excepted quantity: E1

Marine transport (IMDG)

14.1. UN number or ID number: UN 1789

14.2. UN proper shipping name: HYDROCHLORIC ACID

14.3. Transport hazard class(es):814.4. Packing group:IIIHazard label:8



Special Provisions: 223
Limited quantity: 5 L
Excepted quantity: E1
EmS: F-A, S-B
Segregation group: 1 - acids



according to UK REACH Regulation

Hydrochloric Acid 0.2 mol/l

Revision date: 26.02.2024 Product code: 12824.xxxxx Page 9 of 11

Air transport (ICAO-TI/IATA-DGR)

14.1. UN number or ID number: UN 1789

14.2. UN proper shipping name: HYDROCHLORIC ACID

14.3. Transport hazard class(es):814.4. Packing group:IIIHazard label:8



Special Provisions:

Limited quantity Passenger:

Passenger LQ:

Excepted quantity:

A3 A803

1 L

Y841

Excepted quantity:

E1

IATA-packing instructions - Passenger:852IATA-max. quantity - Passenger:5 LIATA-packing instructions - Cargo:856IATA-max. quantity - Cargo:60 L

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: No

14.6. Special precautions for user

Warning: strongly corrosive. Refer to section 6-8

14.7. Maritime transport in bulk according to IMO instruments

not relevant

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulatory information

Restrictions on use (REACH, annex XVII):

Entry 75

Information according to Directive

2012/18/EU (SEVESO III):

Not subject to 2012/18/EU (SEVESO III)

Additional information

This preparation is hazardous in the sense of regulation (EC) No 1272/2008 [GHS].

National regulatory information

Employment restrictions: Observe restrictions to employment for juveniles according to the 'juvenile

work protection guideline' (94/33/EC).

Water hazard class (D): -- non-hazardous to water

15.2. Chemical safety assessment

For the following substances of this mixture a chemical safety assessment has been carried out:

hydrochloric acid %

SECTION 16: Other information

Changes

This data sheet contains changes from the previous version in section(s): 1,2,3,4,6,7,8,9,10,11,12,13,14,15,16.

Rev. 2,0; 11.02.2023, Individual safety data sheet based on 15802 collect

Rev. 2,1; 26.02.2024; general adjustment(s)



according to UK REACH Regulation

Hydrochloric Acid 0.2 mol/l

Revision date: 26.02.2024 Product code: 12824.xxxxx Page 10 of 11

Abbreviations and acronyms

Met. Corr: Corrosive to metals Skin Corr: Skin corrosion Eye Dam: Eye damage

STOT SE: Specific target organ toxicity - single exposure

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement

concerning the

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer

(Regulations

Concerning the International Transport of Dangerous Goods by Rail)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)

ICAO: International Civil Aviation Organization

ICAO-TI: Technical Instructions by the "International Civil Aviation Organization" (ICAO)

GHS: Globally Harmonized System of Classification and Labelling of Chemicals

OSHA: Occupational Safety and Health Administration

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

NOAEL: No observed adverse effect level LOAEL: Lowest observed adverse effect level NOAEC: No observed adverse effect level

LOAEC: Lowest observed adverse effect concentration

DNEL: Derived No Effect Level

PNEC: predicted no effect concentration TSCA: Toxic Substances Control Act

IARC: INTERNATIONAL AGENCY FOR RESEARCH ON CANCER

NTP: National Toxicology Program

SARA: Superfund Amendments and Reauthorization Act

GefStoffV: Gefahrstoffverordnung (Ordinance on Hazardous Substances, Germany)

PBT: Persistent bioaccumulative toxic SVHC: substance of very high concern CLP: Classification, labelling and Packaging

REACH: Registration, Evaluation and Authorization of Chemicals

GHS: Globally Harmonised System of Classification, Labelling and Packaging of Chemicals

UN: United Nations

CAS: Chemical Abstracts Service
DNEL: Derived No Effect Level
DMEL: Derived Minimal Effect Level
PNEC: Predicted No Effect Concentration

ATE: Acute toxicity estimate LL50: Lethal loading, 50% EL50: Effect loading, 50%

EC50: Effective Concentration 50%

ErC50: Effective Concentration 50%, growth rate

NOFC: No Observed Effect Concentration

BCF: Bio-concentration factor

PBT: persistent, bioaccumulative, toxic vPvB: very persistent, very bioaccumulative

ADR: Accord européen sur le transport des marchandises dangereuses par Route

(European Agreement concerning the International Carriage of Dangerous Goods by Road)

RID: Regulations concerning the international carriage of dangerous goods by rail

ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways (Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures)



Safety Data Sheet

according to UK REACH Regulation

Hydrochloric Acid 0.2 mol/l

Revision date: 26.02.2024 Product code: 12824.xxxxx Page 11 of 11

EmS: Emergency Schedules MFAG: Medical First Aid Guide

MARPOL: International Convention for the Prevention of Marine Pollution from Ships

IBC: Intermediate Bulk Container

For abbreviations and acronyms, see table at http://abbrev.esdscom.eu

For abbreviations and acronyms, see: ECHA Guidance on information requirements and chemical safety

assessment, chapter R.20 (Table of terms and abbreviations). EC/EEC: European Community/European Economic Community

EU: European Union M-factor: Multiplying factor

IATA: International Air Transport Association

DGR: Dangerous Goods Regulations

ICAO: International Civil Aviation Organization

TI: Technical Instructions

Classification for mixtures and used evaluation method according to GB CLP Regulation

| Classification | Classification procedure |
|--------------------|--------------------------|
| Met. Corr. 1; H290 | On basis of test data |

Relevant H and EUH statements (number and full text)

H290 May be corrosive to metals.

H314 Causes severe skin burns and eye damage.

H318 Causes serious eye damage. H335 May cause respiratory irritation.

Further Information

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights. The receiver of our product is singularly responsible for adhering to existing laws and regulations. The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

(The data for the relevant ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)