

according to UK REACH Regulation

# Silver Nitrate 0.1 mol/l (Chloride Test)

Revision date: 27.11.2023 Product code: 15712.xxxxx Page 1 of 12

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

## 1.1. Product identifier

Silver Nitrate 0.1 mol/l (Chloride Test)

UFI: 8YGD-K1KM-C00X-442R

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### Use of the substance/mixture

Use as laboratory reagent. The product is intended for research, analysis and scientific education.

## Uses advised against

Any non-intended use.

# 1.3. Details of the supplier of the safety data sheet

Company name: MORPHISTO GmbH
Street: Schumannstr. 142/144
Place: D-63069 Offenbach

Telephone: +49 (0) 69 / 400 3019-60 Telefax: +49 (0) 69 / 400 3019-64

E-mail: info@morphisto.de Contact person: Morphisto GmbH

E-mail: gefahrstoffmanagement@morphisto.de

Internet: http://www.morphisto.de

**1.4. Emergency telephone** Poison Information Center Mainz, Germany, Tel: +49(0)6131/19240

number:

## **SECTION 2: Hazards identification**

# 2.1. Classification of the substance or mixture

## **GB CLP Regulation**

Skin Irrit. 2; H315 Eye Irrit. 2; H319 Aquatic Acute 1; H400 Aquatic Chronic 1; H410

Full text of hazard statements: see SECTION 16.

## 2.2. Label elements

# **GB CLP Regulation**

Signal word: Warning

Pictograms:





#### **Hazard statements**

H315 Causes skin irritation.
H319 Causes serious eye irritation.

H410 Very toxic to aquatic life with long lasting effects.

# **Precautionary statements**

P273 Avoid release to the environment.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P332+P313 If skin irritation occurs: Get medical advice/attention.
P337+P313 If eye irritation persists: Get medical advice/attention.

P391 Collect spillage.



according to UK REACH Regulation

# Silver Nitrate 0.1 mol/l (Chloride Test)

Revision date: 27.11.2023 Product code: 15712.xxxxx Page 2 of 12

Labelling of packages where the contents do not exceed 125 ml

Signal word: Warning

Pictograms:





#### 2.3. Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulating and toxic (PBT) or very persistent and very bioaccumulating (vPvB) at levels of 0.1% or higher. Ecological information: The substance/mixture does not contain any components that are considered to be hazardous according to REACH Article 57(f) or Commission Delegated Regulation (EU) 2017/2100 or Commission Delegated Regulation (EU) 2018/605 in amounts of 0.1 % or more have endocrine disrupting properties. Toxicological information: The substance/mixture does not contain any components that are to be classified according to REACH Article 57(f) or Commission Delegated Regulation (EU) 2017/2100 or Commission Delegated Regulation (EU) 2018/605 in quantities of 0.1 % or more have endocrine disrupting properties.

## **SECTION 3: Composition/information on ingredients**

#### 3.2. Mixtures

## **Chemical characterization**

aqueous solution

### **Hazardous components**

CAS No	Chemical name				
	EC No	Index No	REACH No		
	Classification (GB CLP Regulation)				
7761-88-8	silver nitrate				
	231-853-9	047-001-00-2	01-2119513705-43		
	Ox. Sol. 2, Met. Corr. 1, Skin Corr. 1B, Aquatic Acute 1, Aquatic Chronic 1; H272 H290 H314 H400 H410				

Full text of H and EUH statements: see section 16.

Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity			
	Specific Conc. Limits, M-factors and ATE					
7761-88-8	231-853-9	silver nitrate	1 - < 5 %			
	dermal: LD50 = >2000 mg/kg; oral: LD50 = >2000 mg/kg Aquatic Acute 1; H400: M=100 Aquatic Chronic 1; H410: M=100					

## **Further Information**

This product contains no substances of very high concern (SVHC) (>0,1%) which are included in the Candidate List according to Article 59 of REACH.

## **SECTION 4: First aid measures**

# 4.1. Description of first aid measures

### General information

First aider: Pay attention to self-protection! Take off immediately all contaminated clothing. In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

#### After inhalation

Provide fresh air. In case of inhaling spray mist, consult a doctor immediately and show him packing or label.

#### After contact with skin

After contact with skin, wash immediately with plenty of water and soap. Take off immediately all contaminated

Print date: 27.11.2023



# **Safety Data Sheet**

according to UK REACH Regulation

## Silver Nitrate 0.1 mol/l (Chloride Test)

Revision date: 27.11.2023 Product code: 15712.xxxxx Page 3 of 12

clothing and wash it before reuse. In case of skin irritation, seek medical treatment.

#### After contact with eyes

After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an ophthalmologist immediately.

#### After ingestion

Observe risk of aspiration if vomiting occurs. Rinse mouth thoroughly with water. Let water be drunken in little sips (dilution effect). Do NOT induce vomiting.Call a physician immediately.

# 4.2. Most important symptoms and effects, both acute and delayed

Irritation gastro-intestinal ailment.

#### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

# **SECTION 5: Firefighting measures**

#### 5.1. Extinguishing media

## Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings. Water spray. alcohol resistant foam.dry extinguishing powder.

The product itself does not burn.

## Unsuitable extinguishing media

High power water jet.

# 5.2. Special hazards arising from the substance or mixture

Non-flammable. In case of fire may be liberated: Nitrogen oxides (NOx).

# 5.3. Advice for firefighters

Wear a self-contained breathing apparatus and chemical protective clothing. Full protection suit.

## Additional information

Use water spray jet to protect personnel and to cool endangered containers. Suppress gases/vapours/mists with water spray jet. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

## **SECTION 6: Accidental release measures**

## 6.1. Personal precautions, protective equipment and emergency procedures

#### General advice

Provide adequate ventilation. Do not breathe gas/fumes/vapour/spray. Avoid contact with skin, eyes and clothes. Use personal protection equipment.

## 6.2. Environmental precautions

Do not allow to enter into surface water or drains. Discharge into the environment must be avoided. Cover drains. Prevent spread over a wide area (e.g. by containment or oil barriers).

## 6.3. Methods and material for containment and cleaning up

## For cleaning up

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

# Other information

Rinse with water. Clean contaminated objects and areas thoroughly observing environmental regulations.

#### 6.4. Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

## **SECTION 7: Handling and storage**



according to UK REACH Regulation

# Silver Nitrate 0.1 mol/I (Chloride Test)

Revision date: 27.11.2023 Product code: 15712.xxxxx Page 4 of 12

## 7.1. Precautions for safe handling

## Advice on safe handling

Wear suitable protective clothing. (See section 8.) Provide adequate ventilation as well as local exhaustion at critical locations. Use extractor hood (laboratory).

## Advice on protection against fire and explosion

Usual measures for fire prevention.

## Advice on general occupational hygiene

Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat, drink, smoke, sniff. When using do not eat, drink, smoke, sniff. Always close containers tightly after the removal of product.

# Further information on handling

Avoid contact with skin, eyes and clothes.

## 7.2. Conditions for safe storage, including any incompatibilities

## Requirements for storage rooms and vessels

Keep container tightly closed. May cause decomposition by long-term light influence. Unsuitable container/equipment material: Metal

## Hints on joint storage

Do not store together with: Explosives. Oxidizing solids. Oxidizing liquids. Radioactive substances. Infectious substances.

## Further information on storage conditions

Keep container tightly closed in a cool, well-ventilated place. Protect against: UV-radiation/sunlight. storage temperature: 15-25°C.

# 7.3. Specific end use(s)

Use as laboratory reagent. The product is intended for research, analysis and scientific education.

## **SECTION 8: Exposure controls/personal protection**

# 8.1. Control parameters

## **Exposure limits (EH40)**

CAS No	Substance	ppm	mg/m³	fibres/ml	Category	Origin
-	Silver (soluble compounds as Ag)	-	0.01		TWA (8 h)	WEL

#### **DNEL/DMEL values**

CAS No	Substance			
DNEL type		Exposure route	Effect	Value
7761-88-8	silver nitrate			
Worker DNEL, long-term		inhalation	systemic	0,016 mg/m³



according to UK REACH Regulation

# Silver Nitrate 0.1 mol/l (Chloride Test)

Revision date: 27.11.2023 Product code: 15712.xxxxx Page 5 of 12

#### **PNEC values**

CAS No	Substance				
Environmenta	Environmental compartment				
7761-88-8	silver nitrate				
Freshwater	0,000004 mg/l				
Freshwater (intermittent releases)		mg/l			
Marine water		0,000086 mg/l			
Freshwater sediment		438,1 mg/kg			
Marine sediment		438,1 mg/kg			
Micro-organisms in sewage treatment plants (STP)		0,000025 mg/l			
Soil	1,41 mg/kg				

# 8.2. Exposure controls





## Appropriate engineering controls

Use extractor hood (laboratory).

#### Individual protection measures, such as personal protective equipment

## Eye/face protection

Suitable eye protection: goggles. Tightly sealed safety glasses. EN 166

## **Hand protection**

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. Pull-over gloves of rubber. EN ISO 374

Breakthrough time >480 min

PVC (Polyvinyl chloride). 0,5 mm

Butyl rubber. 0,5 mm

NBR (Nitrile rubber) >0,11mm

Before using check leak tightness / impermeability. In the case of wanting to use the gloves again, clean them before taking off and air them well.

## Skin protection

Use of protective clothing. Lab apron. Protective apron.

## Respiratory protection

In case of inadequate ventilation wear respiratory protection. With correct and proper use, and under normal conditions, breathing protection is not required.

Respiratory protection necessary at:

generation/formation of aerosols

Generation/formation of mist

Suitable respiratory protective equipment:

Combination filtering device (EN 14387) Type: ABEK

The filter class must be suitable for the maximum contaminant concentration (gas/vapour/aerosol/particulates) that may arise when handling the product. If the concentration is exceeded, self-contained breathing apparatus must be used.

Details on the requirements for use and maximum concentrations can be found in the "Rules for the use of respiratory protective devices" (BGR 190).

Print date: 27.11.2023



# **Safety Data Sheet**

according to UK REACH Regulation

# Silver Nitrate 0.1 mol/l (Chloride Test)

Revision date: 27.11.2023 Product code: 15712.xxxxx Page 6 of 12

## **Environmental exposure controls**

Do not allow uncontrolled discharge of product into the environment. Do not allow to enter into surface water or drains.

# **SECTION 9: Physical and chemical properties**

# 9.1. Information on basic physical and chemical properties

Physical state: liquid Colour: clear

Odour: characteristic

Odour threshold: No information available.

Melting point/freezing point: ~0 °C
Boiling point or initial boiling point and ~100 °C

boiling range:

Flammability: not applicable Lower explosion limits: not determined Upper explosion limits: not determined Flash point: not determined Auto-ignition temperature: not determined Decomposition temperature: not determined pH-Value (at 20 °C): 9-10 Viscosity / kinematic: not determined Water solubility: miscible.

(at 20 °C)

Solubility in other solvents

not determined

Partition coefficient n-octanol/water: not determined Vapour pressure: 23 hPa

(at 20 °C)

Density (at 20 °C): 1,01 g/cm³
Relative vapour density: not determined
Particle characteristics: not applicable

#### 9.2. Other information

# Information with regard to physical hazard classes

Explosive properties

The product is not: Explosive.

Self-ignition temperature

Solid: not applicable
Gas: not applicable

Oxidizing properties Not oxidising.

Other safety characteristics

Evaporation rate: not determined Solid content: not determined

# **SECTION 10: Stability and reactivity**

## 10.1. Reactivity

Corrosive to metals.

# 10.2. Chemical stability

Stable under normal storage and handling conditions.

# 10.3. Possibility of hazardous reactions

Print date: 27.11.2023



# **Safety Data Sheet**

according to UK REACH Regulation

# Silver Nitrate 0.1 mol/l (Chloride Test)

Revision date: 27.11.2023 Product code: 15712.xxxxx Page 7 of 12

No information available.

# 10.4. Conditions to avoid

Protect against: UV-radiation/sunlight. Keep away from heat. Protect from moisture.

#### 10.5. Incompatible materials

Keep away from: Metal. Reducing agents.

## 10.6. Hazardous decomposition products

In case of fire may be liberated: Nitrogen oxides (NOx).

# **SECTION 11: Toxicological information**

# 11.1. Information on hazard classes as defined in GB CLP Regulation

## Toxicocinetics, metabolism and distribution

Silbernitrat:

reizende bis ätzende Wirkung auf Schleimhäute und Haut; bei oraler Aufnahme hoher Dosen:

Magen-Darm-Beschwerden, Störung des Herz-Kreislauf-Systems und ZNS-Störungen

chronisch: Silbereinlagerung in die Gewebe (Argyrie/Argyrose)

## **Acute toxicity**

Based on available data, the classification criteria are not met.

#### **ATEmix** calculated

ATE (oral) > 2000 mg/kg; ATE (dermal) > 2000 mg/kg; ATE (inhalation vapour) > 20 mg/l; ATE (inhalation dust/mist) > 5 mg/l

CAS No	Chemical name						
	Exposure route	Dose		Species	Source	Method	
7761-88-8	silver nitrate						
	oral	LD50 mg/kg	>2000	Rat	MSDS external		
	dermal	LD50 mg/kg	>2000	Rat.	MSDS external		

# Irritation and corrosivity

Causes skin irritation.

Causes serious eye irritation.

## Sensitising effects

Based on available data, the classification criteria are not met.

## Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

#### STOT-single exposure

Based on available data, the classification criteria are not met.

#### STOT-repeated exposure

Based on available data, the classification criteria are not met.

# **Aspiration hazard**

Based on available data, the classification criteria are not met.

#### 11.2. Information on other hazards

# **Endocrine disrupting properties**

This product does not contain a substance that has endocrine disrupting properties with respect to humans as no components meets the criteria.

# Other information

The mixture is classified as hazardous according to regulation (EC) No 1272/2008 [CLP].

# **SECTION 12: Ecological information**



according to UK REACH Regulation

# Silver Nitrate 0.1 mol/l (Chloride Test)

Revision date: 27.11.2023 Product code: 15712.xxxxx Page 8 of 12

#### 12.1. Toxicity

Very toxic to aquatic life.

Very toxic to aquatic life with long lasting effects.

CAS No	Chemical name						
	Aquatic toxicity	Dose		[h]   [d]	Species	Source	Method
7761-88-8	silver nitrate						
	Acute fish toxicity	LC50 mg/l	0,0012	96 h	Pimephales promelas	ECHA Dossier	
	Acute crustacea toxicity	EC50 mg/l	0,00022	48 h	Daphnia magna	ECHA Dossier	
	Fish toxicity	NOEC mg/l	0,00037	28 d	Pimephales promelas	MSDS external	

## 12.2. Persistence and degradability

The methods for determining the biological degradability are not applicable to inorganic substances.

## 12.3. Bioaccumulative potential

No indication of bioaccumulation potential.

#### 12.4. Mobility in soil

The product has not been tested.

# 12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to UK REACH.

# 12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

## 12.7. Other adverse effects

highly hazardous to water

#### **Further information**

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

# **SECTION 13: Disposal considerations**

## 13.1. Waste treatment methods

# **Disposal recommendations**

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil. Dispose of waste according to applicable legislation. Consult the local waste disposal expert about waste disposal. Non-contaminated packages may be recycled.

## List of Wastes Code - residues/unused products

160506 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and discarded chemicals; laboratory chemicals, consisting of or containing hazardous substances,

including mixtures of laboratory chemicals; hazardous waste

# List of Wastes Code - used product

160506 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and

discarded chemicals; laboratory chemicals, consisting of or containing hazardous substances,

including mixtures of laboratory chemicals; hazardous waste

## List of Wastes Code - contaminated packaging

150110 WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND

PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED; packaging (including separately collected municipal packaging waste); packaging containing residues of or contaminated by

hazardous substances; hazardous waste

#### Contaminated packaging

Non-contaminated packages may be recycled. Handle contaminated packages in the same way as the



according to UK REACH Regulation

# Silver Nitrate 0.1 mol/l (Chloride Test)

Revision date: 27.11.2023 Product code: 15712.xxxxx Page 9 of 12

substance itself.

# **SECTION 14: Transport information**

Land transport (ADR/RID)

14.1. UN number or ID number: UN 3082

14.2. UN proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.

(silver nitrate)

9 III

14.3. Transport hazard class(es):

14.4. Packing group:

Hazard label:

9

Classification code: M6

Special Provisions: 274 335 375 601

Limited quantity: 5 L
Excepted quantity: E1
Transport category: 3
Hazard No: 90
Tunnel restriction code: -

Inland waterways transport (ADN)

14.1. UN number or ID number: UN 3082

14.2. UN proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.

(silver nitrate)

14.3. Transport hazard class(es):

14.4. Packing group:

Hazard label:



Ш

Classification code: M6

Special Provisions: 274 335 375 601

Limited quantity: 5 L
Excepted quantity: E1

Marine transport (IMDG)

14.1. UN number or ID number: UN 3082

14.2. UN proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.

(silver nitrate)

9

Ш

14.3. Transport hazard class(es):

14.4. Packing group:

Hazard label:



Special Provisions: 274 335 969

Limited quantity: 5 L
Excepted quantity: E1
EmS: F-A, S-F

Air transport (ICAO-TI/IATA-DGR)

14.1. UN number or ID number: UN 3082



according to UK REACH Regulation

## Silver Nitrate 0.1 mol/l (Chloride Test)

Revision date: 27.11.2023 Product code: 15712.xxxxx Page 10 of 12

14.2. UN proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.

(silver nitrate)

14.4. Packing group:

Hazard label:



Special Provisions: A97 A158 A197 A215

Limited quantity Passenger: 30 kg G
Passenger LQ: Y964
Excepted quantity: E1

IATA-packing instructions - Passenger: 964
IATA-max. quantity - Passenger: 450 L
IATA-packing instructions - Cargo: 964
IATA-max. quantity - Cargo: 450 L

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: Yes



Danger releasing substance: silver nitrate

## 14.6. Special precautions for user

Refer to section 6-8

## 14.7. Maritime transport in bulk according to IMO instruments

not relevant

# **SECTION 15: Regulatory information**

# 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

## **EU** regulatory information

Restrictions on use (REACH, annex XVII):

Entry 3, Entry 75

Information according to 2012/18/EU E1 Hazardous to the Aquatic Environment

(SEVESO III):

## **Additional information**

This preparation is hazardous in the sense of regulation (EC) No 1272/2008 [GHS].

## National regulatory information

Employment restrictions: Observe restrictions to employment for juveniles according to the 'juvenile

work protection guideline' (94/33/EC).

Water hazard class (D): 3 - highly hazardous to water

# 15.2. Chemical safety assessment

For the following substances of this mixture a chemical safety assessment has been carried out:

silver nitrate

## **SECTION 16: Other information**

#### Changes

This data sheet contains changes from the previous version in section(s): 2,3,4,5,6,7,8,9,11,12,13,14,15,16.

Rev. 2,0; 06.12.22, Individual safety data sheet based on 11183 collect

Rev. 2,1; 27.11.2023; general adjustment(s)



## according to UK REACH Regulation

# Silver Nitrate 0.1 mol/l (Chloride Test)

Revision date: 27.11.2023 Product code: 15712.xxxxx Page 11 of 12

### Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations

Concerning the International Transport of Dangerous Goods by Rail)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)

ICAO: International Civil Aviation Organization

ICAO-TI: Technical Instructions by the "International Civil Aviation Organization" (ICAO)

GHS: Globally Harmonized System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

NOAEL: No observed adverse effect level CLP: Classification, labelling and Packaging

REACH: Registration, Evaluation and Authorization of Chemicals

GHS: Globally Harmonised System of Classification, Labelling and Packaging of Chemicals

**UN: United Nations** 

DNEL: Derived No Effect Level
DMEL: Derived Minimal Effect Level
PNEC: Predicted No Effect Concentration

ATE: Acute toxicity estimate LL50: Lethal loading, 50% EL50: Effect loading, 50%

EC50: Effective Concentration 50%

ErC50: Effective Concentration 50%, growth rate NOEC: No Observed Effect Concentration

BCF: Bio-concentration factor

PBT: persistent, bioaccumulative, toxic vPvB: very persistent, very bioaccumulative

ADR: Accord européen sur le transport des marchandises dangereuses par Route

(European Agreement concerning the International Carriage of Dangerous Goods by Road)

RID: Regulations concerning the international carriage of dangerous goods by rail

ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways (Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures)

EmS: Emergency Schedules MFAG: Medical First Aid Guide

MARPOL: International Convention for the Prevention of Marine Pollution from Ships

IBC: Intermediate Bulk Container SVHC: Substance of Very High Concern

For abbreviations and acronyms, see table at http://abbrev.esdscom.eu

For abbreviations and acronyms, see: ECHA Guidance on information requirements and chemical safety assessment, chapter R.20 (Table of terms and abbreviations).

Ox. Sol: Oxidising solids
Met. Corr: Corrosive to metals
Skin Corr: Skin corrosion
Skin Irrit: Skin irritation

Eye Irrit: Eye irritation
Aquatic Acute: Acute aquatic haza

Aquatic Acute: Acute aquatic hazard Aquatic Chronic: Chronic aquatic hazard



according to UK REACH Regulation

# Silver Nitrate 0.1 mol/l (Chloride Test)

Revision date: 27.11.2023 Product code: 15712.xxxxx Page 12 of 12

## Classification for mixtures and used evaluation method according to GB CLP Regulation

Classification	Classification procedure			
Skin Irrit. 2; H315	Calculation method			
Eye Irrit. 2; H319	Calculation method			
Aquatic Acute 1; H400	Calculation method			
Aquatic Chronic 1; H410	Calculation method			

## Relevant H and EUH statements (number and full text)

H272	May intensify fire; oxidiser.
H290	May be corrosive to metals.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H319	Causes serious eye irritation.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.

## **Further Information**

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights. The receiver of our product is singularly responsible for adhering to existing laws and regulations. The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights. The receiver of our product is singularly responsible for adhering to existing laws and regulations. The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)