

**Safety data sheet
according to 1907/2006/EC, Article 31**

Printing date 14.06.2022

Version number 4 (replaces version 3)

Revision: 14.06.2022

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- **1.1 Product identifier**
 - Trade name: **Technovit 4071/ 5071**
- **1.2 Relevant identified uses of the substance or mixture and uses advised against**

No further relevant information available.

 - Application of the substance / the mixture Resin for metallographic testing
- **1.3 Details of the supplier of the safety data sheet**
 - **Manufacturer/Supplier:**
Kulzer GmbH
Leipziger Straße 2, 63450 Hanau (Germany)
Tel.: +49 (0)6181 9689-2570 (Wehrheim)
 - **Informing department:** email: technik.wehrheim@kulzer-dental.com
- **1.4 Emergency telephone number:** Emergency CONTACT (24-Hour-Number): +49 (0)6132-84463

SECTION 2: Hazards identification

- **2.1 Classification of the substance or mixture**
 - **Classification according to Regulation (EC) No 1272/2008**
Skin Sens. 1 H317 May cause an allergic skin reaction.
Aquatic Chronic 2 H411 Toxic to aquatic life with long lasting effects.
- **2.2 Label elements**
 - **Labelling according to Regulation (EC) No 1272/2008**
The product is classified and labelled according to the GB CLP regulation.
 - **Hazard pictograms**


GHS07 GHS09
 - **Signal word** Warning
 - **Hazard-determining components of labelling:**
dibenzoyl peroxide
methyl methacrylate
 - **Hazard statements**
H317 May cause an allergic skin reaction.
H411 Toxic to aquatic life with long lasting effects.
 - **Precautionary statements**
P261 Avoid breathing dust/fume/gas/mist/vapours/spray.
P273 Avoid release to the environment.
P280 Wear protective gloves/protective clothing/eye protection/face protection.
P302+P352 IF ON SKIN: Wash with plenty of soap and water.
P333+P313 If skin irritation or rash occurs: Get medical advice/attention.
P362+P364 Take off contaminated clothing and wash it before reuse.
- **2.3 Other hazards -**
 - **Results of PBT and vPvB assessment**
 - **PBT:** Not applicable.
 - **vPvB:** Not applicable.

GB

(Contd. on page 2)

**Safety data sheet
 according to 1907/2006/EC, Article 31**

Printing date 14.06.2022

Version number 4 (replaces version 3)

Revision: 14.06.2022

Trade name: Technovit 4071/ 5071

(Contd. of page 1)

SECTION 3: Composition/information on ingredients

· **3.2 Mixtures**

· **Description:** -

· **Dangerous components:**

CAS: 94-36-0 EINECS: 202-327-6 Reg.nr.: 01-2119511472-50-xxxx	dibenzoyl peroxide Self-react. B, H241; Org. Perox. B, H241 Aquatic Acute 1, H400 (M=10); Aquatic Chronic 1, H410 (M=10) Eye Irrit. 2, H319; Skin Sens. 1, H317	≥1-<2.5%
CAS: 80-62-6 EINECS: 201-297-1 Reg.nr.: 01-2119452498-28-xxxx	methyl methacrylate Flam. Liq. 2, H225 Skin Irrit. 2, H315; Skin Sens. 1, H317; STOT SE 3, H335	≥0.1-<1%

· **Additional information** For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

· **4.1 Description of first aid measures**

· **General information**

Instantly remove any clothing soiled by the product.

Personal protection for the First Aider.

· **After inhalation**

Supply fresh air; consult doctor in case of symptoms.

In case of unconsciousness bring patient into stable side position for transport.

· **After skin contact**

Instantly wash with water and soap and rinse thoroughly.

If skin irritation or rash occurs: Get medical advice/attention.

· **After eye contact**

Rinse opened eye for several minutes under running water. If symptoms persist, consult doctor.

Remove contact lenses, if present and easy to do. Continue rinsing.

· **After swallowing**

Rinse out mouth and then drink plenty of water.

In case of persistent symptoms consult doctor.

· **4.2 Most important symptoms and effects, both acute and delayed Allergic reactions**

· **4.3 Indication of any immediate medical attention and special treatment needed**

No further relevant information available.

SECTION 5: Firefighting measures

· **5.1 Extinguishing media**

· **Suitable extinguishing agents**

CO₂, extinguishing powder or water jet. Fight larger fires with water jet or alcohol-resistant foam.

· **For safety reasons unsuitable extinguishing agents** Water with a full water jet.

· **5.2 Special hazards arising from the substance or mixture**

Formation of toxic gases is possible during heating or in case of fire.

Combustible solids. Fine dust clouds can form explosive mixtures with air.

Can be released in case of fire

Carbon dioxide (CO₂)

Carbon monoxide (CO)

· **5.3 Advice for firefighters**

· **Protective equipment:**

Wear self-contained breathing apparatus.

(Contd. on page 3)

**Safety data sheet
 according to 1907/2006/EC, Article 31**

Printing date 14.06.2022

Version number 4 (replaces version 3)

Revision: 14.06.2022

Trade name: Technovit 4071/ 5071

(Contd. of page 2)

(EN 133)

· **Additional information**

Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

SECTION 6: Accidental release measures

· **6.1 Personal precautions, protective equipment and emergency procedures**

Wear protective equipment. Keep unprotected persons away.

Ensure adequate ventilation

Avoid causing dust.

Keep away from ignition sources

Avoid contact with eyes and skin.

· **6.2 Environmental precautions:**

Do not allow to enter the ground/soil.

Do not allow to enter drainage system, surface or ground water.

Damp down dust with water spray jet.

Keep dirty washing water for appropriate disposal.

· **6.3 Methods and material for containment and cleaning up:**

Collect mechanically.

Send for recovery or disposal in suitable containers.

· **6.4 Reference to other sections**

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

SECTION 7: Handling and storage

· **7.1 Precautions for safe handling**

Wear protective equipment. Keep unprotected persons away.

Provide suction extractors if dust is formed.

Any deposit of dust which cannot be avoided must be removed regularly.

Prevent formation of dust.

Use appropriate industrial vacuum cleaners or central vacuum systems for dust removal.

Avoid contact with eyes and skin.

Ensure good ventilation/exhaustion at the workplace.

· **Information about protection against explosions and fires:**

Use explosion-proof apparatus / fittings and spark-proof tools.

Protect against electrostatic charges.

Do not spray on flames or red-hot objects.

Dust can combine with air to form an explosive mixture.

Keep ignition sources away - Do not smoke.

· **Handling**

do not mix with

Strong oxidizers

Strong acids

· **7.2 Conditions for safe storage, including any incompatibilities**

· **Storage**

· **Requirements to be met by storerooms and containers:**

Store in cool, dry place in tightly closed containers.

· **Information about storage in one common storage facility:** Not required.

· **Further information about storage conditions:** None.

(Contd. on page 4)

**Safety data sheet
according to 1907/2006/EC, Article 31**

Printing date 14.06.2022

Version number 4 (replaces version 3)

Revision: 14.06.2022

Trade name: Technovit 4071/ 5071

· **7.3 Specific end use(s)** No further relevant information available.

(Contd. of page 3)

SECTION 8: Exposure controls/personal protection

· **8.1 Control parameters**

· **Components with critical values that require monitoring at the workplace:**

94-36-0 dibenzoyl peroxide

WEL (Great Britain) Long-term value: 5 mg/m³

80-62-6 methyl methacrylate

WEL (Great Britain) Short-term value: 416 mg/m³, 100 ppm
Long-term value: 208 mg/m³, 50 ppm

IOELV (European Union) Short-term value: 100 ppm
Long-term value: 50 ppm

· **DNELs**

94-36-0 dibenzoyl peroxide

Oral	general population, long term, systemic	2 mg/Kg (not defined)
Dermal	worker industrial, long term, systemic	13.3 mg/Kg/d (not defined)
Inhalative	worker industrial, long term, systemic	39 mg/m ³ (not defined)

80-62-6 methyl methacrylate

Oral	general population, long term, systemic	8.2 mg/Kg (not defined)
Dermal	worker industrial, long term, systemic	13.67 mg/Kg/d (not defined)
	general population, long term, systemic	8.2 mg/Kg/d (not defined)
Inhalative	worker industrial, acute, local	416 mg/m ³ (not defined)
	worker industrial, long term, systemic	348.4 mg/m ³ (not defined)
	worker industrial, long term, local	208 mg/m ³ (not defined)
	general population, acute, local	208 mg/m ³ (not defined)
	general population, long term, systemic	74.3 mg/m ³ (not defined)

· **PNECs**

94-36-0 dibenzoyl peroxide

freshwater	0.00002 mg/l (not defined)
marine water	0.000002 mg/l (not defined)
sewage treatment plant	0.35 mg/l (not defined)
sediment, dry weight, freshwater	0.013 mg/Kg (not defined)
sediment, dry weight, marine water	0.001 mg/Kg (not defined)
soil, dry weight	0.003 mg/Kg (not defined)

80-62-6 methyl methacrylate

freshwater	0.94 mg/l (not defined)
marine water	0.094 mg/l (not defined)
sewage treatment plant	10 mg/l (not defined)
sediment, dry weight, freshwater	10.2 mg/Kg (not defined)
sediment, dry weight, marine water	0.102 mg/Kg (not defined)
soil, dry weight	1.48 mg/Kg (not defined)

· **Additional information:** The lists that were valid during the compilation were used as basis.

· **8.2 Exposure controls**

· **Appropriate engineering controls** No further data; see item 7.

(Contd. on page 5)

GB

**Safety data sheet
 according to 1907/2006/EC, Article 31**

Printing date 14.06.2022

Version number 4 (replaces version 3)

Revision: 14.06.2022

Trade name: Technovit 4071/ 5071

(Contd. of page 4)

· **Individual protection measures, such as personal protective equipment**

· **General protective and hygienic measures**

Instantly remove any soiled and impregnated garments.

Do not eat or drink while working.

Avoid contact with the eyes and skin.

Keep away from foodstuffs, beverages and food.

Wash hands during breaks and at the end of the work.

· **Breathing equipment:**

Use breathing protection in case of insufficient ventilation.

particulate filter device (EN 143)

· **Hand protection**

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

chemical protection gloves are suitable, which are tested according to EN 374

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

If skin contact cannot be avoided, protective gloves are recommended to avoid possible sensitization.

Check protective gloves prior to each use for their proper condition.

· **Material of gloves**

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

NBR: acrylonitrile-butadiene rubber (0,11 mm)

· **Penetration time of glove material**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

>30 min

· **Eye/face protection** eye protection (EN 166)

· **Body protection:** Light weight protective clothing

· **Environmental exposure controls**

Do not allow to enter the ground/soil.

Do not allow to enter drainage system, surface or ground water.

SECTION 9: Physical and chemical properties

· **9.1 Information on basic physical and chemical properties**

· **General Information**

· **Physical state**

Solid.

· **Colour:**

Green

· **Smell:**

Odourless

· **Odour threshold:**

Not determined.

· **Melting point/freezing point:**

Not determined

· **Boiling point or initial boiling point and boiling range**

100 °C (80-62-6 methyl methacrylate)

· **Flammability**

Not applicable.

· **Lower and upper explosion limit**

· **Lower:**

Not determined.

· **Upper:**

Not determined.

· **Flash point:**

Not applicable

(Contd. on page 6)

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 14.06.2022

Version number 4 (replaces version 3)

Revision: 14.06.2022

Trade name: Technovit 4071/ 5071

(Contd. of page 5)

· Decomposition temperature:	Not determined.
· SADT	
· pH	Not determined.
	Not applicable.
· Viscosity:	
· Kinematic viscosity	Not applicable.
· dynamic:	Not applicable.
· Solubility	
· Water:	Not miscible or difficult to mix
· Partition coefficient n-octanol/water (log value)	Not determined.
· Steam pressure:	Not determined.
· Density and/or relative density	
· Density at 20 °C	1.16156 g/cm ³
· Relative density	Not determined.
· Vapour density	Not determined.
· 9.2 Other information	No further relevant information available.
· Appearance:	
· Form:	Powder
· Important information on protection of health and environment, and on safety.	
· Self-inflammability:	Product is not selfigniting.
· Explosive properties:	Product is not explosive.
· Change in condition	
· Evaporation rate	Not determined.
· Information with regard to physical hazard classes	
· Explosives	Void
· Flammable gases	Void
· Aerosols	Void
· Oxidising gases	Void
· Gases under pressure	Void
· Flammable liquids	Void
· Flammable solids	Void
· Self-reactive substances and mixtures	Void
· Pyrophoric liquids	Void
· Pyrophoric solids	Void
· Self-heating substances and mixtures	Void
· Substances and mixtures, which emit flammable gases in contact with water	Void
· Oxidising liquids	Void
· Oxidising solids	Void
· Organic peroxides	Void
· Corrosive to metals	Void
· Desensitised explosives	Void

SECTION 10: Stability and reactivity

- **10.1 Reactivity** No further relevant information available.
- **10.2 Chemical stability**
 - **Conditions to be avoided:** No decomposition if used and stored according to specifications.
- **10.3 Possibility of hazardous reactions** No dangerous reactions known

(Contd. on page 7)

GB

**Safety data sheet
 according to 1907/2006/EC, Article 31**

Printing date 14.06.2022

Version number 4 (replaces version 3)

Revision: 14.06.2022

Trade name: Technovit 4071/ 5071

(Contd. of page 6)

- **10.4 Conditions to avoid**
 Heat, flames and sparks.
 Avoid dust formation.
- **10.5 Incompatible materials:**
 Strong oxidizers
 Strong acids
- **10.6 Hazardous decomposition products:** None
- **Additional information:** -

SECTION 11: Toxicological information

- **11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008**

- **Acute toxicity** Based on available data, the classification criteria are not met.

- **LD/LC50 values that are relevant for classification:**

94-36-0 dibenzoyl peroxide

Oral	LD0	>2,000 mg/kg (mouse) (OECD 401)
------	-----	---------------------------------

Inhalative	LC0/4h	24.3 ppm (rat) (OECD 403)
------------	--------	---------------------------

80-62-6 methyl methacrylate

Oral	LD50	~7,900 mg/kg (rat)
------	------	--------------------

Dermal	LD50	>5,000 mg/kg (guinea pig) (OECD 402)
--------	------	--------------------------------------

Inhalative	LC50/4 h	29.8 mg/l (rat)
------------	----------	-----------------

- **Skin corrosion/irritation** Based on available data, the classification criteria are not met.
- **Serious eye damage/irritation** Based on available data, the classification criteria are not met.
- **Respiratory or skin sensitisation**
 May cause an allergic skin reaction.
- **Germ cell mutagenicity** Based on available data, the classification criteria are not met.
- **Carcinogenicity** Based on available data, the classification criteria are not met.
- **Reproductive toxicity** Based on available data, the classification criteria are not met.
- **STOT-single exposure** Based on available data, the classification criteria are not met.
- **STOT-repeated exposure** Based on available data, the classification criteria are not met.
- **Aspiration hazard** Based on available data, the classification criteria are not met.
- **11.2 Information on other hazards**
 - **Endocrine disrupting properties**
 Taking into account the current state of scientific knowledge, no data on endocrine disrupting properties of the product are available.

None of the ingredients is listed.

SECTION 12: Ecological information

- **12.1 Toxicity**

- **Aquatic toxicity:**

94-36-0 dibenzoyl peroxide

EC50/72h	0.042 mg/l (algae) (OECD 201)
----------	-------------------------------

EC50/48h	0.11 mg/l (daphnia) (OECD 202)
----------	--------------------------------

LC50/96h	0.06 mg/l (fish) (OECD 203)
----------	-----------------------------

ErC50 / 72 h	0.071 mg/l (algae) (OECD 201)
--------------	-------------------------------

NOEC / 72h	0.02 mg/l (algae) (OECD 201)
------------	------------------------------

NOEC / 96h	0.032 mg/l (fish) (OECD 203)
------------	------------------------------

(Contd. on page 8)

**Safety data sheet
according to 1907/2006/EC, Article 31**

Printing date 14.06.2022

Version number 4 (replaces version 3)

Revision: 14.06.2022

Trade name: Technovit 4071/ 5071

(Contd. of page 7)

NOEC / 48h	0.076 mg/l (daphnia) (OECD 202)
ErC10	0.001 mg/L /21d (daphnia) (OECD 211)

80-62-6 methyl methacrylate

EC50/21d	49 mg/L (daphnia) (OECD 211)
EC50/48h	69 mg/l (daphnia) (EPA OTS 797.1300)
NOEC / 21d	37 mg/l (daphnia) (OECD 211)
ErC50 / 72 h	>110 mg/l (algae) (OECD 201)
NOEC / 72h	110 mg/l (algae) (OECD 201)
NOEC / 48h	48 mg/l (daphnia) (EPA OTS 797.1300)
EbC50 / 72h	>110 mg/l (algae) (OECD 201)
NOEC/ 35d	9.4 mg/L (fish) (OECD 210)
LC50/ 35d	33.7 mg/L (fish) (OECD 210)

12.2 Persistence and degradability

94-36-0 dibenzoyl peroxide

Biodegradation	71 % /28d (not defined) (OECD 301D)
----------------	-------------------------------------

80-62-6 methyl methacrylate

Biodegradation	94 % /14d (not defined) (OECD 301C)
----------------	-------------------------------------

· **12.3 Bioaccumulative potential** No further relevant information available.

· **12.4 Mobility in soil** No further relevant information available.

· **12.5 Results of PBT and vPvB assessment**

· **PBT:** Not applicable.

· **vPvB:** Not applicable.

· **12.6 Endocrine disrupting properties**

For information on endocrine disrupting properties see section 11.

· **12.7 Other adverse effects**

· **Remark:** Harmful to fish

· **Additional ecological information:**

· **General notes:**

Harmful to aquatic organisms

Avoid transfer into the environment.

Do not allow product to reach ground water, water bodies or sewage system.

Danger to drinking water if even small quantities leak into soil.

SECTION 13: Disposal considerations

· **13.1 Waste treatment methods**

· **Recommendation** Smaller quantities can be disposed with household garbage.

· **Uncleaned packagings:**

· **Recommendation:** Disposal must be made according to official regulations.

SECTION 14: Transport information

· **14.1 UN number or ID number**

· **ADR, IMDG, IATA**

UN3077

(Contd. on page 9)

GB

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 14.06.2022

Version number 4 (replaces version 3)

Revision: 14.06.2022

Trade name: Technovit 4071/ 5071

(Contd. of page 8)

14.2 UN proper shipping name

· ADR

3077 ENVIRONMENTALLY HAZARDOUS
SUBSTANCE, SOLID, N.O.S. (dibenzoyl
peroxide)

· IMDG


ENVIRONMENTALLY HAZARDOUS
SUBSTANCE, SOLID, N.O.S. (dibenzoyl
peroxide), MARINE POLLUTANT

· IATA

ENVIRONMENTALLY HAZARDOUS
SUBSTANCE, SOLID, N.O.S. (dibenzoyl
peroxide)

14.3 Transport hazard class(es)

· ADR




· Class

9 (M7) Miscellaneous dangerous substances
and articles.

· Label

9

· IMDG, IATA



· Class

9 Miscellaneous dangerous substances and
articles.

· Label

9

14.4 Packing group

· ADR, IMDG, IATA

III

14.5 Environmental hazards:

· Marine pollutant:

No

Symbol (fish and tree)

· Special marking (ADR):

Symbol (fish and tree)

· Special marking (IATA):

Symbol (fish and tree)

14.6 Special precautions for user

Warning: Miscellaneous dangerous substances and
articles.

· Kemler Number:

90

· EMS Number:

F-A,S-F

· Stowage Category

A

· Stowage Code

SW23 When transported in BK3 bulk
container, see 7.6.2.12 and 7.7.3.9.

14.7 Maritime transport in bulk according to IMO instruments

Not applicable.

· Transport/Additional information:

-

· ADR

· Limited quantities (LQ)

5 kg

· Excepted quantities (EQ)

Code: E1

Maximum net quantity per inner packaging:

(Contd. on page 10)

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 14.06.2022

Version number 4 (replaces version 3)

Revision: 14.06.2022

Trade name: Technovit 4071/ 5071

(Contd. of page 9)

· Transport category · Tunnel restriction code	30 g Maximum net quantity per outer packaging: 1000 g 3 (-)
· IMDG · Limited quantities (LQ) · Excepted quantities (EQ)	5 kg Code: E1 Maximum net quantity per inner packaging: 30 g Maximum net quantity per outer packaging: 1000 g
· UN "Model Regulation":	UN 3077 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (DIBENZOYL PEROXIDE), 9, III

SECTION 15: Regulatory information

- **15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**
 - **Directive 2012/18/EU**
 - **Named dangerous substances - ANNEX I** None of the ingredients is listed.
 - **Seveso category E2** Hazardous to the Aquatic Environment
 - **Qualifying quantity (tonnes) for the application of lower-tier requirements** 200 t
 - **Qualifying quantity (tonnes) for the application of upper-tier requirements** 500 t
 - **Information about limitation of use:**
 - Employment restrictions concerning young persons must be observed.
 - Employment restrictions concerning pregnant and lactating women must be observed.
- **15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- **Relevant phrases**

- H225 Highly flammable liquid and vapour.
- H241 Heating may cause a fire or explosion.
- H315 Causes skin irritation.
- H317 May cause an allergic skin reaction.
- H319 Causes serious eye irritation.
- H335 May cause respiratory irritation.
- H400 Very toxic to aquatic life.
- H410 Very toxic to aquatic life with long lasting effects.

- **Abbreviations and acronyms:**

SADT: Self Accelerating Decomposition Temperature
ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)
IMDG: International Maritime Code for Dangerous Goods
IATA: International Air Transport Association
GHS: Globally Harmonised System of Classification and Labelling of Chemicals
EINECS: European Inventory of Existing Commercial Chemical Substances
ELINCS: European List of Notified Chemical Substances
CAS: Chemical Abstracts Service (division of the American Chemical Society)

(Contd. on page 11)

GB

**Safety data sheet
according to 1907/2006/EC, Article 31**

Printing date 14.06.2022

Version number 4 (replaces version 3)

Revision: 14.06.2022

Trade name: Technovit 4071/ 5071

(Contd. of page 10)

DNEL: Derived No-Effect Level (UK REACH)
PNEC: Predicted No-Effect Concentration (UK REACH)
LC50: Lethal concentration, 50 percent
LD50: Lethal dose, 50 percent
PBT: Persistent, Bioaccumulative and Toxic
vPvB: very Persistent and very Bioaccumulative
Flam. Liq. 2: Flammable liquids – Category 2
Self-react. B: Self-reactive substances and mixtures – Type B
Org. Perox. B: Organic peroxides – Type B
Skin Irrit. 2: Skin corrosion/irritation – Category 2
Eye Irrit. 2: Serious eye damage/eye irritation – Category 2
Skin Sens. 1: Skin sensitisation – Category 1
STOT SE 3: Specific target organ toxicity (single exposure) – Category 3
Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1
Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 1
Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard – Category 2

Sources

(EC) 1272/2008: classification, labelling and packaging of substances and mixtures

(EC) 1907/2006: UK REACH

ADR/RID/ADN - IDMG - IATA: transport of dangerous goods by road, rail, inland waterway, with maritime vessels and for the air transport

*** Data compared to the previous version altered.**

GB

**Safety data sheet
 according to 1907/2006/EC, Article 31**

Printing date 13.05.2022

Version number 9

Revision: 13.05.2022

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- **1.1 Product identifier**
 - Trade name: **Technovit Universal Liquid**
- **1.2 Relevant identified uses of the substance or mixture and uses advised against**

No further relevant information available.

 - Application of the substance / the mixture Resin for metallographic testing
- **1.3 Details of the supplier of the safety data sheet**
 - **Manufacturer/Supplier:**
 Kulzer GmbH
 Leipziger Straße 2, 63450 Hanau (Germany)
 Tel.: +49 (0)6181 9689-2570 (Wehrheim)
 - **Informing department:** email: technik.wehrheim@kulzer-dental.com
- **1.4 Emergency telephone number:** Emergency CONTACT (24-Hour-Number): +49 (0)6132-84463

SECTION 2: Hazards identification

- **2.1 Classification of the substance or mixture**
 - **Classification according to Regulation (EC) No 1272/2008**
 Flam. Liq. 2 H225 Highly flammable liquid and vapour.
 Skin Irrit. 2 H315 Causes skin irritation.
 Eye Irrit. 2 H319 Causes serious eye irritation.
 Skin Sens. 1 H317 May cause an allergic skin reaction.
 STOT SE 3 H335 May cause respiratory irritation.

- **2.2 Label elements**
 - **Labelling according to Regulation (EC) No 1272/2008**
 The product is classified and labelled according to the GB CLP regulation.
 - **Hazard pictograms**



GHS02 GHS07

- **Signal word** Danger
- **Hazard-determining components of labelling:**
 methyl methacrylate
 2,2'-[(4-methylphenyl)imino]bisethanol
- **Hazard statements**
 H225 Highly flammable liquid and vapour.
 H315 Causes skin irritation.
 H319 Causes serious eye irritation.
 H317 May cause an allergic skin reaction.
 H335 May cause respiratory irritation.
- **Precautionary statements**
 P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
 P241 Use explosion-proof [electrical/ventilating/lighting] equipment.
 P261 Avoid breathing dust/fume/gas/mist/vapours/spray.
 P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].
 P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

(Contd. on page 2)

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 13.05.2022

Version number 9

Revision: 13.05.2022

Trade name: Technovit Universal Liquid

- P405 Store locked up.
- **2.3 Other hazards -**
 - **Results of PBT and vPvB assessment**
 - **PBT:** Not applicable.
 - **vPvB:** Not applicable.

(Contd. of page 1)

SECTION 3: Composition/information on ingredients

· 3.2 Mixtures

- **Description:** -

- **Dangerous components:**

CAS: 80-62-6 EINECS: 201-297-1 Reg.nr.: 01-2119452498-28-xxxx	methyl methacrylate Flam. Liq. 2, H225 Skin Irrit. 2, H315; Skin Sens. 1, H317; STOT SE 3, H335	>90%
CAS: 3077-12-1 EINECS: 221-359-1 Reg.nr.: 01-2120791684-40-xxxx	2,2'-[(4-methylphenyl)imino]bisethanol Eye Dam. 1, H318 Acute Tox. 4, H302; Skin Sens. 1, H317 Aquatic Chronic 3, H412 ATE: LD50 oral: 959 mg/kg	≥1-<2.5%

- **Additional information** For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

· 4.1 Description of first aid measures

· **General information**

Personal protection for the First Aider.
Instantly remove any clothing soiled by the product.

· **After inhalation**

Supply fresh air; consult doctor in case of symptoms.
Take affected persons into the open air and position comfortably

· **After skin contact**

If skin irritation or rash occurs: Get medical advice/attention.
Instantly wash with water and soap and rinse thoroughly.

· **After eye contact**

Rinse opened eye for several minutes under running water. Then consult doctor.
Remove contact lenses, if present and easy to do. Continue rinsing.

· **After swallowing**

Rinse out mouth and then drink plenty of water.
In case of persistent symptoms consult doctor.

· 4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

· 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5: Firefighting measures

· 5.1 Extinguishing media

· **Suitable extinguishing agents**

CO₂, extinguishing powder or water jet. Fight larger fire with alcohol-resistant foam.

· **For safety reasons unsuitable extinguishing agents** Water with a full water jet.

(Contd. on page 3)

**Safety data sheet
 according to 1907/2006/EC, Article 31**

Printing date 13.05.2022

Version number 9

Revision: 13.05.2022

Trade name: Technovit Universal Liquid

(Contd. of page 2)

- **5.2 Special hazards arising from the substance or mixture**
 - Can form explosive gas-air mixtures.
 - Can be released in case of fire
 - Carbon monoxide (CO)
 - Carbon dioxide (CO₂)
 - Nitrogen oxides (NO_x)
 - Formation of toxic gases is possible during heating or in case of fire.
- **5.3 Advice for firefighters**
 - **Protective equipment:**
 - Wear self-contained breathing apparatus.
 - (EN 133)
 - **Additional information -**

SECTION 6: Accidental release measures

- **6.1 Personal precautions, protective equipment and emergency procedures**
 - Wear protective equipment. Keep unprotected persons away.
 - Avoid contact with eyes and skin.
 - Do not breathe vapor / mist / gas.
 - Ensure adequate ventilation
 - Bring persons out of danger.
 - Keep away from ignition sources
- **6.2 Environmental precautions:**
 - Prevent material from reaching sewage system, holes and cellars.
 - Damp down gases/fumes/haze with water spray jet.
- **6.3 Methods and material for containment and cleaning up:**
 - Absorb with liquid-binding material (diatomite, universal binders, for small amounts tissues).
 - Dispose of contaminated material as waste according to item 13.
 - Send for recovery or disposal in suitable containers.
- **6.4 Reference to other sections**
 - See Section 7 for information on safe handling
 - See Section 8 for information on personal protection equipment.
 - See Section 13 for information on disposal.
 -

SECTION 7: Handling and storage

- **7.1 Precautions for safe handling**
 - Keep containers tightly sealed.
 - Avoid contact with eyes and skin.
 - Do not breathe vapor / mist / gas.
 - Ensure good ventilation/exhaustion at the workplace.
 - Prevent formation of aerosols.
 - Ensure good interior ventilation, especially at floor level. (Fumes are heavier than air).
- **Information about protection against explosions and fires:**
 - Keep ignition sources away - Do not smoke.
 - Fumes can combine with air to form an explosive mixture.
 - Use explosion-proof apparatus / fittings and spark-proof tools.
 - Protect against electrostatic charges.
- **Handling**
 - do not mix with
 - Strong oxidizers
 - amine

(Contd. on page 4)

GB

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 13.05.2022

Version number 9

Revision: 13.05.2022

Trade name: Technovit Universal Liquid

organic peroxides

(Contd. of page 3)

- **7.2 Conditions for safe storage, including any incompatibilities**
- **Storage**
 - **Requirements to be met by storerooms and containers:**
 Store in cool, dry place in tightly closed containers.
 - **Information about storage in one common storage facility:** Not required.
 - **Further information about storage conditions:** Protect from heat and direct sunlight.
- **7.3 Specific end use(s)** No further relevant information available.

SECTION 8: Exposure controls/personal protection

· **8.1 Control parameters**

· **Components with critical values that require monitoring at the workplace:**

80-62-6 methyl methacrylate

WEL (Great Britain)	Short-term value: 416 mg/m ³ , 100 ppm Long-term value: 208 mg/m ³ , 50 ppm
IOELV (European Union)	Short-term value: 100 ppm Long-term value: 50 ppm

· **DNELs**

80-62-6 methyl methacrylate

Oral	general population, long term, systemic	8.2 mg/Kg (not defined)
Dermal	worker industrial, long term, systemic	13.67 mg/Kg/d (not defined)
	general population, long term, systemic	8.2 mg/Kg/d (not defined)
Inhalative	worker industrial, acute, local	416 mg/m ³ (not defined)
	worker industrial, long term, systemic	348.4 mg/m ³ (not defined)
	worker industrial, long term, local	208 mg/m ³ (not defined)
	general population, acute, local	208 mg/m ³ (not defined)
	general population, long term, systemic	74.3 mg/m ³ (not defined)

3077-12-1 2,2'-[(4-methylphenyl)imino]bisethanol

Oral	general population, long term, systemic	0.16 mg/Kg (not defined)
Dermal	worker industrial, long term, systemic	0.47 mg/Kg/d (not defined)
	general population, long term, systemic	0.17 mg/Kg/d (not defined)
Inhalative	worker industrial, long term, systemic	3.29 mg/m ³ (not defined)
	general population, long term, systemic	0.58 mg/m ³ (not defined)

· **PNECs**

80-62-6 methyl methacrylate

freshwater	0.94 mg/l (not defined)
marine water	0.094 mg/l (not defined)
sewage treatment plant	10 mg/l (not defined)
sediment, dry weight, freshwater	10.2 mg/Kg (not defined)
sediment, dry weight, marine water	0.102 mg/Kg (not defined)
soil, dry weight	1.48 mg/Kg (not defined)

3077-12-1 2,2'-[(4-methylphenyl)imino]bisethanol

freshwater	0.026 mg/l (not defined)
marine water	0.003 mg/l (not defined)

(Contd. on page 5)

GB

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 13.05.2022

Version number 9

Revision: 13.05.2022

Trade name: Technovit Universal Liquid

(Contd. of page 4)

sewage treatment plant	10 mg/l (not defined)
sediment, dry weight, freshwater	0.121 mg/Kg (not defined)
sediment, dry weight, marine water	0.012 mg/Kg (not defined)
soil, dry weight	0.009 mg/Kg (not defined)

· **Additional information:** The lists that were valid during the compilation were used as basis.

· **8.2 Exposure controls**

· **Appropriate engineering controls** No further data; see item 7.

· **Individual protection measures, such as personal protective equipment**

· **General protective and hygienic measures**

Keep away from foodstuffs, beverages and food.

Instantly remove any soiled and impregnated garments.

Wash hands during breaks and at the end of the work.

Avoid contact with the eyes and skin.

· **Breathing equipment:**

Use breathing protection in case of insufficient ventilation.

Filter A/P2.

· **Hand protection**

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

chemical protection gloves are suitable, which are tested according to EN 374

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

If skin contact cannot be avoided, protective gloves are recommended to avoid possible sensitization.

Check protective gloves prior to each use for their proper condition.

· **Material of gloves**

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

NBR: acrylonitrile-butadiene rubber (0,11 mm)

· **Penetration time of glove material**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

>30 min

· **Eye/face protection** eye protection (EN 166)

· **Body protection:** Light weight protective clothing

· **Environmental exposure controls**

Do not allow to enter the ground/soil.

Do not allow to enter drainage system, surface or ground water.

SECTION 9: Physical and chemical properties

· **9.1 Information on basic physical and chemical properties**

· **General Information**

· **Physical state**

Fluid

· **Colour:**

Colourless

· **Smell:**

Characteristic

· **Odour threshold:**

Not determined.

(Contd. on page 6)

GB

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 13.05.2022

Version number 9

Revision: 13.05.2022

Trade name: Technovit Universal Liquid

(Contd. of page 5)

· Melting point/freezing point: · Boiling point or initial boiling point and boiling range · Flammability · Lower and upper explosion limit · Lower: · Upper: · Flash point: · Ignition temperature: · Decomposition temperature: · SADT · pH · Viscosity: · Kinematic viscosity · dynamic: · Solubility · Water: · Partition coefficient n-octanol/water (log value) · Steam pressure at 20 °C: · Density and/or relative density · Density at 20 °C · Relative density · Vapour density	Not determined 100.3 °C (80-62-6 methyl methacrylate) Not applicable. Not determined. Not determined. 10 °C (80-62-6 methyl methacrylate) 435 °C (80-62-6 methyl methacrylate) Not determined. Not determined. Not determined. Not determined. Not determined. Not miscible or difficult to mix Not determined. 37 hPa (80-62-6 methyl methacrylate) 0.94482 g/cm³ Not determined. Not determined.
· 9.2 Other information · Appearance: · Form: · Important information on protection of health and environment, and on safety. · Self-inflammability: · Explosive properties: · Change in condition · Evaporation rate	No further relevant information available. Fluid Product is not selfigniting. Product is not explosive. However, formation of explosive air/vapour mixtures is possible. Not determined.
· Information with regard to physical hazard classes · Explosives · Flammable gases · Aerosols · Oxidising gases · Gases under pressure · Flammable liquids · Flammable solids · Self-reactive substances and mixtures · Pyrophoric liquids · Pyrophoric solids · Self-heating substances and mixtures · Substances and mixtures, which emit flammable gases in contact with water · Oxidising liquids · Oxidising solids · Organic peroxides	Highly flammable liquid and vapour. Void Void Void Void Void Void Void Void Void Void Void Void Void Void Void

(Contd. on page 7)

**Safety data sheet
 according to 1907/2006/EC, Article 31**

Printing date 13.05.2022

Version number 9

Revision: 13.05.2022

Trade name: Technovit Universal Liquid

(Contd. of page 6)

· Corrosive to metals	Void
· Desensitised explosives	Void

SECTION 10: Stability and reactivity

- **10.1 Reactivity** No further relevant information available.
- **10.2 Chemical stability**
 - **Conditions to be avoided:** No decomposition if used and stored according to specifications.
- **10.3 Possibility of hazardous reactions** Polymerisation
- **10.4 Conditions to avoid** Heat, flames and sparks.
- **10.5 Incompatible materials:**
 - Strong oxidizers
 - amine
 - organic peroxides
- **10.6 Hazardous decomposition products:** None
- **Additional information:** -

SECTION 11: Toxicological information

- **11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008**
 - **Acute toxicity** Based on available data, the classification criteria are not met.

· **LD/LC50 values that are relevant for classification:**

80-62-6 methyl methacrylate

Oral	LD50	~7,900 mg/kg (rat)
Dermal	LD50	>5,000 mg/kg (guinea pig) (OECD 402)
Inhalative	LC50/4 h	29.8 mg/l (rat)

3077-12-1 2,2'-[(4-methylphenyl)imino]bisethanol

Oral	LD50	959 mg/kg (ATE)
		959 mg/kg (rat) (OECD 401)
Dermal	LD50	>2,000 mg/kg (rat) (OECD 402)

- **Skin corrosion/irritation**
 Causes skin irritation.
- **Serious eye damage/irritation**
 Causes serious eye irritation.
- **Respiratory or skin sensitisation**
 May cause an allergic skin reaction.
- **Germ cell mutagenicity** Based on available data, the classification criteria are not met.
- **Carcinogenicity** Based on available data, the classification criteria are not met.
- **Reproductive toxicity** Based on available data, the classification criteria are not met.
- **STOT-single exposure**
 May cause respiratory irritation.
- **STOT-repeated exposure** Based on available data, the classification criteria are not met.
- **Aspiration hazard** Based on available data, the classification criteria are not met.
- **11.2 Information on other hazards**

· **Endocrine disrupting properties**

None of the ingredients is listed.

(Contd. on page 8)

**Safety data sheet
according to 1907/2006/EC, Article 31**

Printing date 13.05.2022

Version number 9

Revision: 13.05.2022

Trade name: Technovit Universal Liquid

(Contd. of page 7)

SECTION 12: Ecological information

· **12.1 Toxicity**

· **Aquatic toxicity:**

80-62-6 methyl methacrylate

EC50/21d	49 mg/L (daphnia) (OECD 211)
EC50/48h	69 mg/l (daphnia) (EPA OTS 797.1300)
NOEC / 21d	37 mg/l (daphnia) (OECD 211)
ErC50 / 72 h	>110 mg/l (algae) (OECD 201)
NOEC / 72h	110 mg/l (algae) (OECD 201)
NOEC / 48h	48 mg/l (daphnia) (EPA OTS 797.1300)
EbC50 / 72h	>110 mg/l (algae) (OECD 201)
NOEC/ 35d	9.4 mg/L (fish) (OECD 210)
LC50/ 35d	33.7 mg/L (fish) (OECD 210)

3077-12-1 2,2'-[(4-methylphenyl)imino]bisethanol

EC50/48h	48 mg/l (daphnia) (OECD 202)
LC50/96h	>100 mg/l (fish) (OECD 203)
ErC50 / 72 h	>100 mg/l (algae) (OECD 201)
NOEC / 72h	100 mg/l (algae) (OECD 201)

· **12.2 Persistence and degradability**

80-62-6 methyl methacrylate

Biodegradation	94 % /14d (not defined) (OECD 301C)
----------------	-------------------------------------

3077-12-1 2,2'-[(4-methylphenyl)imino]bisethanol

Biodegradation	1.5 % /29d (not defined) (OECD 301D)
----------------	--------------------------------------

· **12.3 Bioaccumulative potential** No further relevant information available.

· **12.4 Mobility in soil** No further relevant information available.

· **12.5 Results of PBT and vPvB assessment**

· **PBT:** Not applicable.

· **vPvB:** Not applicable.

· **12.6 Endocrine disrupting properties**

The product does not contain substances with endocrine disrupting properties.

· **12.7 Other adverse effects** No further relevant information available.

SECTION 13: Disposal considerations

· **13.1 Waste treatment methods**

· **Recommendation**

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

· **Uncleaned packagings:**

· **Recommendation:** Disposal must be made according to official regulations.

SECTION 14: Transport information

· **14.1 UN number or ID number**

· **ADR, IMDG, IATA**

UN1247

(Contd. on page 9)

GB

Safety data sheet
 according to 1907/2006/EC, Article 31

Printing date 13.05.2022

Version number 9

Revision: 13.05.2022

Trade name: Technovit Universal Liquid

(Contd. of page 8)

· **14.2 UN proper shipping name**

· ADR

1247 METHYL METHACRYLATE MONOMER,
 STABILIZED mixture

· IMDG, IATA

METHYL METHACRYLATE MONOMER,
 STABILIZED mixture

· **14.3 Transport hazard class(es)**

· ADR



· Class

3 (F1) Flammable liquids.

· Label

3

· IMDG, IATA



· Class

3 Flammable liquids.

· Label

3

· **14.4 Packing group**

· ADR, IMDG, IATA

II

· **14.5 Environmental hazards:**

· Marine pollutant:

No

· **14.6 Special precautions for user**

· Kemler Number:

33

· EMS Number:

F-E, S-D

· Stowage Category

B

· Stowage Code

SW2 Clear of living quarters.

· **14.7 Maritime transport in bulk according to IMO instruments**

Not applicable.

· **Transport/Additional information:**

-

· ADR

· Limited quantities (LQ)

1L

· Excepted quantities (EQ)

Code: E2

Maximum net quantity per inner packaging:

30 ml

Maximum net quantity per outer packaging:

500 ml

· Transport category

2

· Tunnel restriction code

D/E

· IMDG

· Limited quantities (LQ)

1L

(Contd. on page 10)

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 13.05.2022

Version number 9

Revision: 13.05.2022

Trade name: Technovit Universal Liquid

(Contd. of page 9)

· Excepted quantities (EQ)	Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml
· UN "Model Regulation":	UN 1247 METHYL METHACRYLATE MONOMER, STABILIZED MIXTURE, 3, II

SECTION 15: Regulatory information

- **15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**
 - **Directive 2012/18/EU**
 - **Named dangerous substances - ANNEX I** None of the ingredients is listed.
 - **Seveso category P5c** FLAMMABLE LIQUIDS
 - **Qualifying quantity (tonnes) for the application of lower-tier requirements** 5.000 t
 - **Qualifying quantity (tonnes) for the application of upper-tier requirements** 50.000 t
 - **Information about limitation of use:**
 - Employment restrictions concerning young persons must be observed.
 - Employment restrictions concerning pregnant and lactating women must be observed.
- **15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· **Relevant phrases**

- H225 Highly flammable liquid and vapour.
- H302 Harmful if swallowed.
- H315 Causes skin irritation.
- H317 May cause an allergic skin reaction.
- H318 Causes serious eye damage.
- H335 May cause respiratory irritation.
- H412 Harmful to aquatic life with long lasting effects.

· **Abbreviations and acronyms:**

- SADT: Self Accelerating Decomposition Temperature
- ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)
- IMDG: International Maritime Code for Dangerous Goods
- IATA: International Air Transport Association
- GHS: Globally Harmonised System of Classification and Labelling of Chemicals
- EINECS: European Inventory of Existing Commercial Chemical Substances
- ELINCS: European List of Notified Chemical Substances
- CAS: Chemical Abstracts Service (division of the American Chemical Society)
- DNEL: Derived No-Effect Level (GB REACH)
- PNEC: Predicted No-Effect Concentration (GB REACH)
- LC50: Lethal concentration, 50 percent
- LD50: Lethal dose, 50 percent
- PBT: Persistent, Bioaccumulative and Toxic
- vPvB: very Persistent and very Bioaccumulative
- Flam. Liq. 2: Flammable liquids – Category 2
- Acute Tox. 4: Acute toxicity – Category 4
- Skin Irrit. 2: Skin corrosion/irritation – Category 2
- Eye Dam. 1: Serious eye damage/eye irritation – Category 1
- Eye Irrit. 2: Serious eye damage/eye irritation – Category 2
- Skin Sens. 1: Skin sensitisation – Category 1

(Contd. on page 11)

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 13.05.2022

Version number 9

Revision: 13.05.2022

Trade name: Technovit Universal Liquid

(Contd. of page 10)

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard – Category 3

Sources

(EC) 1272/2008: classification, labelling and packaging of substances and mixtures

(EC) 1907/2006: GB REACH

ADR/RID/ADN - IDMG - IATA: transport of dangerous goods by road, rail, inland waterway, with maritime vessels and for the air transport

*** Data compared to the previous version altered.**

GB