

### **Safety Data Sheet**

according to UK REACH Regulation

#### Toluidine Blue 1 % in Ethanol - Acetic Acid

Revision date: 21.11.2023 Product code: 13008.xxxxx Page 1 of 15

#### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Toluidine Blue 1 % in Ethanol - Acetic Acid

UFI: GT05-0176-500S-G1D9

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### Use of the substance/mixture

Staining of tissue samples (solution ready for use)

#### Uses advised against

Any non-intended use.

### 1.3. Details of the supplier of the safety data sheet

Company name: MORPHISTO GmbH Street: Schumannstr. 144 Place: D-63069 Offenbach

Telephone: +49 (0) 69 / 400 3019-60 Telefax: +49 (0) 69 / 400 3019-64

E-mail: info@morphisto.de
Contact person: Morphisto GmbH

E-mail: gefahrstoffmanagement@morphisto.de

Internet: http://www.morphisto.de

**1.4. Emergency telephone** Morphisto GmbH, Tel: +49(0)69 400 3019-60, Mo-Fr.: 09-16 Uhr

number:

#### **SECTION 2: Hazards identification**

#### 2.1. Classification of the substance or mixture

#### **GB CLP Regulation**

Flam. Lig. 3; H226

Full text of hazard statements: see SECTION 16.

#### 2.2. Label elements

#### **GB CLP Regulation**

Signal word: Warning

Pictograms:



### **Hazard statements**

H226 Flammable liquid and vapour.

#### **Precautionary statements**

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No

smoking

P233 Keep container tightly closed.

P403+P235 Store in a well-ventilated place. Keep cool. Labelling of packages where the contents do not exceed 125 ml

Signal word: Warning

Pictograms:



# **Safety Data Sheet**

according to UK REACH Regulation

#### Toluidine Blue 1 % in Ethanol - Acetic Acid

Revision date: 21.11.2023 Product code: 13008.xxxxx Page 2 of 15

#### 2.3. Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulating and toxic (PBT) or very persistent and very bioaccumulating (vPvB) at levels of 0.1% or higher. Ecological information: The substance/mixture does not contain any components that are considered to be hazardous according to REACH Article 57(f) or Commission Delegated Regulation (EU) 2017/2100 or Commission Delegated Regulation (EU) 2018/605 in amounts of 0.1 % or more have endocrine disrupting properties. Toxicological information: The substance/mixture does not contain any components that are to be classified according to REACH Article 57(f) or Commission Delegated Regulation (EU) 2017/2100 or Commission Delegated Regulation (EU) 2018/605 in quantities of 0.1 % or more have endocrine disrupting properties.

# **SECTION 3: Composition/information on ingredients**

### 3.2. Mixtures

#### Relevant ingredients

CAS No	Chemical name			Quantity		
	EC No	Index No	REACH No			
	Classification (GB CLP	Regulation)				
64-17-5	Ethanol			15 - < 20 %		
	200-578-6	603-002-00-5	01-2119457610-43			
	Flam. Liq. 2, Eye Irrit. 2	Flam. Liq. 2, Eye Irrit. 2; H225 H319				
107-21-1	ethanediol		1 - < 5 %			
	203-473-3	603-027-00-1	01-2119456816-28			
	Acute Tox. 4, STOT RE	E 2; H302 H373				
64-19-7	Acetic acid%			1 - < 5 %		
	200-580-7	607-002-00-6	01-2119475328-30			
	Flam. Liq. 3, Skin Corr.	1A; H226 H314				
78-93-3	butanone			< 1 %		
	201-159-0	606-002-00-3	01-2119457290-43			
	Flam. Liq. 2, Eye Irrit. 2, STOT SE 3; H225 H319 H336 EUH066					

Full text of H and EUH statements: see section 16.

### Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity				
	Specific Conc.	Specific Conc. Limits, M-factors and ATE					
64-17-5	200-578-6	Ethanol	15 - < 20 %				
		inhalation: LC50 = 124,7 mg/l (vapours); dermal: LD50 = >2000 mg/kg; oral: LD50 = >5000 mg/kg Eye Irrit. 2; H319: >= 50 - 100					
107-21-1	203-473-3	ethanediol	1 - < 5 %				
	dermal: LD50	= >3500 mg/kg; oral: LD50 = 7712 mg/kg					
64-19-7	200-580-7	Acetic acid%	1 - < 5 %				
		50 = >40 mg/l (vapours); oral: LD50 = 3530 mg/kg					
78-93-3	201-159-0	butanone	< 1 %				
	dermal: LD50	= >2000 mg/kg; oral: LD50 = 2054 mg/kg					

#### **Further Information**

This product contains no substances of very high concern (SVHC) (>0,1%) which are included in the Candidate List according to Article 59 of REACH.

#### **SECTION 4: First aid measures**



according to UK REACH Regulation

#### Toluidine Blue 1 % in Ethanol - Acetic Acid

Revision date: 21.11.2023 Product code: 13008.xxxxx Page 3 of 15

#### 4.1. Description of first aid measures

#### General information

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

#### After inhalation

Provide fresh air. In case of respiratory tract irritation, consult a physician.

#### After contact with skin

Wash with plenty of water. Take off contaminated clothing and wash it before reuse. Remove contaminated, saturated clothing immediately. In case of skin irritation, seek medical treatment.

#### After contact with eves

Rinse immediately carefully and thoroughly with eye-bath or water. In case of troubles or persistent symptoms, consult an ophthalmologist.

#### After ingestion

Observe risk of aspiration if vomiting occurs. Rinse mouth thoroughly with water. Let water be drunken in little sips (dilution effect). Do NOT induce vomiting.

### 4.2. Most important symptoms and effects, both acute and delayed

No information available.

#### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

### **SECTION 5: Firefighting measures**

### 5.1. Extinguishing media

#### Suitable extinguishing media

Water spray jet, Carbon dioxide (CO2), Foam, Extinguishing powder

#### Unsuitable extinguishing media

High power water jet.

#### 5.2. Special hazards arising from the substance or mixture

Flammable. Vapours can form explosive mixtures with air. In case of fire may be liberated: Carbon monoxide (CO). Sulfur oxides (SOx). Carbon dioxide (CO2). Nitrogen oxides (NOx).

# 5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus.

### Additional information

Use water spray jet to protect personnel and to cool endangered containers. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

#### **SECTION 6: Accidental release measures**

### 6.1. Personal precautions, protective equipment and emergency procedures

### General advice

Remove all sources of ignition. Provide adequate ventilation.

Wear personal protection equipment. (See section 8.)

### 6.2. Environmental precautions

Do not allow uncontrolled discharge of product into the environment. Explosion risk. Do not allow to enter into surface water or drains. Discharge into the environment must be avoided.

#### 6.3. Methods and material for containment and cleaning up

# For cleaning up

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.



according to UK REACH Regulation

### Toluidine Blue 1 % in Ethanol - Acetic Acid

Revision date: 21.11.2023 Product code: 13008.xxxxx Page 4 of 15

#### Other information

Clear contaminated areas thoroughly.

#### 6.4. Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

### **SECTION 7: Handling and storage**

### 7.1. Precautions for safe handling

# Advice on safe handling

Wear suitable protective clothing. (See section 8.)

Use extractor hood (laboratory).

#### Advice on protection against fire and explosion

Keep away from sources of ignition - No smoking. Take precautionary measures against static discharges.

Vapours can form explosive mixtures with air.

#### Advice on general occupational hygiene

Take off contaminated clothing. Wash hands before breaks and after work. When using do not eat, drink, smoke, sniff. Always close containers tightly after the removal of product.

#### Further information on handling

Flammable vapours can accumulate in head space of closed systems.

#### 7.2. Conditions for safe storage, including any incompatibilities

### Requirements for storage rooms and vessels

Keep container tightly closed. Keep in a cool, well-ventilated place. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Keep locked up.

#### Hints on joint storage

Do not store together with: Oxidizing agent. Pyrophoric or self-heating substances. Do not store together with: Substances which in contact with water, emit flammable gases. Organic peroxides Oxidizing substances. Alkali metals.

#### Further information on storage conditions

Store small packages in a suitable, robust cabinet.

### 7.3. Specific end use(s)

Staining of tissue samples (solution ready for use)

# **SECTION 8: Exposure controls/personal protection**

#### 8.1. Control parameters

### **Exposure limits (EH40)**

CAS No	Substance	ppm	mg/m³	fibres/ml	Category	Origin
64-19-7	Acetic acid	10	25		TWA (8 h)	WEL
		20	50		STEL (15 min)	WEL
78-93-3	Butan-2-one (methyl ethyl ketone)	200	600		TWA (8 h)	WEL
		300	899		STEL (15 min)	WEL
107-21-1	Ethane-1,2-diol, vapour	20	52		TWA (8 h)	WEL
		40	104		STEL (15 min)	WEL
64-17-5	Ethanol	1000	1920		TWA (8 h)	WEL



according to UK REACH Regulation

# **Toluidine Blue 1 % in Ethanol - Acetic Acid**

Revision date: 21.11.2023 Product code: 13008.xxxxx Page 5 of 15

# **Biological Monitoring Guidance Values (EH40)**

CAS No	Substance	Parameter	Value	Test material	Sampling time
78-93-3	Butan-2-one	butan-2-one	70 µmol/L	urine	Post shift

### **DNEL/DMEL values**

CAS No	Substance				
DNEL type		Exposure route	Effect	Value	
64-17-5	Ethanol				
Worker DNEL,	acute	inhalation	local	1900 mg/m³	
Worker DNEL,	long-term	dermal	systemic	343 mg/kg bw/day	
Worker DNEL,	long-term	inhalation	systemic	950 mg/m³	
Consumer DN	EL, acute	inhalation	local	950 mg/m³	
Consumer DN	EL, long-term	dermal	systemic	206 mg/kg bw/day	
Consumer DN	EL, long-term	inhalation	systemic	114 mg/m³	
Consumer DN	EL, long-term	oral	systemic	87 mg/kg bw/day	
107-21-1	ethanediol				
Worker DNEL,	long-term	inhalation	local	35 mg/m³	
Worker DNEL,	long-term	dermal	systemic	106 mg/kg bw/day	
64-19-7	Acetic acid%				
Worker DNEL,	long-term	inhalation	local	25 mg/m³	
Worker DNEL,	acute	inhalation	local	25 mg/m³	
Consumer DN	EL, long-term	inhalation	local	25 mg/m³	
Consumer DN	EL, acute	inhalation	local	25 mg/m³	
78-93-3	butanone				
Worker DNEL,	long-term	inhalation	systemic	600 mg/m³	
Worker DNEL,	long-term	dermal	systemic	1161 mg/kg bw/day	



# **Safety Data Sheet**

according to UK REACH Regulation

# **Toluidine Blue 1 % in Ethanol - Acetic Acid**

Revision date: 21.11.2023 Product code: 13008.xxxxx Page 6 of 15

### **PNEC values**

CAS No	Substance	
Environment	tal compartment	Value
64-17-5	Ethanol	
Freshwater		0,96 mg/l
Freshwater (	(intermittent releases)	2,75 mg/l
Marine water	г	0,79 mg/l
Marine water	r (intermittent releases)	2,75 mg/l
Freshwater s	sediment	3,6 mg/kg
Marine sedin	ment	2,9 mg/kg
Secondary p	poisoning	0,72 mg/kg
Micro-organi	isms in sewage treatment plants (STP)	580 mg/l
Soil		0,63 mg/kg
107-21-1	ethanediol	
Freshwater		10 mg/l
Marine water	г	1 mg/l
Freshwater s	sediment	37 mg/kg
Marine sedin	ment	3,7 mg/kg
Micro-organisms in sewage treatment plants (STP)		199,5 mg/l
Soil		1,53 mg/kg
64-19-7	Acetic acid%	
Freshwater		3,058 mg/l
Freshwater (	(intermittent releases)	30,58 mg/l
Marine wate	r	0,306 mg/l
Freshwater s	sediment	11,36 mg/kg
Marine sedin	ment	1,136 mg/kg
Micro-organi	isms in sewage treatment plants (STP)	85 mg/l
Soil		0,47 mg/kg
78-93-3	butanone	
Freshwater		55,8 mg/l
Freshwater (	(intermittent releases)	55,8 mg/l
Marine wate	r	55,8 mg/l
Freshwater s	sediment	284,7 mg/kg
Marine sedin	ment	284,7 mg/kg
Micro-organi	isms in sewage treatment plants (STP)	709 mg/l
Soil		22,5 mg/kg

## 8.2. Exposure controls



# Appropriate engineering controls

Use extractor hood (laboratory). Additional information: refer to section 7. No further action is necessary.

Individual protection measures, such as personal protective equipment



according to UK REACH Regulation

#### Toluidine Blue 1 % in Ethanol - Acetic Acid

Revision date: 21.11.2023 Product code: 13008.xxxxx Page 7 of 15

#### Eye/face protection

Wear eye/face protection. Suitable eye protection: Tightly sealed safety glasses. EN 166

#### Hand protection

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. Pull-over gloves of rubber. EN ISO 374

Suitable material:

penetration time (maximum wearing period): >= 8h

Butyl rubber.

FKM (fluororubber).

penetration time (maximum wearing period): >= 2h

CR (polychloroprenes, Chloroprene rubber).

Before using check leak tightness / impermeability. In the case of wanting to use the gloves again, clean them before taking off and air them well.

#### Skin protection

Use of protective clothing. Lab apron.

#### Respiratory protection

In case of inadequate ventilation wear respiratory protection. Respiratory protection necessary at: exceeding exposure limit values

Suitable respiratory protective equipment: gas filtering equipment (EN 141). Typ: a

Observe the wear time limits according GefStoffV in combination with the rules for using respiratory protection apparatus (BGR 190).

### **Environmental exposure controls**

Do not empty into drains. Avoid release to the environment.

# SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Physical state: liquid
Colour: blau
Odour: Ethanol.

Melting point/freezing point:

Boiling point or initial boiling point and

not determined
not determined

boiling range:

Flammability: not determined Lower explosion limits: not determined Upper explosion limits: not determined 39 °C Flash point: Auto-ignition temperature: not determined Decomposition temperature: not determined pH-Value: not determined Viscosity / kinematic: not determined Water solubility: completely miscible

(at 20 °C)

Solubility in other solvents

not determined

Partition coefficient n-octanol/water: not determined Vapour pressure: 58 hPa

(at 20 °C)

Density (at 20 °C): 0,96 g/cm³
Relative vapour density: not determined



### **Safety Data Sheet**

according to UK REACH Regulation

### Toluidine Blue 1 % in Ethanol - Acetic Acid

Revision date: 21.11.2023 Product code: 13008.xxxxx Page 8 of 15

Particle characteristics: not applicable

### 9.2. Other information

#### Information with regard to physical hazard classes

Explosive properties

The product is not: Explosive.

Oxidizing properties

none

### Other safety characteristics

Evaporation rate: not determined Solid content: not determined

#### **Further Information**

No information available.

#### **SECTION 10: Stability and reactivity**

#### 10.1. Reactivity

Flammable. No information available.

### 10.2. Chemical stability

Stable under normal storage and handling conditions.

## 10.3. Possibility of hazardous reactions

No information available.

#### 10.4. Conditions to avoid

Keep away from sources of heat (e.g. hot surfaces), sparks and open flames. Vapours can form explosive mixtures with air. In case of warming: Ignition hazard.

Heating causes rise in pressure with risk of bursting.

#### 10.5. Incompatible materials

Materials to avoid: Substances which in contact with water, emit flammable gases. Organic peroxides Oxidizing substances. Alkali metals.

#### 10.6. Hazardous decomposition products

In case of fire may be liberated: Carbon monoxide (CO). Sulfur oxides (SOx). Carbon dioxide (CO2). Nitrogen oxides (NOx).

#### **SECTION 11: Toxicological information**

### 11.1. Information on hazard classes as defined in GB CLP Regulation

#### **Acute toxicity**

Based on available data, the classification criteria are not met.

#### **ATEmix** calculated

ATE (oral) 14535 mg/kg; ATE (dermal) > 2000 mg/kg; ATE (inhalation vapour) > 20 mg/l; ATE (inhalation dust/mist) > 5 mg/l



# **Safety Data Sheet**

according to UK REACH Regulation

### Toluidine Blue 1 % in Ethanol - Acetic Acid

Revision date: 21.11.2023 Product code: 13008.xxxxx Page 9 of 15

CAS No	Chemical name					
	Exposure route	Dose		Species	Source	Method
64-17-5	Ethanol					
	oral	LD50 mg/kg	>5000	Rat	ECHA Dossier	
	dermal	LD50 mg/kg	>2000	Rabbit	ECHA Dossier	
	inhalation (4 h) vapour	LC50 mg/l	124,7	Rat	ECHA Dossier	
107-21-1	ethanediol					
	oral	LD50 mg/kg	7712	Rat	ECHA	
	dermal	LD50 mg/kg	>3500	Mouse	ECHA	
64-19-7	Acetic acid%					
	oral	LD50 mg/kg	3530	Rat	GESTIS	
	inhalation (4 h) vapour	LC50	>40 mg/l	Rat	suppliers SDS.	
78-93-3	butanone					
	oral	LD50 mg/kg	2054	Ratte	SDB Lieferant	
	dermal	LD50 mg/kg	>2000	Rabbit	ECHA Dossier	

### Irritation and corrosivity

Based on available data, the classification criteria are not met.

### Sensitising effects

Based on available data, the classification criteria are not met.

#### Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

### STOT-single exposure

Based on available data, the classification criteria are not met.

### STOT-repeated exposure

Based on available data, the classification criteria are not met.

#### **Aspiration hazard**

Based on available data, the classification criteria are not met.

### 11.2. Information on other hazards

### **Endocrine disrupting properties**

This product does not contain a substance that has endocrine disrupting properties with respect to humans as no components meets the criteria.

# **SECTION 12: Ecological information**

#### 12.1. Toxicity

Based on available data, the classification criteria are not met.



according to UK REACH Regulation

# **Toluidine Blue 1 % in Ethanol - Acetic Acid**

Revision date: 21.11.2023 Product code: 13008.xxxxx Page 10 of 15

CAS No	Chemical name						
	Aquatic toxicity	Dose		[h]   [d]	Species	Source	Method
64-17-5	Ethanol						
	Acute fish toxicity	LC50 mg/l	14200	96 h	Pimephales promelas (fathead minnow)	ECHA Dossier	
	Acute algae toxicity	ErC50	275 mg/l	72 h	Chlorella vulgaris	ECHA Dossier	
	Acute crustacea toxicity	EC50 mg/l	5012	48 h	Ceriodaphnia dubia (water flea)	ECHA Dossier	
	Crustacea toxicity	NOEC	9,6 mg/l	9 d	Daphnia magna	ECHA Dossier	
107-21-1	ethanediol						
	Acute fish toxicity	LC50 mg/l	>17000	96 h	Oncorhynchus mykiss (Rainbow trout)	ECHA	
	Acute algae toxicity	ErC50 mg/l	>6500	96 h	Selenastrum capricornutum	ECHA	
	Acute crustacea toxicity	EC50 mg/l	>100	48 h	Daphnia magna (Big water flea)	ECHA	
	Fish toxicity	NOEC mg/l	>1500	28 d	Oncorhynchus mykiss (Rainbow trout)	ECHA	
	Crustacea toxicity	NOEC mg/l	>15000	21 d	Daphnia magna (Big water flea)	ECHA	
64-19-7	Acetic acid%						
	Acute fish toxicity	LC50 mg/l	>300	96 h	Oncorhynchus mykiss	ECHA Dossier	
	Acute algae toxicity	ErC50 mg/l	>300	72 h	Skeletonema costatum	ECHA Dossier	
	Acute crustacea toxicity	EC50 mg/l	>300	48 h	Daphnia magna	ECHA Dossier	
78-93-3	butanone						
	Acute fish toxicity	LC50 mg/l	2993	96 h	Pimephales promelas	ECHA Dossier	OECD 203
	Acute algae toxicity	ErC50 mg/l	1972	72 h	Pseudokirchnerella subcapitata	ECHA Dossier	OECD 201
	Acute crustacea toxicity	EC50	308 mg/l	48 h	Daphnia magna	ECHA Dossier	OECD 202

# 12.2. Persistence and degradability

The product has not been tested.

CAS No	Chemical name			
	Method	Value	d	Source
	Evaluation			
64-17-5	Ethanol			
	other guideline	84%	20	ECHA Dossier
	Biodegradable.			
107-21-1	ethanediol			
	Biodegradability	83-96%	14	
	Readily biodegradable (according to OECD criteria).			
64-19-7	Acetic acid%			
	Other guideline	95%	5	suppliers SDS.
	Easily biodegradable (concerning to the criteria of the OECD)	)		
78-93-3	butanone			
		98%	28	ECHA Dossier
	Readily biodegradable (according to OECD criteria).			



### **Safety Data Sheet**

according to UK REACH Regulation

#### Toluidine Blue 1 % in Ethanol - Acetic Acid

Revision date: 21.11.2023 Product code: 13008.xxxxx Page 11 of 15

#### 12.3. Bioaccumulative potential

The product has not been tested.

#### Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
64-17-5	Ethanol	-0,31
107-21-1	ethanediol	-1,36
64-19-7	Acetic acid%	-0,17
78-93-3	butanone	0,3

#### **BCF**

CAS No	Chemical name	BCF	Species	Source
64-19-7	Acetic acid%	3,16		

#### 12.4. Mobility in soil

The product has not been tested.

### 12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to UK REACH.

#### 12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

# 12.7. Other adverse effects

No information available.

#### **Further information**

Avoid release to the environment. Do not allow uncontrolled discharge of product into the environment.

#### **SECTION 13: Disposal considerations**

### 13.1. Waste treatment methods

# **Disposal recommendations**

Do not allow to enter into surface water or drains. Dispose of waste according to applicable legislation. Dispose of waste according to applicable legislation. Consult the local waste disposal expert about waste disposal.

#### List of Wastes Code - residues/unused products

160506 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and

discarded chemicals; laboratory chemicals, consisting of or containing hazardous substances,

including mixtures of laboratory chemicals; hazardous waste

#### List of Wastes Code - used product

160506 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and

discarded chemicals; laboratory chemicals, consisting of or containing hazardous substances,

including mixtures of laboratory chemicals; hazardous waste

#### List of Wastes Code - contaminated packaging

150110 WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND

PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED; packaging (including separately collected municipal packaging waste); packaging containing residues of or contaminated by

hazardous substances; hazardous waste

# Contaminated packaging

Wash with plenty of water. Completely emptied packages can be recycled. Non-contaminated packages may be recycled.

#### **SECTION 14: Transport information**

### Land transport (ADR/RID)

14.1. UN number or ID number:

No dangerous good in sense of this transport regulation.



### **Safety Data Sheet**

according to UK REACH Regulation

#### Toluidine Blue 1 % in Ethanol - Acetic Acid

Revision date: 21.11.2023 Product code: 13008.xxxxx Page 12 of 15

14.2. UN proper shipping name:No dangerous good in sense of this transport regulation.14.3. Transport hazard class(es):No dangerous good in sense of this transport regulation.14.4. Packing group:No dangerous good in sense of this transport regulation.

Inland waterways transport (ADN)

14.1. UN number or ID number:No dangerous good in sense of this transport regulation.14.2. UN proper shipping name:No dangerous good in sense of this transport regulation.14.3. Transport hazard class(es):No dangerous good in sense of this transport regulation.14.4. Packing group:No dangerous good in sense of this transport regulation.

Marine transport (IMDG)

14.1. UN number or ID number:No dangerous good in sense of this transport regulation.14.2. UN proper shipping name:No dangerous good in sense of this transport regulation.14.3. Transport hazard class(es):No dangerous good in sense of this transport regulation.14.4. Packing group:No dangerous good in sense of this transport regulation.

Air transport (ICAO-TI/IATA-DGR)

14.1. UN number or ID number:No dangerous good in sense of this transport regulation.14.2. UN proper shipping name:No dangerous good in sense of this transport regulation.14.3. Transport hazard class(es):No dangerous good in sense of this transport regulation.14.4. Packing group:No dangerous good in sense of this transport regulation.

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: No

14.6. Special precautions for user

Refer to section 6-8

14.7. Maritime transport in bulk according to IMO instruments

not relevant

#### **SECTION 15: Regulatory information**

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

### **EU** regulatory information

Restrictions on use (REACH, annex XVII):

Entry 3, Entry 40, Entry 75

Information according to Directive

P5c FLAMMABLE LIQUIDS

2012/18/EU (SEVESO III):

### **Additional information**

This preparation is hazardous in the sense of regulation (EC) No 1272/2008 [GHS].

# **National regulatory information**

Employment restrictions: Observe restrictions to employment for juveniles according to the 'juvenile

work protection guideline' (94/33/EC).

Water hazard class (D): 1 - slightly hazardous to water

#### 15.2. Chemical safety assessment

For the following substances of this mixture a chemical safety assessment has been carried out:

Ethanol ethanediol Acetic acid% butanone

## **SECTION 16: Other information**

### Changes

This data sheet contains changes from the previous version in section(s): 1,2,3,4,5,6,7,8,9,10,11,12,14,15,16.



# **Safety Data Sheet**

according to UK REACH Regulation

# **Toluidine Blue 1 % in Ethanol - Acetic Acid**

Revision date: 21.11.2023 Product code: 13008.xxxxx Page 13 of 15

18.06.2010 Rev. 1.00 Initial release

18.08.2011 Rev. 1.10 Revision according to EU VO 453 Apppendix I

15.07.2014; Rev 1.2 Revision

Rev. 2,0; 21.11.2023; general adjustment(s), Change of transport labelling



### Safety Data Sheet

according to UK REACH Regulation

### Toluidine Blue 1 % in Ethanol - Acetic Acid

Revision date: 21.11.2023 Product code: 13008.xxxxx Page 14 of 15

#### Abbreviations and acronyms

Flam. Liq: Flammable liquids Acute Tox: Acute toxicity Skin Corr: Skin corrosion Eye Irrit: Eye irritation

STOT SE: Specific target organ toxicity - single exposure STOT RE: Specific target organ toxicity - repeated exposure

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement

concerning the

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer

(Regulations

Concerning the International Transport of Dangerous Goods by Rail)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)

ICAO: International Civil Aviation Organization

ICAO-TI: Technical Instructions by the "International Civil Aviation Organization" (ICAO)

GHS: Globally Harmonized System of Classification and Labelling of Chemicals GefStoffV: Gefahrstoffverordnung (Ordinance on Hazardous Substances, Germany)

LC50: Lethal concentration, 50 percent

LD50: Lethal dosis, 50 percent NOAEL: No observed effect Level DNEL: Derived No Effect Level

PNEC: predicted no effect concentration CLP: Classification, labelling and Packaging

REACH: Registration, Evaluation and Authorization of Chemicals

GHS: Globally Harmonised System of Classification, Labelling and Packaging of Chemicals

**UN: United Nations** 

CAS: Chemical Abstracts Service
DNEL: Derived No Effect Level
DMEL: Derived Minimal Effect Level
PNEC: Predicted No Effect Concentration

ATE: Acute toxicity estimate LC50: Lethal concentration, 50%

LD50: Lethal dose, 50% LL50: Lethal loading, 50% EL50: Effect loading, 50%

EC50: Effective Concentration 50%

ErC50: Effective Concentration 50%, growth rate NOEC: No Observed Effect Concentration

BCF: Bio-concentration factor

PBT: persistent, bioaccumulative, toxic vPvB: very persistent, very bioaccumulative

ADR: Accord européen sur le transport des marchandises dangereuses par Route

(European Agreement concerning the International Carriage of Dangerous Goods by Road)

RID: Regulations concerning the international carriage of dangerous goods by rail

ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways (Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures)

EmS: Emergency Schedules MFAG: Medical First Aid Guide

MARPOL: International Convention for the Prevention of Marine Pollution from Ships

IBC: Intermediate Bulk Container
VOC: Volatile Organic Compounds
SVHC: Substance of Very High Concern



# **Safety Data Sheet**

according to UK REACH Regulation

#### Toluidine Blue 1 % in Ethanol - Acetic Acid

Revision date: 21.11.2023 Product code: 13008.xxxxx Page 15 of 15

For abbreviations and acronyms, see: ECHA Guidance on information requirements and chemical safety assessment, chapter R.20 (Table of terms and abbreviations).

### Classification for mixtures and used evaluation method according to GB CLP Regulation

Classification	Classification procedure
Flam. Liq. 3; H226	On basis of test data

#### R

m. Liq. 3; H226	On basis of test data
elevant H and EUH statements (number and full text)	
H225 Highly	flammable liquid and vapour.

H302 Harmful if swallowed.

H314 Causes severe skin burns and eve damage.

Flammable liquid and vapour.

H319 Causes serious eye irritation. H336 May cause drowsiness or dizziness.

H373 May cause damage to organs through prolonged or repeated exposure.

**EUH066** Repeated exposure may cause skin dryness or cracking.

#### **Further Information**

H226

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights. The receiver of our product is singularly responsible for adhering to existing laws and regulations. The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

(The data for the relevant ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)