

WEIGERT stock solution A

according to UK REACH Regulation

Revision date: 26.04.2023

Product code: 10225A.xxxxx

Page 1 of 14

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

WEIGERT stock solution A

UFI:

YQ54-39YM-300M-PNMW

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Use as laboratory reagent. The product is intended for research, analysis and scientific education.

Uses advised against

Any non-intended use.

1.3. Details of the supplier of the safety data sheet

| Company name: | MORPHISTO GmbH | |
|--------------------------|---------------------------------------|-----------------------------------|
| Street: | Schumannstr. 142/144 | |
| Place: | D-63069 Offenbach | |
| Telephone: | +49 (0) 69 / 400 3019-60 | Telefax: +49 (0) 69 / 400 3019-64 |
| e-mail: | info@morphisto.de | |
| Contact person: | Morphisto GmbH | |
| e-mail: | gefahrstoffmanagement@morphisto.de | |
| Internet: | http://www.morphisto.de | |
| 1.4. Emergency telephone | Poison Information Center Mainz, Germ | any, Tel: +49(0)6131/19240 |
| | | |

number:

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

GB CLP Regulation

Flam. Liq. 2; H225 Eye Irrit. 2; H319

Full text of hazard statements: see SECTION 16.

2.2. Label elements

GB CLP Regulation

Signal word:

Pictograms:



Hazard statements

| H225 | Highly flammable liquid and vapour. |
|------------------------|--|
| H319 | Causes serious eye irritation. |
| Precautionary statemer | nts |
| P210 | Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. |
| P280 | Wear protective gloves/protective clothing/eye protection/face protection. |
| P233 | Keep container tightly closed. |
| P305+P351+P338 | IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. |
| P337+P313 | If eye irritation persists: Get medical advice/attention. |
| P403+P235 | Store in a well-ventilated place. Keep cool. |



according to UK REACH Regulation

WEIGERT stock solution A

Revision date: 26.04.2023

Product code: 10225A.xxxxx

Page 2 of 14

2.3. Other hazards

In case of insufficient ventilation and/or through use, explosive/highly flammable mixtures may develop.

This substance/mixture contains no components considered to be either persistent, bioaccumulating and toxic (PBT) or very persistent and very bioaccumulating (vPvB) at levels of 0.1% or higher. Ecological information: The substance/mixture does not contain any components that are considered to be hazardous according to REACH Article 57(f) or Commission Delegated Regulation (EU) 2017/2100 or Commission Delegated Regulation (EU) 2018/605 in amounts of 0.1% or more have endocrine disrupting properties. Toxicological information: The substance/mixture does not contain any components that are to be classified according to REACH Article 57(f) or Commission Delegated Regulation (EU) 2017/2100 or Commission Delegated Regulation (EU) 2018/605 in quantities of 0.1% or more have endocrine disrupting properties.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Hazardous components

| CAS No | Chemical name | | | | | | |
|----------|--|------------------------------------|------------------|--------------|--|--|--|
| | EC No | Index No | REACH No | | | | |
| | Classification (GB CLP Re | Classification (GB CLP Regulation) | | | | | |
| 64-17-5 | Ethanol, Ethylalkohol | | | 95 - < 100 % | | | |
| | 200-578-6 | 603-002-00-5 | 01-2119457610-43 | | | | |
| | Flam. Liq. 2, Eye Irrit. 2; H | | | | | | |
| 517-28-2 | hematoxylin | 1 - < 5 % | | | | | |
| | 208-237-3 | | | | | | |
| | Eye Irrit. 2; H319 | | | | | | |
| 78-93-3 | butanone; ethyl methyl ketone | | | < 1 % | | | |
| | 201-159-0 | 606-002-00-3 | 01-2119457290-43 | | | | |
| | Flam. Liq. 2, Eye Irrit. 2, STOT SE 3; H225 H319 H336 EUH066 | | | | | | |

Full text of H and EUH statements: see section 16.

Specific Conc. Limits, M-factors and ATE

| CAS No | EC No | Chemical name | Quantity | | |
|----------|---|--|-----------|--|--|
| | Specific Conc. | Limits, M-factors and ATE | | | |
| 64-17-5 | 200-578-6 | 00-578-6 Ethanol, Ethylalkohol | | | |
| | inhalation: LC50 = 124,7 mg/l (vapours); oral: LD50 = >5000 mg/kg Eye Irrit. 2; H319: >= 50 - 100 | | | | |
| 517-28-2 | 208-237-3 | hematoxylin | 1 - < 5 % | | |
| | oral: LD50 = > | -2000 mg/kg | | | |
| 78-93-3 | 201-159-0 | butanone; ethyl methyl ketone | < 1 % | | |
| | dermal: LD50 | = >2000 mg/kg; oral: LD50 = 2054 mg/kg | | | |

Further Information

Product does not contain listed SVHC substances > 0,1 % according to Regulation (EC) No. 1907/2006 Article 59 (REACH)

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

Remove affected person from the danger area and lay down. In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).



according to UK REACH Regulation

WEIGERT stock solution A

Revision date: 26.04.2023

Product code: 10225A.xxxxx

Page 3 of 14

After inhalation

Provide fresh air. If unconscious but breathing normally, place in recovery position and seek medical advice. In case of allergic symptoms, especially in the breathing area, seek medical advice immediately.

After contact with skin

Wash with plenty of water. Take off contaminated clothing and wash it before reuse. In case of skin irritation, seek medical treatment.

After contact with eyes

Rinse immediately carefully and thoroughly with eye-bath or water.Remove contact lenses, if present and easy to do. Continue rinsing.Seek medical advice.

After ingestion

Rinse mouth thoroughly with water. Let water be drunken in little sips (dilution effect). Seek medical advice.

4.2. Most important symptoms and effects, both acute and delayed

Acute effects: Mucous membrane irritation after eye contact or inhalation. Delayed effects: Impairment of inhibitory functions of the central nervous system, skin redness, nausea after ingestion of large amounts.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

Percutaneously absorbed and inhaled substance causes next to irritation of affected mucous membranes only an indicated impairment of the inhibitory functions of the central nervous system, clinically recognizable as the beginning of a euphoric stage. At the same time face and skin redness is caused by dilation of peripheral blood vessels in the body.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Water spray jet, Carbon dioxide (CO2), Foam, Extinguishing powder.

Unsuitable extinguishing media

High power water jet.

5.2. Special hazards arising from the substance or mixture

Flammable. Vapours can form explosive mixtures with air. Vapours are heavier than air and will spread at floor level. In case of fire may be liberated: Carbon monoxide Carbon dioxide (CO2).

5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus. In case of fire and/or explosion do not breathe fumes.

Additional information

Use water spray jet to protect personnel and to cool endangered containers. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General advice

Provide adequate ventilation. Remove all sources of ignition. Ventilate affected area. Do not breathe gas/fumes/vapour/spray. Avoid contact with skin, eyes and clothes. Special danger of slipping by leaking/spilling product. Wear personal protection equipment. (refer to chapter 8)

6.2. Environmental precautions

Do not allow uncontrolled discharge of product into the environment. Explosion risk. Do not allow to enter into surface water or drains. Due to danger of explosion, prevent leakage of vapours into cellars, flues and ditches. Prevent spread over a wide area (e.g. by containment or oil barriers). In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities.



according to UK REACH Regulation

WEIGERT stock solution A

Revision date: 26.04.2023

Product code: 10225A.xxxxx

Page 4 of 14

6.3. Methods and material for containment and cleaning up

Other information

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.Clear contaminated areas thoroughly.

6.4. Reference to other sections

Safe handling: see section 7 Personal protection equipment: see section 8 Disposal: see section 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Do not breathe gas/fumes/vapour/spray. Avoid contact with skin, eyes and clothes. Wear personal protection equipment. (See section 8.) Use extractor hood (laboratory).

Advice on protection against fire and explosion

Keep away from sources of ignition - No smoking. Take precautionary measures against static discharges. Vapours can form explosive mixtures with air. Flammable vapours can accumulate in head space of closed systems. Heating causes rise in pressure with risk of bursting.

Advice on general occupational hygiene

Take off contaminated clothing. Wash hands before breaks and after work. When using do not eat, drink, smoke, sniff. Always close containers tightly after the removal of product. Protect skin by using skin protective cream.

Further information on handling

General protection and hygiene measures: refer to chapter 8

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep container tightly closed. Keep in a cool, well-ventilated place. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Keep/Store only in original container. Protect from direct sunlight. Ensure adequate ventilation of the storage area. Concentrated vapours are heavier than air. Suitable material for Container: Stainless steel. (1.4301 (V2), 1.4401 (V4)); iron. solvent resistant plastics. Unsuitable materials for Container: Aluminium. Rubber. various plastics.

Hints on joint storage

Do not store together with: Oxidizing agent. Pyrophoric or self-heating substances.Gas. Explosives. Flammable solids. Pyrophoric liquids and solids. Self-heating substances and mixtures. Substances or mixtures which, in contact with water, emit flammable gases. Oxidizing liquids. ammonium nitrate. Self-reactive substances and mixtures. Organic peroxides. Non-combustible toxic substances. Radioactive substances. Infectious substances.

Further information on storage conditions

Recommended storage temperature: 15-25°C Protect against: UV-radiation/sunlight. heat. Cold.

7.3. Specific end use(s)

See section 1.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters



according to UK REACH Regulation

WEIGERT stock solution A

Revision date: 26.04.2023

Product code: 10225A.xxxxx

Page 5 of 14

Exposure limits (EH40)

| CAS No | Substance | ppm | mg/m³ | fibres/ml | Category | Origin |
|---------|-----------------------------------|------|-------|-----------|---------------|--------|
| 78-93-3 | Butan-2-one (methyl ethyl ketone) | 200 | 600 | | TWA (8 h) | WEL |
| | | 300 | 899 | | STEL (15 min) | WEL |
| 64-17-5 | Ethanol | 1000 | 1920 | | TWA (8 h) | WEL |

Biological Monitoring Guidance Values (EH40)

| CAS No | Substance | Parameter | Value | Test material | Sampling time |
|---------|-------------|-------------|-----------|---------------|---------------|
| 78-93-3 | Butan-2-one | butan-2-one | 70 µmol/L | urine | Post shift |

DNEL/DMEL values

| CAS No | Substance | | | | | | |
|--------------------------|-----------------------|----------------|----------|------------------|--|--|--|
| DNEL type | | Exposure route | Effect | Value | | | |
| 64-17-5 | Ethanol, Ethylalkohol | | | | | | |
| Worker DNEL, | acute | inhalation | local | 1900 mg/m³ | | | |
| Worker DNEL, | , long-term | dermal | systemic | 343 mg/kg bw/day | | | |
| Worker DNEL, | , long-term | inhalation | systemic | 950 mg/m³ | | | |
| Consumer DNEL, acute | | inhalation | local | 950 mg/m³ | | | |
| Consumer DN | EL, long-term | dermal | systemic | 206 mg/kg bw/day | | | |
| Consumer DN | EL, long-term | inhalation | systemic | 114 mg/m³ | | | |
| Consumer DNEL, long-term | | oral | systemic | 87 mg/kg bw/day | | | |

PNEC values

| CAS No | Substance | | | | | |
|---------------|-----------------------|-----------|--|--|--|--|
| Environment | al compartment | Value | | | | |
| 64-17-5 | Ethanol, Ethylalkohol | | | | | |
| Freshwater | | 0,96 mg/l | | | | |
| Freshwater (| 2,75 mg/l | | | | | |
| Marine water | 0,79 mg/l | | | | | |
| Marine water | 2,75 mg/l | | | | | |
| Freshwater s | 3,6 mg/kg | | | | | |
| Marine sedin | nent | 2,9 mg/kg | | | | |
| Secondary p | 0,72 mg/kg | | | | | |
| Micro-organia | 580 mg/l | | | | | |
| Soil | Soil | | | | | |

8.2. Exposure controls



Appropriate engineering controls

Provide adequate ventilation.

If local exhaust ventilation is not possible or not sufficient, the entire working area should be ventilated by technical means.

Use extractor hood (laboratory).



according to UK REACH Regulation

WEIGERT stock solution A

Revision date: 26.04.2023

Product code: 10225A.xxxxx

Page 6 of 14

Individual protection measures, such as personal protective equipment

Eye/face protection

Wear eye/face protection. Tightly sealed safety glasses. EN 166

Hand protection

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. In case of prolonged or frequently repeated skin contact:

Tested protective gloves are to be worn:

Suitable material:

Butyl rubber. (0,7 mm, Breakthrough time >=480 min, penetration time (maximum wearing period): 160 min): NBR (Nitrile rubber). (0,4 mm, Breakthrough time >=120 min, penetration time (maximum wearing period): 40 min)

The selected protective gloves have to satisfy the specifications of EU Directive 89/686/EEC and the standard EN 374 derived from it.

Before using check leak tightness / impermeability. In the case of wanting to use the gloves again, clean them before taking off and air them well.

Skin protection

Flame-retardant protective clothing. Wear anti-static footwear and clothing . Protective clothing. (fire retardant.) Minimum standard for preventive measures while handling with working materials are specified in the TRGS 500 (D).

Respiratory protection

With correct and proper use, and under normal conditions, breathing protection is not required. Respiratory protection necessary at:

Insufficient ventilation.

exceeding exposure limit values

generation/formation of aerosols

Suitable respiratory protective equipment:

gas filtering equipment (EN 141). Type : a

The filter class must be suitable for the maximum contaminant concentration (gas/vapour/aerosol/particulates) that may arise when handling the product. If the concentration is exceeded, self-contained breathing apparatus must be used.

Environmental exposure controls

Do not allow to enter into surface water or drains.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

| Physical state: Colour: Odour: | liquid red brown characteristic | |
|--|---------------------------------------|---------------------------|
| Melting point/freezing point: | | not determined |
| Boiling point or initial boiling point and | | ~78 °C |
| boiling range: | | |
| Flammability: | | not applicable |
| Lower explosion limits: | | (Ethanol 100%) 3,3 vol. % |
| Upper explosion limits: | | (Ethanol 100%) 19 vol. % |
| Flash point: | | 12 - 16 °C |
| Auto-ignition temperature: | | ~425 °C |
| Decomposition temperature: | | not determined |
| pH-Value: | | not determined |
| Viscosity / kinematic: | | not determined |
| | | |



according to UK REACH Regulation

| WEIGERT stock solution A | | | | | | |
|--|---|--------------|--|--|--|--|
| Revision date: 26.04.2023 | Product code: 10225A.xxxxx | Page 7 of 14 | | | | |
| Water solubility: | completely miscible | | | | | |
| Solubility in other solvents | | | | | | |
| not determined | | | | | | |
| Partition coefficient n-octanol/water: | not determined | | | | | |
| Vapour pressure: | (Ethanol 100%) 59 hPa | | | | | |
| (at 20 °C) | | | | | | |
| Vapour pressure: | (Ethanol 100%) 280 hPa | | | | | |
| (at 50 °C) | | | | | | |
| Density (at 20 °C): | ~0,81 g/cm³ | | | | | |
| Relative vapour density: | not determined | | | | | |
| 9.2. Other information | | | | | | |
| Information with regard to physical hazard | classes | | | | | |
| Explosive properties | | | | | | |
| · · · | insufficient ventilation and/or through use, explosive/highly flammable | е | | | | |
| mixtures may develop. | | | | | | |
| Sustaining combustion: | Sustaining combustion | | | | | |
| Self-ignition temperature | | | | | | |
| Solid: | not applicable | | | | | |
| Gas: | not determined | | | | | |
| Oxidizing properties | | | | | | |
| none | | | | | | |
| Other safety characteristics | | | | | | |
| Evaporation rate: | not determined | | | | | |
| Solvent separation test: | not determined | | | | | |
| Solvent content: | not determined | | | | | |
| Solid content: | not determined | | | | | |
| Sublimation point: | not determined | | | | | |
| Softening point: | not determined | | | | | |
| Pour point: | not determined | | | | | |
| Viscosity / dynamic: | not determined | | | | | |
| Flow time: | not determined | | | | | |

SECTION 10: Stability and reactivity

10.1. Reactivity

Flammable.

10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

10.3. Possibility of hazardous reactions

Acetone: Explosion risk in contact with: Hydrogenium peroxide. Oxidizing agents, strong. Bromine triflouride. Chloroform difluordioxide. isoprene. nitrosulphic acid. nitromethane. nitrosyl chloride (catalyst). nitrosyl perchlorate. peroxomonosulfuric acid.

10.4. Conditions to avoid

Keep away from sources of heat (e.g. hot surfaces), sparks and open flames. Vapours can form explosive mixtures with air. Keep away from heat. Protect from direct sunlight. Protect from moisture. In use may form flammable/explosive vapour-air mixture.

Heating causes rise in pressure with risk of bursting. Recommended storage temperature: < 40 °C

10.5. Incompatible materials

Oxidizing agents. Strong acid, Base.

10.6. Hazardous decomposition products

In case of fire may be liberated: Carbon monoxide Carbon dioxide (CO2).



according to UK REACH Regulation

WEIGERT stock solution A

Revision date: 26.04.2023

Product code: 10225A.xxxx

Page 8 of 14

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in GB CLP Regulation

Toxicocinetics, metabolism and distribution

Adsorption.

Ethanol has a low molecular weight and has a good water and fat solubility. Therefor it can be adsorbed well in the entire gastrointestinal tract, lungs and the skin. After swallowing approximately 90% is taken up via the gastrointestinal tract. When inhaled, this value is 61%. Because of the rapid evaporation of ethanol the dermal adsorption is very limited; theoretically 21% can be accommodated, however, the absorption rate of uncovered skin is only 1 to 2%.

Distribution:

Regardless of the exposure pathway ethanol is distributed via the bloodstream throughout the body, comparable to the distribution of water. Highly perfused organs (brain, lung and liver) are passed quickly. An equal distribution between tissue and blood is reached after 1 to 1.5 h.

metabolism:

Even before the absorption a small proportion of ethanol is enzymatically metabolized in the stomach (alcohol dehydrogenase). After absorption ethanol is preferably metabolized in the liver (92-95%) and partly in the kidneys and lungs. Metabolism occurs usually in three steps: 1. oxidation of ethanol to acetaldehyde; 2. oxidation of acetaldehyde to acetate; 3. oxidation of acetate to carbon dioxide and water

elimination:

The vast majority of ethanol is eliminated by metabolism, the excretion via breath, urine and sweat plays a minor role. The maximum elimination of ethanol is estimated on the 127 mg / kgbw / h.

Acute toxicity

| CAS No | Chemical name | | | | | | | |
|----------|--------------------------|---------------|-------|---------|---------------|--------|--|--|
| | Exposure route | Dose | | Species | Source | Method | | |
| 64-17-5 | Ethanol, Ethylalkohol | | | | | | | |
| | oral | LD50 mg/kg | >5000 | Rat | ECHA Dossier | | | |
| | inhalation (4 h) vapour | LC50 mg/l | 124,7 | Rat | ECHA Dossier | | | |
| 517-28-2 | hematoxylin | | | | | | | |
| | oral | LD50 mg/kg | >2000 | Rat | ECHA-Dossier | | | |
| 78-93-3 | butanone; ethyl methyl k | etone | | | | | | |
| | oral | LD50 mg/kg | 2054 | Ratte | SDB Lieferant | | | |
| | dermal | LD50 mg/kg | >2000 | Rabbit | ECHA Dossier | | | |

Irritation and corrosivity

Irritant effect on the skin: slightly irritant but not relevant for classification.

Ethanol.: Specific concentration limit (SCL) Eye Irrit. 2 > 50%

Sensitising effects

The product is: not sensitising. The statement is derived form the properties of the components.

Carcinogenic/mutagenic/toxic effects for reproduction



according to UK REACH Regulation

WEIGERT stock solution A

Revision date: 26.04.2023

Product code: 10225A.xxxx

Page 9 of 14

Ethanol. (CAS-No.: 64-17-5):

In-vitro mutagenicity: No experimental indications of mutagenicity in-vitro exist. Reproductive toxicity: Exposure time: 18 weeks; Species: CD-1 Mouse. Method: OECD Guideline 416; Result: NOAEL = 20700 mg/kg/day. Developmental toxicity/teratogenicity: Exposure time: 19d; Species: Sprague-Dawley Rat. Method: OECD Guideline 414; Result: NOAEL = 16000 ppm (maternal toxicity), Result: NOAEL >= 20000 ppm (teratogenicity); Literature information: ECHA Dossier

STOT-single exposure

No information available.

STOT-repeated exposure

Ethanol. (CAS-No.: 64-17-5):

Subchronic oral toxicity: Exposure time: 90d; Species: Sprague-Dawley Rat. Method: OECD Guideline 408; Result: NOAEL = 1280 mg/kg; Literature information: ECHA Dossier

Aspiration hazard

No information available.

Specific effects in experiment on an animal

Not known

11.2. Information on other hazards

Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

Other information

Depending on the ingested quantity the following symptoms can be induced: a reduction of inhibitions, euphoria but also dysphoria, aggressiveness, impaired motoric skills, impaired responsiveness, blurred vision and fatigue.

SECTION 12: Ecological information

12.1. Toxicity

Ethanol. (CAS-No.: 64-17-5): Acute earthworm toxicity: LC50 (48h) = <1mg/cm2 (Eisenia fetida, non-guideline study) Acute plant toxicity: EC50 (6d) = 11800 mg/l (Allium cepa, non-guideline study) Sediment organisms: LC59 (18h) = 8200 mg/l (Hyallela sp, non-guideline study)

| CAS No | Chemical name | | | | | | | |
|----------|---------------------------|---------------|----------|-----------|-----------------------------------|--------------|----------|--|
| | Aquatic toxicity | Dose | | [h] [d] | Species | Source | Method | |
| 64-17-5 | Ethanol, Ethylalkohol | | | | | | | |
| | Acute fish toxicity | LC50 mg/l | 14200 | 96 h | Pimephales promelas | ECHA Dossier | | |
| | Acute algae toxicity | ErC50 | 275 mg/l | 72 h | Chlorella vulgaris | ECHA Dossier | | |
| | Acute crustacea toxicity | EC50 mg/l | 5012 | 48 h | Ceriodaphnia dubia | ECHA Dossier | | |
| | Crustacea toxicity | NOEC | 9,6 mg/l | 9 d | Daphnia magna | ECHA Dossier | | |
| 517-28-2 | hematoxylin | | | | | | | |
| | Acute fish toxicity | LC50 | >35 mg/l | 96 h | | ECHA-Dossier | | |
| | Acute crustacea toxicity | EC50 mg/l | 29,7 | 48 h | | ECHA-Dossier | | |
| 78-93-3 | butanone; ethyl methyl ke | tone | | | | | | |
| | Acute fish toxicity | LC50 mg/l | 20973 | 96 h | Pimephales promelas | ECHA Dossier | OECD 203 | |
| | Acute algae toxicity | ErC50 mg/l | 1220 | 96 h | Pseudokirchnerella subcapitata | ECHA Dossier | | |
| | Acute crustacea toxicity | EC50 | 308 mg/l | 48 h | Daphnia magna | ECHA Dossier | | |



according to UK REACH Regulation

WEIGERT stock solution A

Revision date: 26.04.2023

Product code: 10225A.xxxxx

Page 10 of 14

12.2. Persistence and degradability

Ethanol. (CAS-No.: 64-17-5): Chemical Oyxgen Demand (COD): CSB = 1900 mg/g Biochemical oxygen demand (BOD): BSB5 = 1000 mg/g Abiotic degradation in water: Hydrolysis t 1/2 (20°C, pH 7) = >1 - <36 a. Abiotic degradation in Air t 1/2 (Air.) = 38 d; 1/2 (Air. 100 ppm NO2) = 11,5 h

| CAS No | Chemical name | | | |
|----------|---|-------------|----|--------------|
| | Method | Value | d | Source |
| | Evaluation | | | |
| 64-17-5 | Ethanol, Ethylalkohol | | | |
| | other guideline | 84% | 20 | ECHA Dossier |
| | Biodegradable. | | | |
| 517-28-2 | hematoxylin | | | |
| | DOC reduction | ?10 – ?20 % | 28 | |
| 78-93-3 | butanone; ethyl methyl ketone | | | |
| | | 98% | 28 | ECHA Dossier |
| | Readily biodegradable (according to OECD criteria). | | | |

12.3. Bioaccumulative potential

The product has not been tested.

Partition coefficient n-octanol/water

| CAS No | Chemical name | Log Pow |
|----------|-------------------------------|---------|
| 64-17-5 | Ethanol, Ethylalkohol | -0,31 |
| 517-28-2 | hematoxylin | ?0,3 |
| 78-93-3 | butanone; ethyl methyl ketone | 0,3 |

12.4. Mobility in soil

Ethanol. (CAS-No.: 64-17-5):

Volatility Henry constant: 3,3*10-6 atm. m3/mol;dimension less 1,28*10-4 (Calculation method.) Distribution: Calculation according to: Mackay, EPIWIN: Air. 45,0%; Water. 33,1%; soil: 13,7%; sediment: 0,1%

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to UK REACH. The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

12.7. Other adverse effects

No information available.

Further information

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil. Dispose of waste according to applicable legislation. Consult the local waste disposal expert about waste disposal. Non-contaminated packages may be recycled. According to (EWC) European Waste Catalogue, allocation of waste identity numbers/waste descriptions must be carried out in a specific way for every industry and process. Control report for waste code/ waste marking according to (EWC) European Waste Catalogue:



according to UK REACH Regulation

WEIGERT stock solution A

Revision date: 26.04.2023

Product code: 10225A.xxxx

Page 11 of 14

List of Wastes Code - residues/unused products

160506 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and discarded chemicals; laboratory chemicals, consisting of or containing hazardous substances, including mixtures of laboratory chemicals; hazardous waste

List of Wastes Code - used product

160506 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and discarded chemicals; laboratory chemicals, consisting of or containing hazardous substances, including mixtures of laboratory chemicals; hazardous waste

List of Wastes Code - contaminated packaging

150110 WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED; packaging (including separately collected municipal packaging waste); packaging containing residues of or contaminated by hazardous substances; hazardous waste

Contaminated packaging

Non-contaminated packages may be recycled. Handle contaminated packages in the same way as the substance itself.

SECTION 14: Transport information

Land transport (ADR/RID)

| <u>14.1. UN number or ID number:</u> <u>14.2. UN proper shipping name:</u> <u>14.3. Transport hazard class(es):</u> <u>14.4. Packing group:</u> Hazard label: | UN 1170 ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION) 3 II 3 |
|--|--|
| Classification code: Special Provisions: Limited quantity: Excepted quantity: Transport category: Hazard No: Tunnel restriction code: Marine transport (IMDG) | F1 144 601 1 L E2 2 33 D/E |
| 14.1. UN number or ID number: 14.2. UN proper shipping name: 14.3. Transport hazard class(es): 14.4. Packing group: Hazard label: | UN 1170 ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION) 3 II 3 |
| Marine pollutant: Special Provisions: Limited quantity: Excepted quantity: EmS: | NO 144 1 L E2 F-E, S-D |
| Air transport (ICAO-TI/IATA-DGR) <u>14.1. UN number or ID number:</u> <u>14.2. UN proper shipping name:</u> | UN 1170 ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION) |



according to UK REACH Regulation

| WEIGERT stock solution A Revision date: 26.04.2023 Product code: 10225A.xxxxx Page 12 of 14 | | |
|---|---|-------|
| 14.3. Transport hazard class(es): | 3 | |
| 14.4. Packing group: | II | |
| Hazard label: | 3 | |
| | | |
| Special Provisions: | A3 A58 A180 | |
| Limited quantity Passenger: | 1 L | |
| Passenger LQ: | Y341 | |
| Excepted quantity: | E2 | |
| IATA-packing instructions - Passenger: | 353 | |
| IATA-max. quantity - Passenger: IATA-packing instructions - Cargo: | 5 L 364 | |
| IATA-max. quantity - Cargo: | 504 60 L | |
| 14.5. Environmental hazards | | |
| ENVIRONMENTALLY HAZARDOUS: | No | |
| 14.6. Special precautions for user | | |
| Warning: Combustible liquid. Refer to s | | |
| 14.7. Maritime transport in bulk according to | o IMO instruments | |
| not relevant | | |
| SECTION 15: Regulatory information | | |
| 15.1. Safety, health and environmental regu | lations/legislation specific for the substance or mixture | |
| EU regulatory information | | |
| Restrictions on use (REACH, annex XVII): | | |
| Entry 3, Entry 40, Entry 75 | | |
| 2010/75/EU (VOC): | 90,991 % | |
| 2004/42/EC (VOC): | not determined | |
| Information according to 2012/18/EU | P5c FLAMMABLE LIQUIDS | |
| (SEVESO III): | | |
| Additional information | | |
| The mixture is classified as hazardous REACH 1907/2006 Appendix XVII, No | according to regulation (EC) No 1272/2008 [CLP]. (mixture): 3, 40 | |
| National regulatory information | | |
| Employment restrictions: | Observe restrictions to employment for juveniles according to the 'juv work protection guideline' (94/33/EC). | enile |
| Water hazard class (D): | 1 - slightly hazardous to water | |
| Additional information | | |
| | | |
| 15.2. Chemical safety assessment Chemical safety assessments for subs | tances in this mixture were not carried out | |
| | tances in this mixture were not carried out. | |
| SECTION 16: Other information | | |
| Changes | | |

Rev. 1.0; 05.11.2012, Initial release Rev. 2.0; 04.05.2020, Changes in chapter: 1 -16. Rev. 2.1; 26.04.ö2023, Changes in chapter: 1, 16.



WEIGERT stock solution A

according to UK REACH Regulation

Revision date: 26.04.2023

Product code: 10225A.xxxxx

Page 13 of 14

Abbreviations and acronyms ADR: Accord européen sur le transport des marchandises dangereuses par Route AwSV: Verordnung über Anlagen zum Umgang mit wassergefährdenden Stoffen AGW: Arbeitsplatzgrenzwert AVV: Abfallverzeichnisverordnung CAS Chemical Abstracts Service CLP: Classification, Labelling and Packaging of substances and mixtures DNEL: Derived No Effect Level d: dav(s) EAKV: Europäisches Abfallverzeichnis gemäß Entwurf Abfallverzeichnisverordnung EINECS: European INventory of Existing Commercial chemical Substances ELINCS: European LIst of Notified Chemical Substances ECHA: European Chemicals Agency EWC: European Waste Catalogue IARC: INTERNATIONAL AGENCY FOR RESEARCH ON CANCER IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA) ICAO: International Civil Aviation Organization ICAO-TI: Technical Instructions by the "International Civil Aviation Organization" (ICAO) GHS: Globally Harmonized System of Classification and Labelling of Chemicals GefStoffV: Gefahrstoffverordnung (Ordinance on Hazardous Substances, Germany) h[·] hour LOAEL: Lowest observed adverse effect level LOAFC: Lowest observed adverse effect concentration LC50: Lethal concentration. 50 percent LD50: Lethal dose, 50 percent NOAEL: No observed adverse effect level NOAEC: No observed adverse effect level NLP: No-Longer Polymers N/A: not applicable OECD: Organisation for Economic Co-operation and Development PNEC: predicted no effect concentration PBT: Persistent bioaccumulative toxic RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail) REACH: Registration, Evaluation, Authorisation of Chemicals SVHC: substance of very high concern TRGS Technische Regeln fuer Gefahrstoffe UN: United Nations VOC: Volatile Organic Compounds VwVwS: Verwaltungsvorschrift wassergefaehrdender Stoffe WGK: Wassergefaehrdungsklasse CLP: Classification, labelling and Packaging REACH: Registration, Evaluation and Authorization of Chemicals GHS: Globally Harmonised System of Classification, Labelling and Packaging of Chemicals **UN: United Nations** CAS: Chemical Abstracts Service DNEL: Derived No Effect Level DMEL: Derived Minimal Effect Level PNEC: Predicted No Effect Concentration ATE: Acute toxicity estimate LL50: Lethal loading, 50% EL50: Effect loading, 50% EC50: Effective Concentration 50%



according to UK REACH Regulation

WEIGERT stock solution A

Revision date: 26.04.2023

Product code: 10225A.xxxx

Page 14 of 14

ErC50: Effective Concentration 50%, growth rate

NOEC: No Observed Effect Concentration

BCF: Bio-concentration factor

PBT: persistent, bioaccumulative, toxic

vPvB: very persistent, very bioaccumulative

ADR: Accord européen sur le transport des marchandises dangereuses par Route

(European Agreement concerning the International Carriage of Dangerous Goods by Road)

RID: Regulations concerning the international carriage of dangerous goods by rail

ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways

(Accord européen relatif au transport international des marchandises dangereuses par voies de navigation

intérieures)

EmS: Emergency Schedules

MFAG: Medical First Aid Guide

MARPOL: International Convention for the Prevention of Marine Pollution from Ships

IBC: Intermediate Bulk Container

For abbreviations and acronyms, see table at http://abbrev.esdscom.eu

Classification for mixtures and used evaluation method according to GB CLP Regulation

| Classification | Classification procedure |
|--------------------|--------------------------|
| Flam. Liq. 2; H225 | On basis of test data |
| Eye Irrit. 2; H319 | Calculation method |

Relevant H and EUH statements (number and full text)

| H225 | Highly flammable liquid and vapour. |
|--------|---|
| H319 | Causes serious eye irritation. |
| H336 | May cause drowsiness or dizziness. |
| EUH066 | Repeated exposure may cause skin dryness or cracking. |

Further Information

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights. The receiver of our product is singularly responsible for adhering to existing laws and regulations. Classification according EC regulation 1272/2008 (CLP): - Classification procedure:

Health hazards: Calculation method.

Environmental hazards: Calculation method.

Physical hazards: On basis of test data and / or calculated and / or estimated.

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)