

## **Safety Data Sheet**

according to UK REACH Regulation

## WHO-Buffer with Gentiana Violet

Revision date: 10.01.2024 Product code: 16320.xxxxx Page 1 of 14

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

WHO-Buffer with Gentiana Violet

UFI: S56F-A17Y-K00T-APCY

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

### Use of the substance/mixture

Use as laboratory reagent.

The product is intended for research, analysis and scientific education.

### Uses advised against

Any non-intended use.

### 1.3. Details of the supplier of the safety data sheet

Company name: MORPHISTO GmbH
Street: Schumannstr. 142/144
Place: D-63069 Offenbach

Telephone: +49 (0) 69 / 400 3019-60 Telefax: +49 (0) 69 / 400 3019-64

E-mail: info@morphisto.de
Contact person: Morphisto GmbH

E-mail: gefahrstoffmanagement@morphisto.de

Internet: http://www.morphisto.de

1.4. Emergency telephone Poison Information Center Mainz, Germany, Tel: +49(0)6131/19240

number:

### **SECTION 2: Hazards identification**

# 2.1. Classification of the substance or mixture

### **GB CLP Regulation**

Skin Sens. 1; H317 Carc. 1B: H350

Full text of hazard statements: see SECTION 16.

## 2.2. Label elements

# **GB CLP Regulation**

# Hazard components for labelling

formaldehyde...%

Signal word: Danger

Pictograms:





### **Hazard statements**

H317 May cause an allergic skin reaction.

H350 May cause cancer.

## **Precautionary statements**

P201 Obtain special instructions before use.

P261 Avoid breathing Vapour.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P308+P313 IF exposed or concerned: Get medical advice/attention.
P333+P313 If skin irritation or rash occurs: Get medical advice/attention.



according to UK REACH Regulation

### WHO-Buffer with Gentiana Violet

Revision date: 10.01.2024 Product code: 16320.xxxxx Page 2 of 14

## Special labelling of certain mixtures

Restricted to professional users.

Labelling of packages where the contents do not exceed 125 ml

Signal word: Danger

Pictograms:





### **Hazard statements**

H317-H350

### **Precautionary statements**

P201-P261-P280-P308+P313

# 2.3. Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulating and toxic (PBT) or very persistent and very bioaccumulating (vPvB) at levels of 0.1% or higher. Ecological information: The substance/mixture does not contain any components that are considered to be hazardous according to REACH Article 57(f) or Commission Delegated Regulation (EU) 2017/2100 or Commission Delegated Regulation (EU) 2018/605 in amounts of 0.1 % or more have endocrine disrupting properties. Toxicological information: The substance/mixture does not contain any components that are to be classified according to REACH Article 57(f) or Commission Delegated Regulation (EU) 2017/2100 or Commission Delegated Regulation (EU) 2018/605 in quantities of 0.1 % or more have endocrine disrupting properties.

## **SECTION 3: Composition/information on ingredients**

## 3.2. Mixtures

# **Chemical characterization**

in aqueous solution

# Relevant ingredients

CAS No	Chemical name			Quantity
	EC No	Index No	REACH No	
	Classification (GB CLF	Regulation)		
50-00-0	formaldehyde%			< 1 %
	200-001-8	605-001-00-5	01-2119488953-20	
	Carc. 1B, Muta. 2, Acu H341 H331 H311 H30	te Tox. 3, Acute Tox. 3, Acute Tox. 3, 1 H314 H317	Skin Corr. 1B, Skin Sens. 1; H350	
67-56-1	methanol			< 1 %
	200-659-6	603-001-00-X	01-2119433307-44	
	Flam. Liq. 2, Acute To	x. 3, Acute Tox. 3, Acute Tox. 3, STOT	SE 1; H225 H331 H311 H301 H370	

Full text of H and EUH statements: see section 16.



## **Safety Data Sheet**

according to UK REACH Regulation

### WHO-Buffer with Gentiana Violet

Revision date: 10.01.2024 Product code: 16320.xxxxx Page 3 of 14

Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity
	Specific Conc. L	imits, M-factors and ATE	
50-00-0	200-001-8	formaldehyde%	< 1 %
	inhalation: LC50 = 3 mg/l (vapours); inhalation: ATE = 0,5 mg/l (dusts or mists); dermal: LD50 = 292 mg/kg; oral: LD50 = 100 mg/kg		
67-56-1	200-659-6	methanol	< 1 %
	inhalation: LC50 = 3 mg/l (vapours); inhalation: ATE = 0,5 mg/l (dusts or mists); dermal: LD50 = 300 mg/kg; oral: LD50 = 100 mg/kg STOT SE 1; H370: >= 10 - 100 STOT SE 2; H371: >= 3 - < 10		

#### **Further Information**

This product contains no substances of very high concern (SVHC) (>0,1%) which are included in the Candidate List according to Article 59 of REACH.

### **SECTION 4: First aid measures**

### 4.1. Description of first aid measures

### General information

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

Remove contaminated, saturated clothing immediately.

First aider: Pay attention to self-protection!

## After inhalation

Provide fresh air. When in doubt or if symptoms are observed, get medical advice. In case of accident by inhalation: remove casualty to fresh air and keep at rest. If breathing is irregular or stopped, administer artificial respiration. Where appropriate artificial ventilation. Get immediate medical advice/attention.

# After contact with skin

After contact with skin, wash immediately with plenty of water and soap. Take off immediately all contaminated clothing and wash it before reuse. Get immediate medical advice/attention.

### After contact with eyes

Rinse immediately carefully and thoroughly with eye-bath or water. In case of eye irritation consult an ophthalmologist.

## After ingestion

Observe risk of aspiration if vomiting occurs. Rinse mouth thoroughly with water. Let water be drunken in little sips (dilution effect). Do NOT induce vomiting. Get immediate medical advice/attention.

### 4.2. Most important symptoms and effects, both acute and delayed

No information available.

### 4.3. Indication of any immediate medical attention and special treatment needed

First Aid, decontamination, treatment of symptoms.

## **SECTION 5: Firefighting measures**

# 5.1. Extinguishing media

# Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings. Carbon dioxide (CO2). Dry extinguishing powder. alcohol resistant foam. Atomized water.

### Unsuitable extinguishing media

High power water jet.

### 5.2. Special hazards arising from the substance or mixture

Non-flammable. In case of fire may be liberated: Carbon monoxide. Carbon dioxide (CO2). Formaldehyde



# **Safety Data Sheet**

according to UK REACH Regulation

### WHO-Buffer with Gentiana Violet

Revision date: 10.01.2024 Product code: 16320.xxxxx Page 4 of 14

### 5.3. Advice for firefighters

Wear a self-contained breathing apparatus and chemical protective clothing. Full protection suit.

### **Additional information**

Suppress gases/vapours/mists with water spray jet. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water. Co-ordinate fire-fighting measures to the fire surroundings.

### **SECTION 6: Accidental release measures**

## 6.1. Personal precautions, protective equipment and emergency procedures

#### General advice

Provide adequate ventilation. Do not breathe gas/fumes/vapour/spray. Avoid contact with skin, eyes and clothes. Use personal protection equipment. Ventilate affected area.

Use a positive-pressure air-supplied respirator if there is any potential for an uncontrolled release, exposure levels are not known, or any other circumstances where air-purifying respirators may not provide adequate protection.

### 6.2. Environmental precautions

Do not allow to enter into surface water or drains. Eliminate leaks immediately. Prevent spread over a wide area (e.g. by containment or oil barriers). In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities.

## 6.3. Methods and material for containment and cleaning up

### For cleaning up

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

### Other information

Clean contaminated objects and areas thoroughly observing environmental regulations.

## 6.4. Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

## **SECTION 7: Handling and storage**

# 7.1. Precautions for safe handling

# Advice on safe handling

If handled uncovered, arrangements with local exhaust ventilation have to be used. Do not breathe gas/fumes/vapour/spray. Technical ventilation of workplace. Use extractor hood (laboratory).

Wear suitable protective clothing. (See section 8.)

Avoid exposure - obtain special instructions before use.

Avoid contact with skin, eyes and clothes.

# Advice on protection against fire and explosion

Usual measures for fire prevention.

## Advice on general occupational hygiene

Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat, drink, smoke, sniff. Always close containers tightly after the removal of product. Wash contaminated clothing prior to re-use. Used working clothes should not be worn outside the work area. Street clothing should be stored seperately from work clothing.

## Further information on handling

General protection and hygiene measures: See section 8.

## 7.2. Conditions for safe storage, including any incompatibilities

## Requirements for storage rooms and vessels

Keep container tightly closed. Keep locked up. Store in a place accessible by authorized persons only. Provide



according to UK REACH Regulation

## WHO-Buffer with Gentiana Violet

Revision date: 10.01.2024 Product code: 16320.xxxxx Page 5 of 14

adequate ventilation as well as local exhaustion at critical locations.

Keep/Store only in original container.

Ensure adequate ventilation of the storage area.

### Hints on joint storage

Do not store together with: Explosives. Gas.. Oxidizing liquids. Oxidizing solids. Self-reactive substances and mixtures. Organic peroxides. Ammonium nitrate. Combustible toxic substances. Non-combustible toxic substances. Radioactive substances. Infectious substances.

# Further information on storage conditions

Keep the packing dry and well sealed to prevent contamination and absorbtion of humidity.

Recommended storage temperature: 15-25 °C

Protect against: frost. UV-radiation/sunlight. heat. Humidity

Store small packages in a suitable, robust cabinet.

### 7.3. Specific end use(s)

See section 1.

# **SECTION 8: Exposure controls/personal protection**

### 8.1. Control parameters

## **Exposure limits (EH40)**

CAS No	Substance	ppm	mg/m³	fibres/ml	Category	Origin
50-00-0	Formaldehyde	2	2.5		TWA (8 h)	WEL
		2	2.5		STEL (15 min)	WEL
67-56-1	Methanol	200	266		TWA (8 h)	WEL
		250	333		STEL (15 min)	WEL

## **DNEL/DMEL values**

CAS No	Substance			
DNEL type		Exposure route	Effect	Value
50-00-0	formaldehyde%			
Worker DNEL,	acute	inhalation	systemic	1 mg/m³
Worker DNEL,	long-term	dermal	systemic	240 mg/kg bw/day
Worker DNEL,	long-term	inhalation	systemic	0,5 mg/m³
Worker DNEL,	long-term	inhalation	local	0,375 mg/m³
Worker DNEL,	acute	inhalation	local	0,75 mg/m³
Worker DNEL,	long-term	dermal	local	0,037 mg/cm <sup>2</sup>
67-56-1	methanol			
Worker DNEL,	acute	inhalation	local	260 mg/m³
Worker DNEL,	acute	dermal	systemic	40 mg/kg bw/day
Worker DNEL,	acute	inhalation	systemic	260 mg/m³
Worker DNEL,	long-term	inhalation	local	260 mg/m³
Worker DNEL,	long-term	dermal	systemic	40 mg/kg bw/day
Worker DNEL,	long-term	inhalation	systemic	260 mg/m³



according to UK REACH Regulation

# **WHO-Buffer with Gentiana Violet**

Revision date: 10.01.2024 Product code: 16320.xxxxx Page 6 of 14

#### **PNEC values**

CAS No	Substance	
Environment	al compartment	Value
50-00-0	formaldehyde%	
Freshwater		0,44 mg/l
Freshwater (	intermittent releases)	4,44 mg/l
Marine wate	r	0,44 mg/l
Freshwater	sediment	2,3 mg/kg
Marine sediment		2,3 mg/kg
Micro-organisms in sewage treatment plants (STP)		0,19 mg/l
Soil		0,2 mg/kg
67-56-1	methanol	
Freshwater		20,8 mg/l
Marine wate	r	2,08 mg/l
Marine water (intermittent releases)		1540 mg/l
Freshwater sediment		77 mg/kg
Marine sediment		7,7 mg/kg
Micro-organisms in sewage treatment plants (STP)		100 mg/l
		3,18 mg/kg

### 8.2. Exposure controls



### Appropriate engineering controls

If handled uncovered, arrangements with local exhaust ventilation have to be used. Do not breathe gas/fumes/vapour/spray. Technical ventilation of workplace. Use extractor hood (laboratory). Process within closed systems.

# Individual protection measures, such as personal protective equipment

### Eye/face protection

Wear eye/face protection. Suitable eye protection: Tightly sealed safety glasses. EN 166

### Hand protection

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. Pull-over gloves of rubber. EN ISO 374

Suitable material:

(penetration time (maximum wearing period): >= 8 Stunden):

CR (polychloroprenes, Chloroprene rubber). (0,5 mm)

NBR (Nitrile rubber). (0,35 mm)

FKM (fluororubber). (0,4 mm)

PVC (Polyvinyl chloride). (0,5 mm)

Butyl rubber. (0,5 mm)

The selected protective gloves have to satisfy the specifications of EU Directive 89/686/EEC and the standard EN 374 derived from it.

Before using check leak tightness / impermeability. In the case of wanting to use the gloves again, clean them before taking off and air them well.



according to UK REACH Regulation

## **WHO-Buffer with Gentiana Violet**

Revision date: 10.01.2024 Product code: 16320.xxxxx Page 7 of 14

### Skin protection

Use of protective clothing. Suitable protective clothing: Protective clothing.

Minimum standard for preventive measures while handling with working materials are specified in the TRGS 500 (D).

### Respiratory protection

In case of inadequate ventilation wear respiratory protection. Respiratory protection necessary at:

Insufficient ventilation.

insufficient absorbtion.

exceeding exposure limit values

Release of: product

Suitable respiratory protective equipment:

Self-contained respirator (breathing apparatus)

The filter class must be suitable for the maximum contaminant concentration (gas/vapour/aerosol/particulates) that may arise when handling the product. If the concentration is exceeded, self-contained breathing apparatus must be used. The wearing time limitations according to GefStoffV in conjunction with the rules for the use of respiratory protective devices (BGR 190) must be observed.

### **Environmental exposure controls**

Do not empty into drains.

# SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Physical state: liquid Colour: violet

Odour: characteristic

Melting point/freezing point:

Boiling point or initial boiling point and

100 °C

boiling range:

Flammability: not determined Lower explosion limits: not determined Upper explosion limits: not determined Flash point: not determined Auto-ignition temperature: not determined Decomposition temperature: not determined 7.5-8.5 pH-Value (at 20 °C): Viscosity / kinematic: not determined Water solubility: completely miscible

(at 20 °C)

Solubility in other solvents

not determined

Partition coefficient n-octanol/water:

Vapour pressure:

Density (at 20 °C):

Relative vapour density:

Particle characteristics:

not determined
not determined
not determined
not determined

# 9.2. Other information

### Information with regard to physical hazard classes

Explosive properties

The product is not: Explosive.

Sustaining combustion: Not sustaining combustion

Self-ignition temperature

Gas: not determined



# **Safety Data Sheet**

according to UK REACH Regulation

### WHO-Buffer with Gentiana Violet

Revision date: 10.01.2024 Product code: 16320.xxxxx Page 8 of 14

Oxidizing properties

none

### Other safety characteristics

Evaporation rate: not determined Solvent separation test: not determined Solvent content: not determined Solid content: not determined Sublimation point: not determined Softening point: not determined Pour point: not determined Viscosity / dynamic: not determined Flow time: not determined

## **SECTION 10: Stability and reactivity**

### 10.1. Reactivity

No information available.

### 10.2. Chemical stability

The product is chemically stable under recommended conditions of storage, use and temperature.

### 10.3. Possibility of hazardous reactions

No information available.

### 10.4. Conditions to avoid

Keep away from heat.

# 10.5. Incompatible materials

Materials to avoid: Oxidizing agents, strong. Strong acid. Nitrogen oxides (NOx). Nitric acid. Hydrogenium peroxide. Aniline. Performic acid, perchloric acid

### 10.6. Hazardous decomposition products

In case of fire may be liberated: Carbon monoxide. Carbon dioxide (CO2). Formaldehyde

# **SECTION 11: Toxicological information**

## 11.1. Information on hazard classes as defined in GB CLP Regulation

### **Acute toxicity**

Based on available data, the classification criteria are not met.

### **ATEmix** calculated

ATE (oral) 20657 mg/kg; ATE (dermal) 60662 mg/kg; ATE (inhalation vapour) 619,7 mg/l; ATE (inhalation dust/mist) 103,3 mg/l



# **Safety Data Sheet**

according to UK REACH Regulation

## WHO-Buffer with Gentiana Violet

Revision date: 10.01.2024 Product code: 16320.xxxxx Page 9 of 14

CAS No	Chemical name	Chemical name				
	Exposure route	Dose		Species	Source	Method
50-00-0	formaldehyde%					
	oral	LD50 mg/kg	100	Rat	GESTIS	
	dermal	LD50 mg/kg	292	Rabbit	GESTIS	
	inhalation (4 h) vapour	LC50	3 mg/l	Rat	suppliers SDS.	
	inhalation dust/mist	ATE	0,5 mg/l			
67-56-1	methanol					
	oral	LD50 mg/kg	100	Rat	suppliers SDS.	
	dermal	LD50 mg/kg	300	Rabbit	suppliers SDS.	
	inhalation (4 h) vapour	LC50	3 mg/l	Rat	suppliers SDS.	
	inhalation dust/mist	ATE	0,5 mg/l			

### Irritation and corrosivity

Based on available data, the classification criteria are not met.

### Sensitising effects

May cause an allergic skin reaction. (formaldehyde%)

## Carcinogenic/mutagenic/toxic effects for reproduction

May cause cancer. (formaldehyde%)

Germ cell mutagenicity: Based on available data, the classification criteria are not met.

Reproductive toxicity: Based on available data, the classification criteria are not met.

## STOT-single exposure

Based on available data, the classification criteria are not met.

# STOT-repeated exposure

Based on available data, the classification criteria are not met.

### **Aspiration hazard**

Based on available data, the classification criteria are not met.

## 11.2. Information on other hazards

### **Endocrine disrupting properties**

This product does not contain any substance that has endocrine disrupting properties in humans as no ingredient meets the criteria.

### Other information

The mixture is classified as hazardous according to regulation (EC) No 1272/2008 [CLP]. Special hazards arising from the substance or mixture!

# **SECTION 12: Ecological information**

# 12.1. Toxicity

Based on available data, the classification criteria are not met.



# **Safety Data Sheet**

according to UK REACH Regulation

## **WHO-Buffer with Gentiana Violet**

Revision date: 10.01.2024 Product code: 16320.xxxxx Page 10 of 14

CAS No	Chemical name						
	Aquatic toxicity	Dose		[h]   [d]	Species	Source	Method
50-00-0	formaldehyde%						
	Acute fish toxicity	LC50 mg/l	24,1	96 h	Pimephales promelas	ECHA Dossier	
	Acute algae toxicity	ErC50 mg/l	4,89	72 h	Desmodesmus subspicatus	ECHA Dossier	
	Acute crustacea toxicity	EC50	5,8 mg/l	48 h	Daphnia pulex (water flea)	ECHA Dossier	
67-56-1	methanol						
	Acute fish toxicity	LC50 mg/l	15400	96 h	Lepomis macrochirus	ECHA Dossier	
	Acute algae toxicity	ErC50 mg/l	22000	96 h	Pseudokirchneriella subcapitata	ECHA Dossier	
	Acute crustacea toxicity	EC50 mg/l	>1000	48 h	Daphnia magna	ECHA Dossier	OECD 202

## 12.2. Persistence and degradability

The product has not been tested.

CAS No	Chemical name							
	Method	Value	d	Source				
	Evaluation		-	-				
50-00-0	formaldehyde%							
	OECD Guideline 301 C	91 %	14	ECHA Dossier				
	Easily biodegradable (concerning to the cri	teria of the OECD)						
	OECD Guideline 301 D	90	28	ECHA Dossier				
	Product is biodegradable.							
67-56-1	methanol							
•	other guideline	96%	20	ECHA Dossier				
•	Easily biodegradable (concerning to the criteria of the OECD)							

# 12.3. Bioaccumulative potential

The product has not been tested.

# Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
50-00-0	formaldehyde%	0,35
67-56-1	methanol	-0,77

CAS No	Chemical name	BCF	Species	Source
67-56-1	methanol	<10		

## 12.4. Mobility in soil

**BCF** 

No information available.

# 12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to UK REACH.

# 12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

## 12.7. Other adverse effects

No information available.



## Safety Data Sheet

according to UK REACH Regulation

### WHO-Buffer with Gentiana Violet

Product code: 16320 xxxxx Revision date: 10.01.2024 Page 11 of 14

#### **Further information**

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil. Do not allow uncontrolled discharge of product into the environment.

## **SECTION 13: Disposal considerations**

### 13.1. Waste treatment methods

### **Disposal recommendations**

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil. Dispose of waste according to applicable legislation. Consult the local waste disposal expert about waste disposal. Non-contaminated packages may be recycled. According to (EWC) European Waste Catalogue, allocation of waste identity numbers/waste descriptions must be carried out in a specific way for every industry and process. Control report for waste code/ waste marking according to (EWC) European Waste Catalogue:

### List of Wastes Code - residues/unused products

160506 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and

discarded chemicals; laboratory chemicals, consisting of or containing hazardous substances,

including mixtures of laboratory chemicals; hazardous waste

### List of Wastes Code - used product

160506 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and

discarded chemicals; laboratory chemicals, consisting of or containing hazardous substances,

including mixtures of laboratory chemicals; hazardous waste

### List of Wastes Code - contaminated packaging

WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND 150110

> PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED; packaging (including separately collected municipal packaging waste); packaging containing residues of or contaminated by

hazardous substances; hazardous waste

### Contaminated packaging

Hazardous waste according to Directive 2008/98/EC (waste framework directive). Handle contaminated packages in the same way as the substance itself.

# **SECTION 14: Transport information**

# Land transport (ADR/RID)

14.1. UN number or ID number:	No dangerous good in sense of this transport regulation.
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.
14.4. Packing group:	No dangerous good in sense of this transport regulation.

14.4. Packing group:

Inland waterways transport (ADN)

14.1. UN number or ID number: No dangerous good in sense of this transport regulation. 14.2. UN proper shipping name: No dangerous good in sense of this transport regulation.

14.3. Transport hazard class(es): No dangerous good in sense of this transport regulation. No dangerous good in sense of this transport regulation.

14.4. Packing group:

Marine transport (IMDG)

No dangerous good in sense of this transport regulation. 14.1. UN number or ID number: 14.2. UN proper shipping name: No dangerous good in sense of this transport regulation. No dangerous good in sense of this transport regulation. 14.3. Transport hazard class(es): No dangerous good in sense of this transport regulation. 14.4. Packing group:

Air transport (ICAO-TI/IATA-DGR) 14.1. UN number or ID number: No dangerous good in sense of this transport regulation. No dangerous good in sense of this transport regulation. 14.2. UN proper shipping name: 14.3. Transport hazard class(es): No dangerous good in sense of this transport regulation.

14.4. Packing group: No dangerous good in sense of this transport regulation.



# **Safety Data Sheet**

according to UK REACH Regulation

WHO-Buffer with Gentiana Violet

Revision date: 10.01.2024 Product code: 16320.xxxxx Page 12 of 14

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: No

14.6. Special precautions for user

Not restricted

14.7. Maritime transport in bulk according to IMO instruments

Not restricted

# **SECTION 15: Regulatory information**

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

### **EU** regulatory information

Restrictions on use (REACH, annex XVII):

Entry 3, Entry 75

Directive 2010/75/EU on industrial

emissions:

No information available.

Directive 2004/42/EC on VOC in

paints and varnishes:

No information available.

Information according to Directive

and the first containing to Dire

Not subject to 2012/18/EU (SEVESO III)

2012/18/EU (SEVESO III):

### **Additional information**

The mixture is classified as hazardous according to regulation (EC) No 1272/2008 [CLP].

### **National regulatory information**

Employment restrictions: Observe restrictions to employment for juveniles according to the 'juvenile

work protection guideline' (94/33/EC). Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or

nursing mothers.

Water hazard class (D): 3 - highly hazardous to water

Skin resorption/Sensitization: Causes allergic hypersensitivity reactions.

**Additional information** 

The product is subject to the Chemicals Prohibition Ordinance (ChemVerbotsV). Observe the requirements and restrictions for handling and dispensing in Section 3 of the ChemVerbotsV, among others.

## 15.2. Chemical safety assessment

For the following substances of this mixture a chemical safety assessment has been carried out: formaldehyde% methanol

## **SECTION 16: Other information**

### Changes

This data sheet contains changes from the previous version in section(s): 1,2,3,4,5,6,7,8,9,11,12,13,14,15,16.

Rev. 1.0; 13.09.2016, Initial release

Rev. 1.1; 29.11.2016, Changes in chapter: 1, 8, 15, 16. Rev. 1.11; 12.01.2017, Changes in chapter: 1, 16. Rev. 2,0; 10.01.2024; general adjustment(s)



## **Safety Data Sheet**

## according to UK REACH Regulation

### WHO-Buffer with Gentiana Violet

Revision date: 10.01.2024 Product code: 16320.xxxxx Page 13 of 14

## Abbreviations and acronyms

Flam. Liq: Flammable liquids Acute Tox: Acute toxicity Skin Corr: Skin corrosion Skin Sens: Skin sensitisation Muta: Germ cell mutagenicity Carc: Carcinogenicity

STOT SE: Specific target organ toxicity - single exposure

ADR: Accord européen sur le transport des marchandises dangereuses par Route

CAS Chemical Abstracts Service DNEL: Derived No Effect Level

IARC: INTERNATIONAL AGENCY FOR RESEARCH ON CANCER

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)

ICAO: International Civil Aviation Organization

ICAO-TI: Technical Instructions by the "International Civil Aviation Organization" (ICAO)

GHS: Globally Harmonized System of Classification and Labelling of Chemicals GefStoffV: Gefahrstoffverordnung (Ordinance on Hazardous Substances, Germany)

LOAEL: Lowest observed adverse effect level

LOAEC: Lowest observed adverse effect concentration

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

NOAEL: No observed adverse effect level NOAEC: No observed adverse effect level

NTP: National Toxicology Program

N/A: not applicable

OSHA: Occupational Safety and Health Administration

PNEC: predicted no effect concentration PBT: Persistent bioaccumulative toxic

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de

fer (Regulations Concerning the International Transport of Dangerous Goods by Rail )

SARA: Superfund Amendments and Reauthorization Act

SVHC: substance of very high concern TRGS Technische Regeln fuerGefahrstoffe TSCA: Toxic Substances Control Act VOC: Volatile Organic Compounds

VwVwS: Verwaltungsvorschrift wassergefaehrdender Stoffe

WGK: Wassergefaehrdungsklasse

CLP: Classification, labelling and Packaging

REACH: Registration, Evaluation and Authorization of Chemicals

GHS: Globally Harmonised System of Classification, Labelling and Packaging of Chemicals

**UN: United Nations** 

CAS: Chemical Abstracts Service
DNEL: Derived No Effect Level
DMEL: Derived Minimal Effect Level
PNEC: Predicted No Effect Concentration

ATE: Acute toxicity estimate LL50: Lethal loading, 50% EL50: Effect loading, 50%

EC50: Effective Concentration 50%

ErC50: Effective Concentration 50%, growth rate NOEC: No Observed Effect Concentration

BCF: Bio-concentration factor

PBT: persistent, bioaccumulative, toxic



according to UK REACH Regulation

### WHO-Buffer with Gentiana Violet

Revision date: 10.01.2024 Product code: 16320.xxxxx Page 14 of 14

vPvB: very persistent, very bioaccumulative

ADR: Accord européen sur le transport des marchandises dangereuses par Route

(European Agreement concerning the International Carriage of Dangerous Goods by Road)

RID: Regulations concerning the international carriage of dangerous goods by rail

ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways (Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures)

EmS: Emergency Schedules MFAG: Medical First Aid Guide

MARPOL: International Convention for the Prevention of Marine Pollution from Ships

IBC: Intermediate Bulk Container

For abbreviations and acronyms, see table at http://abbrev.esdscom.eu EC/EEC: European Community/European Economic Community

EU: European Union M-factor: Multiplying factor

IATA: International Air Transport Association DGR: Dangerous Goods Regulations

ICAO: International Civil Aviation Organization

TI: Technical Instructions

VOC: volatile organic compound

For abbreviations and acronyms, see: ECHA Guidance on information requirements and chemical safety assessment, chapter R.20 (Table of terms and abbreviations).

## Classification for mixtures and used evaluation method according to GB CLP Regulation

Classification	Classification procedure	
Skin Sens. 1; H317	Calculation method	
Carc. 1B; H350	Calculation method	

### Relevant H and EUH statements (number and full text)

H225	Highly flammable liquid and vapour.
H301	Toxic if swallowed.
H311	Toxic in contact with skin.
H314	Causes severe skin burns and eye damage.
H317	May cause an allergic skin reaction.
H331	Toxic if inhaled.
H341	Suspected of causing genetic defects.
H350	May cause cancer.
H370	Causes damage to organs.

### **Further Information**

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights. The receiver of our product is singularly responsible for adhering to existing laws and regulations. Classification according EC regulation 1272/2008 (CLP): - Classification procedure:

Health hazards: Calculation method. Environmental hazards: Calculation method.

Physical hazards: On basis of test data and / or calculated and / or estimated.

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

(The data for the relevant ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)