

Safety Data Sheet

according to Regulation (EC) No 1907/2006 and (EU) No 2020/878

Hydrogen Peroxide 30 %

Revision: 11.11.2025

Product code: 16560.xxxxx

Page 1 of 12

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Hydrogen Peroxide 30 %

UFI: TSUF-S1W8-300K-2M7F

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Use as laboratory reagent. Intended for scientific research and development.

Uses advised against

Any non-intended use.

1.3. Details of the supplier of the safety data sheet

Company name:	MORPHISTO GmbH	
Street:	Schumannstr. 142/144	
Place:	D-63069 Offenbach	
Telephone:	+49 (0) 69 / 400 3019-60	Telefax: +49 (0) 69 / 400 3019-64
E-mail:	info@morphisto.de	
Contact person:	Morphisto GmbH	
E-mail:	gefahrstoffmanagement@morphisto.de	
Internet:	http://www.morphisto.de	

1.4. Emergency telephone number:

Poison Information Center Mainz, Germany, Tel: +49(0)6131/19240

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No 1272/2008

Acute Tox. 4; H332
Eye Dam. 1; H318
Aquatic Chronic 3; H412

Full text of hazard statements: see SECTION 16.

2.2. Label elements

Regulation (EC) No 1272/2008

Hazard components for labelling

hydrogen peroxide

Signal word: Danger

Pictograms:



Hazard statements

H318	Causes serious eye damage.
H332	Harmful if inhaled.
H412	Harmful to aquatic life with long lasting effects.

Precautionary statements

P261	Avoid breathing Vapour.
P280	Wear protective gloves/protective clothing and eye protection/face protection.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

Safety Data Sheet

according to Regulation (EC) No 1907/2006 and (EU) No 2020/878

Hydrogen Peroxide 30 %

Revision: 11.11.2025

Product code: 16560.xxxxx

Page 2 of 12

P310

present and easy to do. Continue rinsing.

Immediately call a POISON CENTER/doctor.

Labelling of packages where the contents do not exceed 125 ml

Signal word:

Danger

Pictograms:



Hazard statements

H318-H412

Precautionary statements

P280-P305+P351+P338-P310

2.3. Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulating and toxic (PBT) or very persistent and very bioaccumulating (vPvB) at levels of 0.1% or higher. Ecological information: The substance/mixture does not contain any components that are considered to be hazardous according to REACH Article 57(f) or Commission Delegated Regulation (EU) 2017/2100 or Commission Delegated Regulation (EU) 2018/605 in amounts of 0.1 % or more have endocrine disrupting properties. Toxicological information: The substance/mixture does not contain any components that are to be classified according to REACH Article 57(f) or Commission Delegated Regulation (EU) 2017/2100 or Commission Delegated Regulation (EU) 2018/605 in quantities of 0.1 % or more have endocrine disrupting properties.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Relevant ingredients

CAS No	Chemical name			Quantity
	EC No	Index No	REACH No	
	Classification (Regulation (EC) No 1272/2008)			
7722-84-1	hydrogen peroxide			30 - < 35 %
	231-765-0	008-003-00-9	01-2119485845-22	
	Ox. Liq. 1, Acute Tox. 4, Acute Tox. 4, Skin Corr. 1A, Eye Dam. 1, STOT SE 3, Aquatic Chronic 3; H271 H332 H302 H314 H318 H335 H412			

Full text of H and EUH statements: see section 16.

Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity
	Specific Conc. Limits, M-factors and ATE		
7722-84-1	231-765-0	hydrogen peroxide	30 - < 35 %
	inhalation: LC50 = 0,17 mg/l (vapours); inhalation: ATE = 1.5 mg/l (dusts or mists); dermal: LD50 = >2000 mg/kg; oral: LD50 = 693,7 mg/kg Ox. Liq. 1; H271: >= 70 - 100 Ox. Liq. 2; H272: >= 50 - < 70 Skin Corr. 1A; H314: >= 70 - 100 Skin Corr. 1B; H314: >= 50 - < 70 Skin Irrit. 2; H315: >= 35 - < 50 Eye Dam. 1; H318: >= 8 - < 50 Eye Irrit. 2; H319: >= 5 - < 8 STOT SE 3; H335: >= 35 - 100		

Further Information

This mixture contains no substances of very high concern (SVHC) (> 0,1%) which are included in the Candidate List according to Article 59 of REACH.

SECTION 4: First aid measures

4.1. Description of first aid measures

Safety Data Sheet

according to Regulation (EC) No 1907/2006 and (EU) No 2020/878

Hydrogen Peroxide 30 %

Revision: 11.11.2025

Product code: 16560.xxxxx

Page 3 of 12

General information

Take off contaminated clothing. Provide fresh air.

After inhalation

Provide fresh air. When in doubt or if symptoms are observed, get medical advice.

After contact with skin

Wash with plenty of water. Take off contaminated clothing and wash it before reuse.

After contact with eyes

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist.

After ingestion

Observe risk of aspiration if vomiting occurs. If accidentally swallowed rinse the mouth with plenty of water (only if the person is conscious) and obtain immediate medical attention.

4.2. Most important symptoms and effects, both acute and delayed

After eye contact: Risk of serious damage to eyes.

Following skin contact: Irritation

Following ingestion: Nausea. vomiting. Diarrhoea Diarrhoea Dizziness. Spasms. unconsciousness.

Following inhalation Cough Respiratory complaints

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures**5.1. Extinguishing media****Suitable extinguishing media**

Co-ordinate fire-fighting measures to the fire surroundings.

Unsuitable extinguishing media

Carbon dioxide (CO₂). High power water jet.

5.2. Special hazards arising from the substance or mixture

Non-flammable. May form explosive peroxides.

5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus.

Additional information

Suppress gases/vapours/mists with water spray jet. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

SECTION 6: Accidental release measures**6.1. Personal precautions, protective equipment and emergency procedures****General advice**

Provide adequate ventilation. Do not breathe gas/fumes/vapour/spray. Avoid contact with skin, eyes and clothes. Use personal protection equipment.

6.2. Environmental precautions

Do not allow to enter into surface water or drains. No special environmental measures are necessary. Clean contaminated articles and floor according to the environmental legislation.

6.3. Methods and material for containment and cleaning up**For cleaning up**

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

Safety Data Sheet

according to Regulation (EC) No 1907/2006 and (EU) No 2020/878

Hydrogen Peroxide 30 %

Revision: 11.11.2025

Product code: 16560.xxxxx

Page 4 of 12

Other information

Treat the recovered material as prescribed in the section on waste disposal.

6.4. Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

SECTION 7: Handling and storage**7.1. Precautions for safe handling****Advice on safe handling**

If handled uncovered, arrangements with local exhaust ventilation have to be used. Do not breathe gas/fumes/vapour/spray. Use extractor hood (laboratory). Always close containers tightly after the removal of product. Wear personal protection equipment (refer to section 8).

Advice on protection against fire and explosion

Wear anti-static footwear and clothing

Advice on general occupational hygiene

Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat, drink, smoke, sniff.

Further information on handling

Use personal protection equipment. Street clothing should be stored separately from work clothing. Wash hands and face before breaks and after work and take a shower if necessary. Draw up and observe skin protection programme. When using do not eat, drink, smoke, sniff.

7.2. Conditions for safe storage, including any incompatibilities**Requirements for storage rooms and vessels**

Keep container tightly closed.

Hints on joint storage

Do not store together with: food and feed, pharmaceuticals, Infectious substances, Radioactive substances, Explosive substances, Oxidizing substances, Oxidizing liquids, Organic peroxides, Self-reactive substances and mixtures, Pyrophoric solids, Substances which in contact with water form flammable gases, Ammonium nitrate and preparations containing ammonium nitrate.

Further information on storage conditions

Keep/Store only in original container. Keep cool. Protect from sunlight. May cause decomposition by long-term light influence. storage temperature: 15-25 °C

7.3. Specific end use(s)

Use as laboratory reagent. Intended for scientific research and development.

SECTION 8: Exposure controls/personal protection**8.1. Control parameters****DNEL/DMEL values**

CAS No	Name of agent			
DNEL type		Exposure route	Effect	Value
7722-84-1	hydrogen peroxide			
Worker DNEL, long-term		inhalation	local	1,4 mg/m³
Worker DNEL, acute		inhalation	local	3 mg/m³

Safety Data Sheet

according to Regulation (EC) No 1907/2006 and (EU) No 2020/878

Hydrogen Peroxide 30 %

Revision: 11.11.2025

Product code: 16560.xxxxx

Page 5 of 12

PNEC values

CAS No	Name of agent	
Environmental compartment		Value
7722-84-1	hydrogen peroxide	
Freshwater		0,013 mg/l
Freshwater (intermittent releases)		0,0138 mg/l
Marine water		0,013 mg/l
Freshwater sediment		0,047 mg/kg
Marine sediment		0,047 mg/kg
Micro-organisms in sewage treatment plants (STP)		4,66 mg/l
Soil		0,002 mg/kg

Additional advice on limit values

To date, no national critical limit values exist.

8.2. Exposure controls



Appropriate engineering controls

If handled uncovered, arrangements with local exhaust ventilation have to be used. Do not breathe gas/fumes/vapour/spray. Technical measures and the application of suitable work processes have priority over personal protection equipment. Use extractor hood (laboratory). Provide washing facilities at the workplace, provide an eye shower or eyewash bottle and mark them.

Individual protection measures, such as personal protective equipment

Eye/face protection

Suitable eye protection: goggles. Safety goggles with side protection. In case of increased risk add protective face shield.

Hand protection

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. Before using check leak tightness / impermeability.

Suitable material: Butyl rubber. Thickness of material: $\geq 0,3$ mm. Breakthrough time > 480 min. Permeation level: 6.

Skin protection

Use of protective clothing. Wear anti-static footwear and clothing Lab apron.

Respiratory protection

In case of inadequate ventilation wear respiratory protection.

Suitable respiratory protective equipment: Type: B-P2 Identification color: grey/white

Type ABEK Identification color: brown/grey/yellow/green.

Environmental exposure controls

Do not allow to enter into surface water or drains.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Safety Data Sheet

according to Regulation (EC) No 1907/2006 and (EU) No 2020/878

Hydrogen Peroxide 30 %

Revision: 11.11.2025

Product code: 16560.xxxxx

Page 6 of 12

Physical state:	Liquid
Colour:	colourless
Odour:	slightly perceptible.
Melting point/freezing point:	-26 °C
Boiling point or initial boiling point and boiling range:	100 °C
Flammability:	not determined
Lower explosion limits:	not determined
Upper explosion limits:	not determined
Flash point:	not determined
Auto-ignition temperature:	not determined
Decomposition temperature:	not determined
pH-Value (at 20 °C):	2,5-3,5
Viscosity / kinematic: (at 20 °C)	0,973 mm ² /s
Water solubility:	easily soluble
Solubility in other solvents not determined	
Partition coefficient n-octanol/water:	-1,57
Vapour pressure: (at 20 °C)	23 hPa
Density (at 20 °C):	1,10 g/cm ³
Relative vapour density:	not determined
Particle characteristics:	not applicable

9.2. Other information**Information with regard to physical hazard classes****Explosive properties**

The product is not: Explosive.

Oxidizing properties

The product is not: oxidising.

Other safety characteristics

Evaporation rate:	not determined
Solid content:	not determined
Viscosity / dynamic: (at 20 °C)	1,08 mPa·s

SECTION 10: Stability and reactivity**10.1. Reactivity**

No hazardous reaction when handled and stored according to provisions.

10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

10.3. Possibility of hazardous reactions

Acetone , Aldehyde ,Alkalis (alkalis). alkali hydroxide Alcohol. amines. Ammonia. Aniline. Lead , Lead oxide , Acetic acid. acetic Anhydride. Ether , Hydrazine , metals , organic materials. permanganates, e.g. potassium permanganate , phosphorus , Phosphorus oxides. Reducing agents. Nitric acid. sulphuric acid, Oxidizing agents.

10.4. Conditions to avoid

none

10.5. Incompatible materials

Lead, Iron. copper, bronze, brass , silver , Zinc. chromium.

Safety Data Sheet

according to Regulation (EC) No 1907/2006 and (EU) No 2020/878

Hydrogen Peroxide 30 %

Revision: 11.11.2025

Product code: 16560.xxxxx

Page 7 of 12

10.6. Hazardous decomposition products

Hydrogen,

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Harmful if inhaled.

ATEmix calculated

ATE (oral) > 2000 mg/kg; ATE (dermal) > 2000 mg/kg; ATE (inhalation vapour) > 20 mg/l; ATE (inhalation dust/mist) 5.000 mg/l

CAS No	Chemical name				
	Exposure route	Dose	Species	Source	Method
7722-84-1	hydrogen peroxide				
	oral	LD50 693,7 mg/kg	Rat, male and female	ECHA	
	dermal	LD50 >2000 mg/kg	Rabbit	ECHA	
	inhalation (4 h) vapour	LC50 0,17 mg/l	Rat, male and female	ECHA	
	inhalation dust/mist	ATE 1.5 mg/l			

Irritation and corrosivity

Serious eye damage/eye irritation: Causes serious eye damage.

Skin corrosion/irritation: Based on available data, the classification criteria are not met.

Sensitising effects

Based on available data, the classification criteria are not met.

Carcinogenic/mutagenic/toxic effects for reproduction

Germ cell mutagenicity: Based on available data, the classification criteria are not met.

Carcinogenicity: Based on available data, the classification criteria are not met.

Reproductive toxicity: Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

11.2. Information on other hazards

Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to humans as no components meets the criteria.

Other information

The mixture is classified as hazardous according to regulation (EC) No 1272/2008 [CLP].

SECTION 12: Ecological information

12.1. Toxicity

Harmful to aquatic life with long lasting effects.

Safety Data Sheet

according to Regulation (EC) No 1907/2006 and (EU) No 2020/878

Hydrogen Peroxide 30 %

Revision: 11.11.2025

Product code: 16560.xxxxx

Page 8 of 12

CAS No	Chemical name					
	Aquatic toxicity	Dose	[h] [d]	Species	Source	Method
7722-84-1	hydrogen peroxide					
	Acute fish toxicity	LC50 16,4 mg/l	96 h	Pimephales promelas	ECHA	
	Acute algae toxicity	ErC50 1,38 mg/l	72 h	Skeletonema costatum	ECHA	
	Acute crustacea toxicity	EC50 2,4 mg/l	48 h	Daphnia pulex (water flea)	ECHA	
	Acute bacteria toxicity	EC50 466 mg/l ()	0.5 h	activated sludge	ECHA	

12.2. Persistence and degradability

The product has not been tested.

12.3. Bioaccumulative potential

The product has not been tested.

12.4. Mobility in soil

The product has not been tested.

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

12.7. Other adverse effects

slightly hazardous to water.

Further information

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil. Dispose of waste according to applicable legislation. Hazardous waste according to Directive 2008/98/EC (waste framework directive). Dispose of contents/container to local/regional/national/international regulations. Consult the local waste disposal expert about waste disposal. Control report for waste code/ waste marking according to (EWC) European Waste Catalogue:

List of Wastes Code - residues/unused products

160903 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; oxidising substances; peroxides, for example hydrogen peroxide; hazardous waste

List of Wastes Code - used product

160903 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; oxidising substances; peroxides, for example hydrogen peroxide; hazardous waste

List of Wastes Code - contaminated packaging

150110 WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED; packaging (including separately collected municipal packaging waste); packaging containing residues of or contaminated by hazardous substances; hazardous waste

Safety Data Sheet

according to Regulation (EC) No 1907/2006 and (EU) No 2020/878

Hydrogen Peroxide 30 %

Revision: 11.11.2025

Product code: 16560.xxxxx

Page 9 of 12

Contaminated packaging

Non-contaminated packages may be recycled. Handle contaminated packages in the same way as the substance itself.

SECTION 14: Transport information

Land transport (ADR/RID)

14.1. UN number or ID number: UN 2014
14.2. UN proper shipping name: HYDROGEN PEROXIDE, AQUEOUS SOLUTION
14.3. Transport hazard class(es): 5.1
14.4. Packing group: II
 Hazard label: 5.1+8



Classification code: OC1
 Limited quantity: 1 L
 Excepted quantity: E2
 Transport category: 2
 Hazard No: 58
 Tunnel restriction code: E

Inland waterways transport (ADN)

14.1. UN number or ID number: UN 2014
14.2. UN proper shipping name: Hydrogen peroxide, aqueous solution
14.3. Transport hazard class(es): 5.1
14.4. Packing group: II
 Hazard label: 5.1+8



Classification code: OC1
 Limited quantity: 1 L
 Excepted quantity: E2

Marine transport (IMDG)

14.1. UN number or ID number: UN 2014
14.2. UN proper shipping name: HYDROGEN PEROXIDE, AQUEOUS SOLUTION
14.3. Transport hazard class(es): 5.1
14.4. Packing group: II
 Hazard label: 5.1+8



Special Provisions: -
 Limited quantity: 1 L
 Excepted quantity: E2
 EmS: F-H, S-Q
 Segregation group: 16 - peroxides

Air transport (ICAO-TI/IATA-DGR)

14.1. UN number or ID number: UN 2014
14.2. UN proper shipping name: HYDROGEN PEROXIDE, AQUEOUS SOLUTION

Safety Data Sheet

according to Regulation (EC) No 1907/2006 and (EU) No 2020/878

Hydrogen Peroxide 30 %

Revision: 11.11.2025

Product code: 16560.xxxxx

Page 10 of 12

14.3. Transport hazard class(es):

5.1

14.4. Packing group:

II

Hazard label:

5.1+8



Special Provisions:

A2 A75

Limited quantity Passenger:

Forbidden

Passenger LQ:

Forbidden

IATA-packing instructions - Passenger:

Forbidden

IATA-max. quantity - Passenger:

Forbidden

IATA-packing instructions - Cargo:

Forbidden

IATA-max. quantity - Cargo:

Forbidden

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: No

14.6. Special precautions for user

Warning: Oxidising substances. strongly corrosive.

14.7. Maritime transport in bulk according to IMO instruments

not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulatory information

Restrictions on use (REACH, annex XVII):

Entry 3, Entry 75

Information according to Directive

Not subject to 2012/18/EU (SEVESO III)

2012/18/EU (SEVESO III):

Marketing and use of explosives precursors (Regulation (EU) 2019/1148):

Acquisition, introduction, possession or use of this product by the general public is restricted by Regulation (EU) 2019/1148. All suspicious transactions, and significant disappearances and thefts should be reported to the relevant national contact point.

National regulatory information

Employment restrictions:

Observe restrictions to employment for juveniles according to the 'juvenile work protection guideline' (94/33/EC).

Water hazard class (D):

1 - slightly hazardous to water

15.2. Chemical safety assessment

For the following substances of this mixture a chemical safety assessment has been carried out:
hydrogen peroxide

SECTION 16: Other information

Changes

This data sheet contains changes from the previous version in section(s): 2,3,4,5,6,7,8,9,10,11,12,13,14,15,16.

Rev. 2,1; 11.11.2025; general adjustment(s).

Safety Data Sheet

according to Regulation (EC) No 1907/2006 and (EU) No 2020/878

Hydrogen Peroxide 30 %

Revision: 11.11.2025

Product code: 16560.xxxxx

Page 11 of 12

Abbreviations and acronyms

Ox. Liq. 1: Oxidising liquids, hazard category 1
 Acute Tox. 4: Acute toxicity, hazard category 4
 Skin Corr. 1A: Skin corrosion, sub-category 1A
 Eye Dam. 1: Serious eye damage, hazard category 1
 STOT SE 3: Specific target organ toxicity - single exposure, hazard category 3
 Aquatic Chronic 3: Hazardous to the aquatic environment, long-term hazard category: Chronic 3
 CLP: Classification, labelling and Packaging
 REACH: Registration, Evaluation and Authorization of Chemicals
 GHS: Globally Harmonised System of Classification, Labelling and Packaging of Chemicals
 UN: United Nations
 CAS: Chemical Abstracts Service
 DNEL: Derived No Effect Level
 DMEL: Derived Minimal Effect Level
 PNEC: Predicted No Effect Concentration
 ATE: Acute toxicity estimate
 LC50: Lethal concentration, 50%
 LD50: Lethal dose, 50%
 LL50: Lethal loading, 50%
 EL50: Effect loading, 50%
 EC50: Effective Concentration 50%
 ErC50: Effective Concentration 50%, growth rate
 NOEC: No Observed Effect Concentration
 BCF: Bio-concentration factor
 PBT: persistent, bioaccumulative, toxic
 vPvB: very persistent, very bioaccumulative
 ADR: Accord européen sur le transport des marchandises dangereuses par Route
 (European Agreement concerning the International Carriage of Dangerous Goods by Road)
 RID: Regulations concerning the international carriage of dangerous goods by rail
 ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
 (Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures)
 IMDG: International Maritime Code for Dangerous Goods
 EmS: Emergency Schedules
 MFAG: Medical First Aid Guide
 IATA: International Air Transport Association
 ICAO: International Civil Aviation Organization
 MARPOL: International Convention for the Prevention of Marine Pollution from Ships
 IBC: Intermediate Bulk Container
 SVHC: Substance of Very High Concern
 For abbreviations and acronyms, see table at <http://abbrev.esdscom.eu>
 For abbreviations and acronyms, see: ECHA Guidance on information requirements and chemical safety assessment, chapter R.20 (Table of terms and abbreviations).

Classification for mixtures and used evaluation method according to Regulation (EC) No 1272/2008 [CLP]

Classification	Classification procedure
Acute Tox. 4; H332	Calculation method
Eye Dam. 1; H318	Calculation method
Aquatic Chronic 3; H412	Calculation method

Relevant H and EUH statements (number and full text)

H271 May cause fire or explosion; strong oxidiser.
 H302 Harmful if swallowed.

Safety Data Sheet

according to Regulation (EC) No 1907/2006 and (EU) No 2020/878

Hydrogen Peroxide 30 %

Revision: 11.11.2025

Product code: 16560.xxxxx

Page 12 of 12

H314	Causes severe skin burns and eye damage.
H318	Causes serious eye damage.
H332	Harmful if inhaled.
H335	May cause respiratory irritation.
H412	Harmful to aquatic life with long lasting effects.

Further Information

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights. The receiver of our product is singularly responsible for adhering to existing laws and regulations.

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

(The data for the relevant ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)