

#### according to UK REACH Regulation

#### Oxalic Acid 10 %

Revision date: 01.02.2024 Product code: 16503.xxxxx Page 1 of 11

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Oxalic Acid 10 %

UFI: 3VPF-X1JM-N00D-C50S

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### Use of the substance/mixture

Use as laboratory reagent. The product is intended for research, analysis and scientific education.

#### Uses advised against

Any non-intended use.

### 1.3. Details of the supplier of the safety data sheet

Company name: MORPHISTO GmbH
Street: Schumannstr. 142/144
Place: D-63069 Offenbach

Telephone: +49 (0) 69 / 400 3019-60 Telefax: +49 (0) 69 / 400 3019-64

E-mail: info@morphisto.de Contact person: Morphisto GmbH

E-mail: gefahrstoffmanagement@morphisto.de

Internet: http://www.morphisto.de

**1.4. Emergency telephone** Poison Information Center Mainz, Germany, Tel: +49(0)6131/19240

number:

### **SECTION 2: Hazards identification**

### 2.1. Classification of the substance or mixture

### **GB CLP Regulation**

Skin Corr. 1; H314 Eye Dam. 1; H318

Full text of hazard statements: see SECTION 16.

The mixture was classified as corrosive precautionary due to an extreme pH-value.

# 2.2. Label elements

#### **GB CLP Regulation**

### Hazard components for labelling

oxalic acid

Signal word: Danger

Pictograms:



#### **Hazard statements**

H314 Causes severe skin burns and eye damage.

### **Precautionary statements**

P260 Do not breathe mist/vapours/spray.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with

water or shower.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.



according to UK REACH Regulation

Oxalic Acid 10 %

Revision date: 01.02.2024 Product code: 16503.xxxxx Page 2 of 11

P310

Immediately call a POISON CENTER/doctor.

#### 2.3. Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulating and toxic (PBT) or very persistent and very bioaccumulating (vPvB) at levels of 0.1% or higher. Ecological information: The substance/mixture does not contain any components that are considered to be hazardous according to REACH Article 57(f) or Commission Delegated Regulation (EU) 2017/2100 or Commission Delegated Regulation (EU) 2018/605 in amounts of 0.1 % or more have endocrine disrupting properties. Toxicological information: The substance/mixture does not contain any components that are to be classified according to REACH Article 57(f) or Commission Delegated Regulation (EU) 2017/2100 or Commission Delegated Regulation (EU) 2018/605 in quantities of 0.1 % or more have endocrine disrupting properties.

### **SECTION 3: Composition/information on ingredients**

#### 3.2. Mixtures

#### Relevant ingredients

CAS No	Chemical name	Chemical name				
	EC No	Index No	REACH No			
	Classification (GB CLP Regulation)					
144-62-7	oxalic acid	oxalic acid				
	205-634-3	607-006-00-8	01-2119534576-33			
	Acute Tox. 4, Acute Tox. 4, Eye Dam. 1; H312 H302 H318					

Full text of H and EUH statements: see section 16.

### Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity
	Specific Conc. Limits, M-factors and ATE		
144-62-7	205-634-3	oxalic acid	10 - < 15 %
	dermal: LD50 =	20000 mg/kg; oral: LD50 = 375-475 mg/kg	

#### **Further Information**

This product contains no substances of very high concern (SVHC) (>0,1%) which are included in the Candidate List according to Article 59 of REACH.

#### **SECTION 4: First aid measures**

## 4.1. Description of first aid measures

#### General information

First aider: Pay attention to self-protection! Remove affected person from the danger area and lay down. In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

### After inhalation

Provide fresh air. Medical treatment necessary. In case of accident by inhalation: remove casualty to fresh air and keep at rest.

#### After contact with skin

After contact with skin, wash immediately with plenty of water and soap. Take off immediately all contaminated clothing and wash it before reuse. If skin irritation occurs: Get medical advice/attention.

# After contact with eyes

In case of contact with eyes, rinse immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart. Subsequently consult an ophthalmologist.

#### After ingestion

Observe risk of aspiration if vomiting occurs. Adverse human health effects and symptoms: Gastric perforation. Do not allow a neutralisation agent to be drunk. Rinse mouth thoroughly with water. Call a physician immediately. Let water be drunken in little sips (dilution effect). Do NOT induce vomiting.



### **Safety Data Sheet**

according to UK REACH Regulation

#### Oxalic Acid 10 %

Revision date: 01.02.2024 Product code: 16503.xxxxx Page 3 of 11

#### 4.2. Most important symptoms and effects, both acute and delayed

No information available.

#### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

### **SECTION 5: Firefighting measures**

### 5.1. Extinguishing media

#### Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings. The product itself does not burn.

# Unsuitable extinguishing media

High power water jet.

#### 5.2. Special hazards arising from the substance or mixture

Non-flammable. In case of fire may be liberated: Carbon monoxide Carbon dioxide (CO2).

### 5.3. Advice for firefighters

Wear a self-contained breathing apparatus and chemical protective clothing. Full protection suit.

#### Additional information

Suppress gases/vapours/mists with water spray jet. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

#### **SECTION 6: Accidental release measures**

### 6.1. Personal precautions, protective equipment and emergency procedures

#### General advice

Provide adequate ventilation. Do not breathe gas/fumes/vapour/spray. Avoid contact with skin, eyes and clothes. Use personal protection equipment.

#### 6.2. Environmental precautions

Do not allow to enter into surface water or drains. Discharge into the environment must be avoided.

#### 6.3. Methods and material for containment and cleaning up

### For containment

Cover drains.

#### For cleaning up

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

#### Other information

Clean contaminated objects and areas thoroughly observing environmental regulations.

### 6.4. Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

### **SECTION 7: Handling and storage**

# 7.1. Precautions for safe handling

### Advice on safe handling

If handled uncovered, arrangements with local exhaust ventilation have to be used. Do not breathe gas/fumes/vapour/spray. Wear suitable protective clothing. (See section 8.)
Use extractor hood (laboratory).

## Advice on protection against fire and explosion

Usual measures for fire prevention.



according to UK REACH Regulation

#### Oxalic Acid 10 %

Revision date: 01.02.2024 Product code: 16503.xxxxx Page 4 of 11

### Advice on general occupational hygiene

Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat, drink, smoke, sniff. Always close containers tightly after the removal of product.

#### Further information on handling

Avoid contact with skin, eyes and clothes.

# 7.2. Conditions for safe storage, including any incompatibilities

### Requirements for storage rooms and vessels

Keep container tightly closed. Keep locked up. Store in a place accessible by authorized persons only. Provide adequate ventilation as well as local exhaustion at critical locations.

#### Hints on joint storage

Do not store together with: Explosives. Oxidizing solids. Oxidizing liquids. Radioactive substances. Infectious substances.

### Further information on storage conditions

Keep container tightly closed in a cool, well-ventilated place. Protect against: UV-radiation/sunlight. Recommended storage temperature: 15-25 °C

#### 7.3. Specific end use(s)

Use as laboratory reagent. The product is intended for research, analysis and scientific education.

### **SECTION 8: Exposure controls/personal protection**

#### 8.1. Control parameters

### **Exposure limits (EH40)**

CAS No	Substance	ppm	mg/m³	fibres/ml	Category	Origin
144-62-7	Oxalic acid	-	1		TWA (8 h)	WEL
		_	2		STEL (15 min)	WEL

### **DNEL/DMEL values**

CAS No	Substance			
DNEL type		Exposure route	Effect	Value
144-62-7	oxalic acid			
Worker DNEL,	long-term	inhalation	systemic	3,11 mg/m³
Worker DNEL,	long-term	dermal	1 *	0,882 mg/kg bw/dav

#### **PNEC** values

CAS No	Substance		
Environmental compartment Value			
144-62-7	oxalic acid		
Freshwater 0,16 mg/l			
Marine water 0,016 mg/l		0,016 mg/l	
Micro-organism	Micro-organisms in sewage treatment plants (STP) 1550 mg/l		

#### 8.2. Exposure controls







according to UK REACH Regulation

# Oxalic Acid 10 %

Revision date: 01.02.2024 Product code: 16503.xxxxx Page 5 of 11

#### Appropriate engineering controls

If handled uncovered, arrangements with local exhaust ventilation have to be used. Do not breathe gas/fumes/vapour/spray. Use extractor hood (laboratory).

#### Individual protection measures, such as personal protective equipment

#### Eve/face protection

Suitable eye protection: goggles. Wear safety glasses; chemical goggles (if splashing is possible).

#### Hand protection

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. In case of prolonged or frequently repeated skin contact:

Pull-over gloves of rubber. EN ISO 374

PVC (Polyvinyl chloride). (0,5 mm)

Butyl rubber. (0,5 mm)

Before using check leak tightness / impermeability. In the case of wanting to use the gloves again, clean them before taking off and air them well.

#### Skin protection

Use of protective clothing. Lab apron. Protective apron.

#### Respiratory protection

In case of inadequate ventilation wear respiratory protection. With correct and proper use, and under normal conditions, breathing protection is not required.

Respiratory protection necessary at:

exceeding exposure limit values

Suitable respiratory protective equipment:

particulates filter device (DIN EN 143). Type: P2/P3

Details on the requirements for use and maximum concentrations can be found in the "Rules for the use of respiratory protective devices" (BGR 190).

### **Environmental exposure controls**

No special measures are necessary.

# SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Physical state: liquid
Colour: colourless
Odour: characteristic

Melting point/freezing point:

Boiling point or initial boiling point and

not determined

~100 °C

boiling range:

Flammability: not determined Lower explosion limits: not determined Upper explosion limits: not determined >100 °C Flash point: Auto-ignition temperature: not determined Decomposition temperature: not determined pH-Value (at 20 °C): 0 - 1not determined Viscosity / kinematic:

Water solubility: not determined easily soluble

(at 20 °C)

Solubility in other solvents not determined



#### according to UK REACH Regulation

#### Oxalic Acid 10 %

Revision date: 01.02.2024 Product code: 16503.xxxxx Page 6 of 11

Partition coefficient n-octanol/water: not determined Vapour pressure: 23 hPa

(at 20 °C)

Density (at 20 °C): 0,98 g/cm³
Relative vapour density: not determined
Particle characteristics: not applicable

#### 9.2. Other information

# Information with regard to physical hazard classes

Explosive properties

The product is not: Explosive.

Oxidizing properties

No information available.

### Other safety characteristics

Evaporation rate: not determined Solid content: not determined

### **SECTION 10: Stability and reactivity**

#### 10.1. Reactivity

Stable under normal storage and handling conditions.

#### 10.2. Chemical stability

No information available.

#### 10.3. Possibility of hazardous reactions

Exothermic reaction with: Base, Peroxides, Oxidizing agent. No information available.

#### 10.4. Conditions to avoid

Keep away from heat. Protect from moisture.

#### 10.5. Incompatible materials

Keep away from: Base, Oxidizing agent, Peroxides. Reducing agents, strong. Oxidizing agents, strong.

### 10.6. Hazardous decomposition products

In case of fire may be liberated: Carbon monoxide Carbon dioxide (CO2).

# **SECTION 11: Toxicological information**

#### 11.1. Information on hazard classes as defined in GB CLP Regulation

### **Acute toxicity**

Based on available data, the classification criteria are not met.

#### **ATEmix** calculated

ATE (oral) 3750 mg/kg; ATE (dermal) 11000 mg/kg; ATE (inhalation vapour) > 20 mg/l; ATE (inhalation dust/mist) > 5 mg/l

CAS No	Chemical name						
	Exposure route	Dose		Species	Source	Method	
144-62-7	oxalic acid	oxalic acid					
	oral	LD50 mg/kg	375-475	Rat.	ECHA dossier		
	dermal	LD50 mg/kg	20000	Rabbit	ECHA		

#### Irritation and corrosivity

Causes severe skin burns and eye damage. (On basis of test data)

Causes serious eye damage. (On basis of test data)



according to UK REACH Regulation

#### Oxalic Acid 10 %

Revision date: 01.02.2024 Product code: 16503.xxxxx Page 7 of 11

#### Sensitising effects

Based on available data, the classification criteria are not met.

#### Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

#### STOT-single exposure

Based on available data, the classification criteria are not met.

#### STOT-repeated exposure

Based on available data, the classification criteria are not met.

#### **Aspiration hazard**

Based on available data, the classification criteria are not met.

#### 11.2. Information on other hazards

#### **Endocrine disrupting properties**

This product does not contain any substance that has endocrine disrupting properties in humans as no ingredient meets the criteria.

#### Other information

The mixture is classified as hazardous according to regulation (EC) No 1272/2008 [CLP].

### **SECTION 12: Ecological information**

### 12.1. Toxicity

Based on available data, the classification criteria are not met.

CAS No	Chemical name	Chemical name					
	Aquatic toxicity	Dose		[h]   [d]	Species	Source	Method
144-62-7	oxalic acid	oxalic acid					
	Acute algae toxicity	ErC50 mg/l	<21,35		Pseudokirchneriella subcapitata	ECHA	
	Acute crustacea toxicity	EC50 mg/l	162,2	48 h	daphnia magna	ECHA dossier	

### 12.2. Persistence and degradability

Product is biodegradable.

#### 12.3. Bioaccumulative potential

No indication of bioaccumulation potential.

### Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
144-62-7	oxalic acid	-1,74

#### 12.4. Mobility in soil

No information available.

### 12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to UK REACH.

# 12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

### 12.7. Other adverse effects

No information available.

#### **Further information**

Avoid release to the environment.

### **SECTION 13: Disposal considerations**



### **Safety Data Sheet**

according to UK REACH Regulation

#### Oxalic Acid 10 %

Revision date: 01.02.2024 Product code: 16503.xxxxx Page 8 of 11

#### 13.1. Waste treatment methods

### **Disposal recommendations**

Do not allow to enter into surface water or drains. Dispose of waste according to applicable legislation. Consult the local waste disposal expert about waste disposal.

### List of Wastes Code - residues/unused products

160506 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and

discarded chemicals; laboratory chemicals, consisting of or containing hazardous substances,

including mixtures of laboratory chemicals; hazardous waste

### List of Wastes Code - used product

160506 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and

discarded chemicals; laboratory chemicals, consisting of or containing hazardous substances,

including mixtures of laboratory chemicals; hazardous waste

#### List of Wastes Code - contaminated packaging

150110 WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND

PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED; packaging (including separately collected municipal packaging waste); packaging containing residues of or contaminated by

hazardous substances; hazardous waste

#### Contaminated packaging

Wash with plenty of water. Completely emptied packages can be recycled. Non-contaminated packages may be recycled.

### **SECTION 14: Transport information**

#### Land transport (ADR/RID)

14.1. UN number or ID number:	No dangerous good in sense of this transport regulation.
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.
14.4. Packing group:	No dangerous good in sense of this transport regulation.

#### Inland waterways transport (ADN)

14.1. UN number or ID number:	No dangerous good in sense of this transport regulation.
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.
14.4. Packing group:	No dangerous good in sense of this transport regulation.

#### Marine transport (IMDG)

14.1. UN number or ID number:	No dangerous good in sense of this transport regulation.
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.
14.4. Packing group:	No dangerous good in sense of this transport regulation.

### Air transport (ICAO-TI/IATA-DGR)

14.1. UN number or ID number:	No dangerous good in sense of this transport regulation.
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.
14.4. Packing group:	No dangerous good in sense of this transport regulation.

# 14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: No

#### 14.6. Special precautions for user

No information available.

### 14.7. Maritime transport in bulk according to IMO instruments

No information available.



### **Safety Data Sheet**

### according to UK REACH Regulation

#### Oxalic Acid 10 %

Revision date: 01.02.2024 Product code: 16503.xxxxx Page 9 of 11

### **SECTION 15: Regulatory information**

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

### **EU** regulatory information

Restrictions on use (REACH, annex XVII):

Entry 3, Entry 75

Information according to Directive

Not subject to 2012/18/EU (SEVESO III)

2012/18/EU (SEVESO III):

**Additional information** 

This preparation is hazardous in the sense of regulation (EC) No 1272/2008 [GHS].

National regulatory information

Employment restrictions: Observe restrictions to employment for juveniles according to the 'juvenile

work protection guideline' (94/33/EC).

Water hazard class (D): 1 - slightly hazardous to water

15.2. Chemical safety assessment

For the following substances of this mixture a chemical safety assessment has been carried out:

oxalic acid

#### **SECTION 16: Other information**

#### Changes

This data sheet contains changes from the previous version in section(s): 1,2,3,4,5,6,7,9,10,11,12,13,14,15,16.

Rev. 2,00, 21.03.2023, Individual safety data sheet based on 12704 collect

Rev. 2,1; 01.02.2024; general adjustment(s)



### according to UK REACH Regulation

# Oxalic Acid 10 %

Revision date: 01.02.2024 Product code: 16503.xxxxx Page 10 of 11

### Abbreviations and acronyms

Acute Tox: Acute toxicity Skin Corr: Skin corrosion Eye Dam: Eye damage

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement

concerning the

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer

(Regulations

Concerning the International Transport of Dangerous Goods by Rail)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)

ICAO: International Civil Aviation Organization

ICAO-TI: Technical Instructions by the "International Civil Aviation Organization" (ICAO)

GHS: Globally Harmonized System of Classification and Labelling of Chemicals

OSHA: Occupational Safety and Health Administration

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

NOAEL: No observed adverse effect level LOAEL: Lowest observed adverse effect level NOAEC: No observed adverse effect level

LOAEC: Lowest observed adverse effect concentration

DNEL: Derived No Effect Level

PNEC: predicted no effect concentration TSCA: Toxic Substances Control Act

IARC: INTERNATIONAL AGENCY FOR RESEARCH ON CANCER

NTP: National Toxicology Program

SARA: Superfund Amendments and Reauthorization Act

GefStoffV: Gefahrstoffverordnung (Ordinance on Hazardous Substances, Germany)

PBT: Persistent bioaccumulative toxic SVHC: substance of very high concern CLP: Classification, labelling and Packaging

REACH: Registration, Evaluation and Authorization of Chemicals

GHS: Globally Harmonised System of Classification, Labelling and Packaging of Chemicals

**UN: United Nations** 

CAS: Chemical Abstracts Service
DNEL: Derived No Effect Level
DMEL: Derived Minimal Effect Level
PNEC: Predicted No Effect Concentration

ATE: Acute toxicity estimate LL50: Lethal loading, 50% EL50: Effect loading, 50%

EC50: Effective Concentration 50%

ErC50: Effective Concentration 50%, growth rate

NOEC: No Observed Effect Concentration

BCF: Bio-concentration factor

PBT: persistent, bioaccumulative, toxic vPvB: very persistent, very bioaccumulative

ADR: Accord européen sur le transport des marchandises dangereuses par Route

(European Agreement concerning the International Carriage of Dangerous Goods by Road)

RID: Regulations concerning the international carriage of dangerous goods by rail

ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways (Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures)

EmS: Emergency Schedules



### **Safety Data Sheet**

#### according to UK REACH Regulation

#### Oxalic Acid 10 %

Revision date: 01.02.2024 Product code: 16503.xxxxx Page 11 of 11

MFAG: Medical First Aid Guide

MARPOL: International Convention for the Prevention of Marine Pollution from Ships

IBC: Intermediate Bulk Container

For abbreviations and acronyms, see table at http://abbrev.esdscom.eu

For abbreviations and acronyms, see: ECHA Guidance on information requirements and chemical safety

assessment, chapter R.20 (Table of terms and abbreviations). EC/EEC: European Community/European Economic Community

EU: European Union M-factor: Multiplying factor

IATA: International Air Transport Association

DGR: Dangerous Goods Regulations

ICAO: International Civil Aviation Organization

TI: Technical Instructions

### Classification for mixtures and used evaluation method according to GB CLP Regulation

Classification	Classification procedure
Skin Corr. 1; H314	On basis of test data
Eye Dam. 1; H318	On basis of test data

# Relevant H and EUH statements (number and full text)

H302 Harmful if swallowed.
H312 Harmful in contact with skin.

H314 Causes severe skin burns and eye damage.

H318 Causes serious eye damage.

#### **Further Information**

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights. The receiver of our product is singularly responsible for adhering to existing laws and regulations. The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

(The data for the relevant ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)